


NOTES:

1. TEMPORARY TURNAROUND EASEMENT DOCUMENT REQUIRED WITH MINIMUM 48' RADIUS TO BE ABANDONED WITH STREET EXTENSION.
2. DRAINAGE OF UNPAVED TEMPORARY CUL-DE-SAC SHALL BE CONSISTENT WITH COUNTY STANDARDS, INCLUDING ARTICLE 420 STORM DRAINAGE AND TO BE USED ONLY IF STREET IS TO BE EXTENDED WITHIN 1 YEAR.
3. PAVED TEMPORARY TURNAROUND SHALL BE CONSTRUCTED WHEN AN OFF-SITE TEMPORARY TURNAROUND EASEMENT CANNOT BE OBTAINED AND STREET IS TO BE EXTENDED IN THE FUTURE. STRUCTURAL SECTION OF TURNAROUND TO MATCH STREET SECTION, REFER TO CODE 111.444 FOR CONSTRUCTION.
4. PAVED TEMPORARY TURNAROUND IS REQUIRED ON ALL FUTURE THROUGH-STREETS THAT FRONT LOTS, OR EXTEND MORE THAN 150 FEET BEYOND THE NEAREST INTERSECTING STREET.

DATE	REVISIONS		STANDARD DETAILS FOR PUBLIC WORKS CONSTRUCTION CUL-DE-SAC (PRIVATE STREETS ONLY)	SECTION NUMBER:
				100
				DRAWING NUMBER:
				W-112B
				DATE:
				2/21/2022