BASIS OF BEARINGS:

THE BASIS OF BEARINGS AND COORDINATES FOR THIS SURVEY IS THE NEVADA STATE PLANE COORDINATE SYSTEM, WEST ZONE GRID, NAD 83/94, BASED UPON MEASUREMENTS TAKEN TO GPS CONTROL POINTS, ON FILE WITH THE WASHOE COUNTY ENGINEERING OFFICE. COORDINATES SHOWN ARE GROUND, TO CONVERT TO GRID DIVIDE BY THE WASHOE COUNTY MODIFIED GRID COMBINED FACTOR OF 1.000197939 PER P.M. 5328.

STEEP SLOPES FROM
-PREVIOUS GRADING

DISTURBANCE

BASIS OF ELEVATIONS:


DATUM: NAVD 88
WASHOE COUNTY PROVIDED
TOPOGRAPHIC INFORMATION

EXISTING PARCEL INFO:


A.P.N. 050-210-50 & 54 44.96 ACRES ZONING: MDR

FEMA INFO:

FEMA FIRM 32031C3333G DATED 3-16-2009 DESIGNATES THIS SITE AS BEING IN A FEMA UNSHADED X ZONE.



VICINITY MAP



 SLOPE MAP DATA

 Number
 Minimum Slope
 Maximum Slope
 Color
 AREA

 1
 0.00%
 15.00%
 17.5


 2
 15.00%
 20.00%
 9.7

 3
 20.00%
 25.00%
 6.0

 4
 25.00%
 30.00%
 9.5

 5
 30.00%
 1508.94%
 2.3






DESCRIPTION									
DATE									
REV.									
DATE: 02-01-21		DRAWN BY:	DRAWN BY: ACAD2017		DESIGNED BY: G.S.W.		CHECKED BY: G.S.W.		

RT MERCHANT LLC
PN 050-210-50 &
SLOPE MAP

895 ROBERTA LANE, SUITE 104, SPARKS, NV 89431 (775) 359–3303 FAX (775) 359–3329 ODYSSEYRENO.COM ODYSSEYRENO.COM ELECTRIC FOR TRANSPORTED INCORPORATED



SCALE
HORIZ.1"=150'
VERT. ____
JOB NO.

SHEET

SL-1

OF-

