


# Sierra Vista

Amendment of Conditions

April 2022



Prepared For:

JC Sierra Vista, LLC

5400 Equity Avenue, Reno, NV 89502

Prepared By:



**Manhard.**  
CONSULTING

241 Ridge Street, Suite 400 Reno, NV

## TABLE OF CONTENTS

---

PROJECT LOCATION .....	1
EXISTING CONDITIONS.....	2
PRIOR PROJECT APPROVALS .....	2
APPLICATION REQUEST .....	2
PROPOSED AMENDMENT TO CONDITIONS.....	2
Analysis of Impacts and Findings .....	6

## LIST OF FIGURES

---

Figure 1: Project Location .....	1
Figure 2: Tentative Map Retaining Walls Comparison .....	4
Figure 3: Proposed Final Map Retaining Walls Comparison .....	5

## APPENDICES

---

- Application & Supporting Information
- Planning Commission Action Order – Approval with Conditions
- Site Plan (from WTM18-001 Lemmon Valley Heights)
- Application Maps (Tentative and proposed Final Map Retaining Walls Displays)

## PROJECT LOCATION

---

The project area is comprised of five parcels; APNs 080-635-01, 080-635-02, 080-730-21, 080-730-35, and 552-210-07; and is located in Lemmon Valley at the intersection of Lemmon Drive and Deodar Way, extending south to Bernoulli Street. The total project area is +/- 128.50 acres.

The project site is located within the eastern portion of Lemmon Valley, south of the Swan Lake playa, southeast of Swan Lake. The site is accessed via Lemmon Drive, with direct access to the northern portion of the project from Deodar Way and Estates Road and to the southern portion of the project from Palace Drive, Kess Way, and Patrician Drive.

Figure 1: Project Location



## EXISTING CONDITIONS

---

The +/-128.50-acre site is undeveloped. The area is bordered to the north by existing residential homes, and to the east, south, and west by undeveloped land. Swan lake is northwest of the site. The project area has two distinct areas of proposed development: a north subdivision area and a south subdivision area. The north portion of the site is undeveloped and generally slopes from southeast from northwest. The south portion of the site is an extension of the existing development. This portion of the site generally slopes down from south to north at approximately a 5 to 6 percent gradient.

## PRIOR PROJECT APPROVALS

---

The Washoe County Planning Commission approved a Master Plan Amendment and Regulatory Zone Amendment (WMPA17-0002 and WRZA17-0001) on March 7, 2017, with the Washoe County Board of County Commissioners approval on April 25, 2017. This amendment reconfigured the master plan and zoning designations to conform more closely to the topography of the area. The Master Plan Amendment was then determined to be in conformance with the Regional Plan by the Truckee Meadows Regional Planning Commission on June 28, 2017.

On March 6, 2018, the Washoe County Planning Commission approved Tentative Subdivision Map Case Number WTM18-001 (Lemmon Valley Heights), a 206-lot single-family residential, common open space subdivision. A copy of the Planning Commission Action Order is included with this application. The application Site Plan provided is page 2 of the Tentative Map plan set, provided with the initial tentative map submittal (WTM18-001).

## APPLICATION REQUEST

---

The enclosed application is a request for:

An Amendment to Conditions for WTM18-001 to allow for additional staff discretion to relating to grading, specifically in areas used for retention and detention of water.

## PROPOSED AMENDMENT TO CONDITIONS

---

During the creation of Phase 1 of the final design for the project, it was recognized that the grading standards of Article 438 would require additional retaining walls to be added to the site over what was proposed in the approved Tentative Map, particularly in areas where water retention and detention basins are located. As shown in Figures 2 and 3, additional retaining walls have been added to the retention/detention basins, however, if the specific standards were strictly applied, some of the retaining walls may be submerged during storm water events.



It is anticipated that the same modification will be needed for Phase 2 of the project, thus an amendment to “Condition I” for the entire project is requested. The proposed amendment to Condition “I.” is as follows:

Existing Condition Language:

*I. Grading shall comply with all applicable provisions of Article 438, of the Washoe County Development Code. Specifically, no slopes shall be greater than 10 feet in elevation. Retaining walls are required. All retaining walls shall be stained with a permanent desert varnish product to mimic the color of the surrounding undisturbed hillside.*

Proposed Condition Language (changes proposed in red and underlined):

*I. Grading shall comply with all applicable provisions of Article 438, of the Washoe County Development Code, unless it is determined by staff that certain requirements are not applicable, specifically in areas of water retention or detention basins. Specifically, no slopes shall be greater than 10 feet in elevation. Retaining walls are required. All retaining walls shall be stained with a permanent desert varnish product to mimic the color of the surrounding undisturbed hillside.*

Though the condition necessitated additional retaining walls that were not initially included in the Tentative Map, overall, less retention walls are needed for the final design. The proposed final design contains less units than approved for the Tentative Map. With this, many of the required retaining walls included in the Tentative Map are no longer necessary due to the need for less grading. Though additional walls are needed in specific areas to meet Article 438, overall, the proposed final design yields 41 less lots, and ±11,994 linear feet less of retention wall. Overall, the proposed Final Map will still be in substantial conformance with the approved Tentative Map.





Figure 2: Tentative Map Retaining Walls Comparison (full size provided with application materials)






Figure 3: Proposed Final Map Retaining Walls Comparison (full size provided with application materials)



## ANALYSIS OF IMPACTS AND FINDINGS

---

With the requested amendment to “Condition I,” it is not anticipated that any impacts to public health, safety, or welfare would result from the granting of this request, because, when necessary, grading will comply with the applicable provisions of Article 438 of the Washoe County Development Code. Additionally, it is anticipated that the requested amendment will not impact the determination of findings that were made with the original Tentative Map approval, because the proposed Final Map will still be in substantial conformance with the approved Tentative Map.





## Washoe County Development Application

Your entire application is a public record. If you have a concern about releasing personal information, please contact Planning and Building staff at 775.328.6100.

<b>Project Information</b>		Staff Assigned Case No.: _____	
Project Name: <b>Sierra Vista - Condition Amendment</b>			
Project Description: Amendment to Condition I. of the WTM18-001 (Lemmon Valley Heights) to allow for additional discretion with regards to grading requirements.			
Project Address: 1200 Estates Road			
Project Area (acres or square feet): 128.5 acres			
Project Location (with point of reference to major cross streets <b>AND</b> area locator): Lemmon Valley at the intersection of Lemmon Drive and Deodar Way, extending south to Bernoulli Street.			
Assessor's Parcel No.(s):	Parcel Acreage:	Assessor's Parcel No.(s):	Parcel Acreage:
080-635-01&02	13.59+1.88	080-730-21	43.211
552-210-07	43.01	080-730-35	26.89
Indicate any previous Washoe County approvals associated with this application: Case No.(s). WTM18-001			
<b>Applicant Information</b> (attach additional sheets if necessary)			
<b>Property Owner:</b>		<b>Professional Consultant:</b>	
Name: JC Sierra Vista LLC		Name: Manhard Consulting	
Address: 5400 Equity Avenue		Address: 241 Ridge Street, Suite 400	
Reno, NV	Zip: 89502	Reno, NV	Zip: 89501
Phone: 775-473-4215	Fax:	Phone: 775-321-6544	Fax:
Email: khendrix@kdhbuilders.net		Email: lknox@manhard.com	
Cell:	Other:	Cell:	Other:
Contact Person: Ken Hendrix		Contact Person: Lauren Knox	
<b>Applicant/Developer:</b>		<b>Other Persons to be Contacted:</b>	
Name: KDH Builders		Name:	
Address: 5400 Equity Avenue		Address:	
Reno, NV	Zip: 89502		Zip:
Phone: 775-473-4215	Fax:	Phone:	Fax:
Email: khendrix@kdhbuilders.net		Email:	
Cell:	Other:	Cell:	Other:
Contact Person: Ken Hendrix		Contact Person:	
<b>For Office Use Only</b>			
Date Received:	Initial:	Planning Area:	
County Commission District:		Master Plan Designation(s):	
CAB(s):		Regulatory Zoning(s):	



# Amendment of Conditions Application Supplemental Information

(All required Information may be separately attached)

## Required Information

1. The following information is required for an Amendment of Conditions:
  - a. Provide a written explanation of the proposed amendment, why you are asking for the amendment, and how the amendment will modify the approval.
  - b. Identify the specific Condition or Conditions that you are requesting to amend.
  - c. Provide the requested amendment language to each Condition or Conditions, and provide both the **existing** and **proposed condition(s)**.

During the creation of Phase 1 of the final design for the project, it was recognized that the grading standards of Article 438 would require additional retaining walls to be added to the site over what was proposed in the approved Tentative Map, particularly in areas where water retention and detention basins are located. This request includes an amendment to "Condition I" to allow for additional discretion relating to grading, specifically in areas used for retention and detention of water.

Additional details and requested amendment language are provided on the Project Description and Justification included with this application.

2. Describe any potential impacts to public health, safety, or welfare that could result from granting the amendment. Describe how the amendment affects the required findings as approved.

With the requested amendment to "Condition I," it is not anticipated that any impacts to public health, safety, or welfare would result from the granting of this request, because, when necessary, grading will comply with the applicable provisions of Article 438 of the Washoe County Development Code. Additionally, it is anticipated that the requested amendment will not impact the determination of findings that were made with the original Tentative Map approval, because the proposed Final Map will still be in substantial conformance with the approved Tentative Map.





**WASHOE COUNTY**  
 COMMUNITY SERVICES DEPARTMENT  
 Planning and Building Division  
 Planning Program

1001 EAST 9<sup>TH</sup> STREET  
 PO BOX 11130  
 RENO, NEVADA 89520-0027  
 PHONE (775) 328-6100  
 FAX (775) 328.6133

**Planning Commission Action Order**  
**Tentative Subdivision Map Case Number WTM18-001**

Decision: **Approval with Conditions**

Decision Date: March 6, 2018

Mailing/Filing Date: March 7, 2018

Property Owner: JDS LLC and Jennifer Jory and Sunrinder Preet  
 7500 Rough Rock Road  
 Reno, NV 89502

Assigned Planner: Roger Pelham, MPA, Senior Planner  
 Washoe County Community Services Department  
 Planning and Building Division  
 Phone: 775.328.3622  
 E-Mail: [rpelham@washoecounty.us](mailto:rpelham@washoecounty.us)

**Tentative Subdivision Map Case Number WTM18-001 (Lemmon Valley Heights)** – For possible action, hearing, and discussion to approve a 206-lot single-family residential, common open space subdivision. Lot sizes are proposed to range from a minimum size of 4,500 square feet (± .10 acres) to a maximum size of 17,206 square feet (± .39 acres) with an average size of 6,540 square feet (± .15 acres). Side yard setbacks are proposed to be reduced from a minimum of 8 feet to a minimum of 5 feet, and lot widths from 80 feet to 45 feet minimum.

- Applicant: JDS LLC
- Property Owner: JDS LLC and Jennifer Jory and Sunrinder Preet
- Location: 1200 Estates Road
- Assessor’s Parcel Numbers: 080-635-01, 080-635-02, 080-730-35, 080-730-21, and 552-210-07
- Parcel Size: ± 128.5 acres total
- Master Plan Categories: Rural (R) and Suburban Residential (SR)
- Regulatory Zones: General Rural (GR, ±59.95 acres, 1 dwelling per 40 acres) and Medium Density Suburban (MDS, ±68.64 acres, 3 dwellings per acre)
- Area Plan: North Valleys
- Citizen Advisory Board: North Valleys
- Development Code: Authorized in Article 608, Tentative Subdivision Maps and Article 408, Common Open Space Development
- Commission District: 5 – Commissioner Herman
- Section/Township/Range: 34 and 35, T21N, R19E, MDM, Washoe County, NV



INTEGRITY



EFFECTIVE COMMUNICATION



QUALITY PUBLIC SERVICE

To: JDS LLC  
Subject: WTM18-001  
Date: March 7, 2018  
Page: 2

Notice is hereby given that the Washoe County Planning Commission granted approval with conditions of the above referenced case number based on the findings in accordance with Washoe County Code Chapter 110 (Development Code) Article 608, *Tentative Subdivision Maps*, and Article 408, *Common Open Space Development*. If no appeals have been filed within 10 calendar days after the Mailing/Filing date shown on this Action Order, the approval by the Washoe County Planning Commission is final. If filed, an appeal stays any further action on the permit until final resolution of the appeal. An appeal shall be filed in accordance with the provisions found in Article 912, *Establishment of Commissions, Boards and Hearing Examiners*, of the Development Code. This decision is based on having made all ten findings in accordance with Washoe County Code Section 110.608.25:

- 1) Plan Consistency. That the proposed map is consistent with the Master Plan and any specific plan;
- 2) Design or Improvement. That the design or improvement of the proposed subdivision is consistent with the Master Plan and any specific plan;
- 3) Type of Development. That the site is physically suited for the type of development proposed;
- 4) Availability of Services. That the subdivision will meet the requirements of Article 702, Adequate Public Facilities Management System;
- 5) Fish or Wildlife. That neither the design of the subdivision nor any proposed improvements is likely to cause substantial environmental damage, or substantial and avoidable injury to any endangered plant, wildlife or their habitat;
- 6) Public Health. That the design of the subdivision or type of improvement is not likely to cause significant public health problems;
- 7) Easements. That the design of the subdivision or the type of improvements will not conflict with easements acquired by the public at large for access through, or use of property within, the proposed subdivision;
- 8) Access. That the design of the subdivision provides any necessary access to surrounding, adjacent lands and provides appropriate secondary access for emergency vehicles;
- 9) Dedications. That any land or improvements to be dedicated to the County is consistent with the Master Plan; and
- 10) Energy. That the design of the subdivision provides, to the extent feasible, for future passive or natural heating or cooling opportunities in the subdivision.


This Action Order is issued subject to the attached conditions and Washoe County development standards. Please contact the planner assigned to your project at the above-referenced phone number within seven days of receipt of this Order to review the steps necessary to satisfy the Conditions of Approval. Any business license, certificate of occupancy or final approval shall not be issued until all of the Conditions of Approval (attached) are satisfied. Additionally,

To: JDS LLC  
Subject: WTM18-001  
Date: March 7, 2018  
Page: 3

compliance shall be required with all federal, state and local statutes, ordinances, and regulations applicable to the approved project.

**This Action Order does not authorize any development, to include building construction and grading, without the required permits from the Washoe County Planning and Building Division, Building Program.**

Washoe County Community Services Department  
Planning and Building Division



Trevor Lloyd  
Secretary to the Planning Commission

TL/RP/ks

xc:

Applicant: JDS LLC, Attn: Derek Larson, 7500 Rough Rock Road, Reno, NV 89502

Property Owner: JDS LLC and Jennifer Jory and Sunrinder Preet, 7500 Rough Rock Road, Reno, NV 89502

Representatives: Manhard Consulting, Attn: Karen Downs, 9580 Double R Boulevard, Suite 101, Reno, NV 89521

Action Order xc: Nathan Edwards, District Attorney's Office; Keirsten Beck, Assessor's Office; Cori Burke, Assessor's Office; Tim Simpson, Utilities; Leo Vesely, Engineering and Capital Projects; North Valleys Citizen Advisory Board, Chair.





# Conditions of Approval

Tentative Subdivision Map Case Number WTM18-001

The project approved under Tentative Subdivision Map Case Number WTM18-001 shall be carried out in accordance with the Conditions of Approval granted by the Planning Commission on March 6, 2018. Conditions of Approval are requirements placed on a permit or development by each reviewing agency. These Conditions of Approval may require submittal of documents, applications, fees, inspections, amendments to plans, and more. These conditions do not relieve the applicant of the obligation to obtain any other approvals and licenses from relevant authorities required under any other act.

**Unless otherwise specified**, all conditions related to the approval of this Tentative Subdivision Map shall be met or financial assurance must be provided to satisfy the conditions of approval prior to issuance of a grading or building permit. The agency responsible for determining compliance with a specific condition shall determine whether the condition must be fully completed or whether the applicant shall be offered the option of providing financial assurance. All agreements, easements, or other documentation required by these conditions shall have a copy filed with the County Engineer and the Planning and Building Division.

Compliance with the conditions of approval related to this Tentative Subdivision Map is the responsibility of the applicant, his/her successor in interest, and all owners, assignees, and occupants of the property and their successors in interest. Failure to comply with any of the conditions imposed in the approval of the Tentative Subdivision Map may result in the institution of revocation procedures.

Washoe County reserves the right to review and revise the conditions of approval related to this Tentative Subdivision Map should it be determined that a subsequent license or permit issued by Washoe County violates the intent of this approval.

For the purpose of conditions imposed by Washoe County, “may” is permissive and “shall” or “must” is mandatory.

Conditions of Approval are usually complied with at different stages of the proposed project. Those stages are typically:

- Prior to recordation of a final map.
- Prior to obtaining a final inspection and/or a certificate of occupancy.
- Prior to the issuance of a business license or other permits/licenses.
- Some “Conditions of Approval” are referred to as “Operational Conditions.” These conditions must be continually complied with for the life of the project.

**The Washoe County Commission oversees many of the reviewing agencies/departments with the exception of the following agencies:**

- **The DISTRICT BOARD OF HEALTH, through the Washoe County Health District, has jurisdiction over all public health matters in the Health District. Any conditions set by the Health District must be appealed to the District Board of Health.**

**STANDARD CONSIDERATIONS FOR SUBDIVISIONS**  
**Nevada Revised Statutes 278.349**

Pursuant to NRS 278.349, when contemplating action on a tentative subdivision map, the governing body, or the planning commission if it is authorized to take final action on a tentative map, shall consider:

- (a) Environmental and health laws and regulations concerning water and air pollution, the disposal of solid waste, facilities to supply water, community or public sewage disposal and, where applicable, individual systems for sewage disposal;
- (b) The availability of water which meets applicable health standards and is sufficient for the reasonably foreseeable needs of the subdivision;
- (c) The availability and accessibility of utilities;
- (d) The availability and accessibility of public services such as schools, police and fire protection, transportation, recreation and parks;
- (e) Conformity with the zoning ordinances and master plan, except that if any existing zoning ordinance is inconsistent with the master plan, the zoning ordinance takes precedence;
- (f) General conformity with the governing body's master plan of streets and highways;
- (g) The effect of the proposed subdivision on existing public streets and the need for new streets and highways to serve the subdivision;
- (h) Physical characteristics of the land such as floodplain, slope and soil;
- (i) The recommendations and comments of those entities reviewing the tentative map pursuant to NRS 278.330 and 278.335; and
- (j) The availability and accessibility of fire protection, including, but not limited to, the availability and accessibility of water and services for the prevention and containment of fires, including fires in wild lands.

THE FOLLOWING ARE CONDITIONS OF APPROVAL REQUIRED BY THE REVIEWING AGENCIES. EACH CONDITION MUST BE MET TO THE SATISFACTION OF THE ISSUING AGENCY.

**Washoe County Planning and Building Division**

1. The following conditions are requirements of the Planning and Building Division, which shall be responsible for determining compliance with these conditions.

**Contact Name – Roger Pelham, (775) 328-3622**

- a. The applicant shall demonstrate substantial conformance to the plans approved as part of this special use permit.

- b. The subdivision shall specifically be in substantial conformance with the provisions of Washoe County Development Code Article 604, Design Requirements, Article 608, Tentative Subdivision Maps, Article 424 Hillside Development, Article 406, Common Open Space Development, Article 438, Grading as well as all other generally applicable provisions of Washoe County Code.
- c. Final maps and final construction drawings shall comply with all applicable statutes, ordinances, rules, regulations and policies in effect at the time of submittal of the tentative map or, if requested by the developer and approved by the applicable agency, those in effect at the time of approval of the final map.
- d. In accordance with NRS 278.360, the sub-divider shall present to Washoe County a final map, prepared in accordance with the tentative map, for the entire area for which a tentative map has been approved, or one of a series of final maps, each covering a portion of the approved tentative map, within four years after the date of approval of the tentative map or within one year of the date of approval for subsequent final maps. On subsequent final maps, that date may be extended by two years if the extension request is received prior to the expiration date.
- e. Final maps shall be in substantial compliance with all plans and documents submitted with and made part of this tentative map request, as may be amended by action of the final approving authority.
- f. All final maps shall contain the applicable portions of the following jurat:

The Tentative Map for **TM case number for map name** was APPROVED BY THE WASHOE COUNTY PLANNING COMMISSION ON **DATE**.

THIS FINAL MAP, **MAP NAME AND UNIT/PHASE #**, MEETS ALL APPLICABLE STATUTES, ORDINANCES AND CODE PROVISIONS, IS IN SUBSTANTIAL CONFORMANCE WITH THE TENTATIVE MAP AND ITS CONDITIONS, WHICH ARE INCORPORATED HEREIN BY THIS REFERENCE, AND THOSE CONDITIONS HAVE BEEN SATISFIED FOR RECORDATION OF THIS MAP, EXCEPT THAT THE "OPERATIONAL CONDITIONS" CONTAINED IN THE RECORDED ACTION ORDER SHALL REMAIN IN FULL FORCE AND EFFECT IN PERPETUITY.

IF ALL LOTS ON THIS MAP ARE REVERTED TO ACREAGE AND A NEW SUBDIVISION APPROVAL IS OBTAINED AT A FUTURE DATE, THE PROVISIONS OF THIS APPROVAL SHALL BE NULL AND VOID, UPON APPROVAL BY WASHOE COUNTY OF THOSE ACTIONS.

[Omit the following paragraph if this is the first and last (only) final map.]

**THE NEXT FINAL MAP FOR <TM CASE NUMBER> MUST BE APPROVED AND ACCEPTED FOR RECORDATION BY THE**



PLANNING AND BUILDING DIVISION DIRECTOR ON OR BEFORE THE EXPIRATION DATE, THE \_\_\_\_ DAY OF \_\_\_\_\_, 20\_\_\_\_, OR AN EXTENSION OF TIME FOR THE TENTATIVE MAP MUST BE APPROVED BY THE WASHOE COUNTY PLANNING COMMISSION ON OR BEFORE SAID DATE.

THIS FINAL MAP IS APPROVED AND ACCEPTED FOR RECORDATION THIS \_\_\_\_ DAY OF \_\_\_\_\_, 20\_\_\_\_ BY THE PLANNING AND BUILDING DIVISION DIRECTOR. THE OFFER OF DEDICATION FOR STREETS, SEWERS , ETC. IS REJECTED AT THIS TIME, BUT WILL REMAIN OPEN IN ACCORDANCE WITH NRS CHAPTER 278.

---

MOJRA HAUENSTAIN, DIRECTOR, PLANNING AND BUILDING

- g. A note shall be placed on all grading plans and construction drawings stating:

NOTE

Should any cairn or grave of a Native American be discovered during site development, work shall temporarily be halted at the specific site and the Sheriff's Office as well as the State Historic Preservation Office of the Department of Conservation and Natural Resources shall be immediately notified per NRS 383.170.

- h. The final map shall designate faults that have been active during the Holocene epoch of geological time, and the final map shall contain the following note:

NOTE

No habitable structures shall be located on a fault that has been active during the Holocene epoch of geological time.

- i. The developer and all successors shall direct any potential purchaser of the site to meet with the Planning and Building Division to review conditions of approval prior to the final sale of the site. Any subsequent purchasers of the site shall notify the Planning and Building Division of the name, address, telephone number and contact person of the new purchaser within thirty (30) days of the final sale.
- j. Lot standards for this development shall include: Minimum Lot Dimension: 45 feet; Front Yard Setbacks: 20 feet; Side Yard Setback: 5 feet; Rear Yard Setback: 20 feet. Minimum lot width shall be 45 feet.
- k. Failure to comply with all conditions of approval shall render this approval null and void.

- l. Grading shall comply with all applicable provisions of Article 438, of the Washoe County Development Code. Specifically, no slopes shall be greater than 10 feet in elevation. Retaining walls are required. All retaining walls shall be stained with a permanent desert varnish product to mimic the color of the surrounding undisturbed hillside.
- m. At least one tree shall be installed with irrigation on each residential lot. Trees and irrigation shall be shown on each building permit application for a dwelling.
- n. Street trees shall be installed as shown in the application materials. All landscaping shall be maintained in accordance with the provisions found in Section 110.412.75, Maintenance. A three-year maintenance plan shall be submitted by a licensed landscape architect registered in the State of Nevada to the Planning and Building Division, prior to a Certificate of Occupancy. The plan shall be wet-stamped.
- o. When adjacent to or across a street from residential development in existence as of the final adoption of this plan, provide a minimum 30-foot wide open-space buffer, containing a minimum 8-foot wide decomposed granite trail, on the perimeter AND maintain a minimum parcel size of 15,000 square feet for any parcel located on the perimeter; OR, provide for perimeter parcel sizes that match the existing residential parcels.
- p. Limit all dwellings to a single story located on the perimeter when adjacent to or across a street from residential development in existence as of the final adoption of this plan.
- q. In regulatory zones LDS 1; LDS 2; MDS 3 and MDS 4, new residential parcels shall not front on existing streets.
- r. Vary setbacks and driveway design.
- s. Construct no more than 25% of the total residential units in the same architectural elevation.
- t. Limit the use of block, concrete, or similar material to posts, pillars and similar uses when constructing fences and / or walls. These materials are not to be used for panel or wall sections. Plans for the maintenance of perimeter fences will be submitted with tentative map applications.
- u. Minimize the use of street lighting. Any lighting proposed must show how it is consistent with current best practice "dark-sky" standards. Exterior lighting fixtures mounted on the homes or units shall be no higher than the line of the first story eave or, where no eave exists, no higher than 15 feet above finished grade. Lights shall be shielded to prevent light spillage onto adjacent properties or streets.
- v. Establish landscape designs that emphasize the use of native vegetation, with non-native and atypical vegetation integrated sparingly into any landscaped area. Homebuilders must offer at least two separate xeriscape options.

w. Conditions, covenants, and restrictions (CC&Rs); including any supplemental CC&Rs, shall be submitted to Planning and Building staff for review and subsequent forwarding to the District Attorney for review and approval. The final CC&Rs shall be signed and notarized by the owner(s) and submitted to Planning and Building with the recordation fee prior to the recordation of the final map. The CC&Rs shall require all phases and units of the subdivision approved under this tentative map to be subject to the same CC&Rs. Washoe County shall be made a party to the applicable provisions of the CC&Rs to the satisfaction of the District Attorney's Office. Said CC&Rs shall specifically address the potential for liens against the properties and the individual property owners' responsibilities for the funding of maintenance, replacement, and perpetuation of the following items, at a minimum:

1. Maintenance of public access easements, common areas, and common open spaces. Provisions shall be made to monitor and maintain, for a period of three (3) years regardless of ownership, a maintenance plan for the common open space area. The maintenance plan for the common open space area shall, as a minimum, address the following:
  - a. Vegetation management;
  - b. Watershed management;
  - c. Debris and litter removal;
  - d. Fire access and suppression; and
  - e. Maintenance of public access and/or maintenance of limitations to public access.
2. All drainage facilities and roadways not maintained by Washoe County shall be privately maintained and perpetually funded by the homeowners association.
3. All open space identified as common area on the final map shall be privately maintained and perpetually funded by the homeowners association. The deed to the open space and common area shall reflect perpetual dedication for that purpose. The maintenance of the common areas and related improvements shall be addressed in the CC&Rs to the satisfaction of the District Attorney's Office.
4. The project and adjacent to undeveloped land shall maintain a fire fuel break of a minimum 30 feet in width until such time as the adjacent land is developed.
5. Locating habitable structures on potentially active (Holocene) fault lines, whether noted on the recorded map or disclosed during site preparation, is prohibited.
6. All outdoor lighting on buildings and streets within the subdivision shall be down-shielded.

7. No motorized vehicles shall be allowed on the platted common area.
8. Washoe County will not assume responsibility for maintenance of the private street system of the development nor will Washoe County accept the streets for dedication to Washoe County unless the streets meet those Washoe County standards in effect at the time of offer for dedication.
9. Mandatory solid waste collection.
10. Fence material (if any), height, and location limitations, and re-fencing standards. Replacement fence must be compatible in materials, finish and location of existing fence.
11. At least one tree shall be installed with irrigation on each residential lot. Trees and irrigation shall be shown on each building permit application for a dwelling.
12. Street trees shall be installed as shown in the application materials. All landscaping shall be maintained in accordance with the provisions found in Section 110.412.75, Maintenance. A three-year maintenance plan shall be submitted by a licensed landscape architect registered in the State of Nevada to the Planning and Building Division, prior to a Certificate of Occupancy. The plan shall be wet-stamped.
13. When adjacent to or across a street from residential development in existence as of the final adoption of this plan, provide a minimum 30-foot wide open-space buffer, containing a minimum 8-foot wide decomposed granite trail, on the perimeter AND maintain a minimum parcel size of 15,000 square feet for any parcel located on the perimeter; OR, provide for perimeter parcel sizes that match the existing residential parcels.
14. Limit all dwellings to a single story located on the perimeter when adjacent to or across a street from residential development in existence as of the final adoption of this plan.
15. Provide a statement regarding how the proposed design responds to the community input received during the tentative map review process must be made available to staff and the Planning Commission.
16. In regulatory zones LDS 1; LDS 2; MDS 3 and MDS 4, new residential parcels shall not front on existing streets.
17. Vary setbacks and driveway design.
18. Construct no more than 25% of the total residential units in the same architectural elevation.
19. Limit the use of block, concrete, or similar material to posts, pillars and similar uses. These materials are not to be used for panel or wall

sections. Plans for the maintenance of perimeter fences will be submitted with tentative map applications.

20. Minimize the use of street lighting. Any lighting proposed must show how it is consistent with current best practice “dark-sky” standards. Exterior lighting fixtures mounted on the homes or units shall be no higher than the line of the first story eave or, where no eave exists, no higher than 15 feet above finished grade. Lights shall be shielded to prevent light spillage onto adjacent properties or streets.
21. Establish landscape designs that emphasize the use of native vegetation, with non-native and atypical vegetation integrated sparingly into any landscaped area. Homebuilders must offer at least two separate xeriscape options
  - x. The common open space owned by the homeowners association shall be noted on the final map as “common open space” and the related deed of conveyance shall specifically provide for the preservation of the common open space in perpetuity. The deed to the open space and common area shall reflect perpetual dedication for that purpose. The deed shall be presented with the CC&Rs for review by Planning and Building staff and the District Attorney.
  - y. Construction activities shall be limited to the hours between 7AM and 7PM on Mondays, Tuesdays, Wednesdays, Thursdays, Fridays and Saturdays. Construction activities shall be limited to the hours between 8AM and 5PM on Sundays.
  - z. Address numbers shall be clearly marked on each dwelling and on the curb in front of each dwelling.
  - aa. The applicant shall develop a Fence Plan that ensures that all fencing installed adjacent to existing development is durable, wind resistant, and obtain approval of the Fence Plan from Washoe County. Fencing materials may include metal posts, metal rails, pressure-treated posts, pressure-treated rails, or similar durable materials. Special consideration shall be given to post spacing and depth and appropriate bracing. Fence details shall be shown on all building permits for all dwellings.

### **Washoe County Engineering and Capital Projects**

2. The following conditions are requirements of the Engineering Division (Traffic Engineer), which shall be responsible for determining compliance with these conditions.

**Contact Name – Clara Lawson, PE, PTOE, Licensed Engineer, 775.328.3603**

- a. Make a street connection between Fremont Way and the north section of the subdivision.
- b. Place speed humps or other traffic calming on Kess Way, Patrician Way and Palace Dr. both the new proposed sections and the existing streets to the satisfaction of the County Engineer



- c. Straighten out Deodar Way at the Lemmon Dr. intersection. Future alignment should be further north where Lemmon Dr. has less of a curve.
  - d. Deodar Way should be constructed to either County or City of Reno standard, whichever is greater along the whole frontage of the property to the satisfaction of the County Engineer.
  - e. Relocation of the existing 60' wide access easement for parcels 080-730-290 and 080-730-09 to the satisfaction of the County Engineer and affected property owners.
3. The following conditions are requirements of the Engineering Division (Land Development), which shall be responsible for determining compliance with these conditions.

**Contact Name – Leo R. Vesely, PE, CFM, 775.328.2313**

#### GENERAL CONDITIONS

- a. Final maps and final construction drawings shall comply with all applicable statutes, ordinances, rules, regulations, and policies in effect at the time of submittal of the tentative map or, if requested by the developer and approved by the applicable agency, those in effect at the time of approval of the final map.
- b. Prior to acceptance of public improvements and release of any financial assurances, the developer shall furnish to the water and sewer provider(s) and Engineering and Capital Projects Division a complete set of reproducible as-built construction drawings prepared by a civil engineer registered in the State of Nevada.
- c. The developer shall be required to participate in any applicable General Improvement District or Special Assessment District formed by Washoe County. The applicable County Department shall be responsible for determining compliance with this condition.
- d. The developer shall provide written approval from the U.S. Postal Service concerning the installation and type of mail delivery facilities. The system, other than individual mailboxes, must be shown on the project construction plans and installed as part of the onsite improvements. The County Engineer shall determine compliance with this condition.
- e. A complete set of construction improvement drawings, including an onsite grading plan, shall be submitted to the County Engineer for approval prior to finalization of any portion of the tentative map. Grading shall comply with best management practices (BMP's) and shall include detailed plans for grading and drainage on each lot, erosion control (including BMP locations and installation details), slope stabilization and mosquito abatement. Placement or disposal of any excavated material shall be indicated on the grading plan. The County Engineer shall determine compliance with this condition.
- f. All open space shall be identified as common area on the final map. A note on the final map shall indicate that all common areas shall be privately maintained and perpetually funded by the Homeowners Association. The County Engineer

shall determine compliance with this condition. The maintenance of the common areas shall also be addressed in the CC&Rs to the satisfaction of the District Attorney's Office.

- g. Any existing easements or utilities that conflict with the development shall be relocated, quitclaimed, and/or abandoned, as appropriate. The County Engineer shall determine compliance with this condition.
- h. Any easement documents recorded for the project shall include an exhibit map that shows the location and limits of the easement in relationship to the project. The County Engineer shall determine compliance with this condition.
- i. All existing overhead utility lines shall be placed underground, except electric transmission lines greater than 100 kilovolts, which can remain above ground. The County Engineer shall determine compliance with this condition.
- j. With each affected final map, provide written approval from NV Energy for any improvements located within their easement or under their facilities. The County Engineer shall determine compliance with this condition.
- k. Appropriate easements shall be granted for any existing or new utilities, with each affected final map. This includes, but is not limited, to electrical lines, water lines, and drainage maintenance access. The County Engineer shall determine compliance with this condition
- l. Appropriate easements shall be granted to perpetuate/relocate existing access roads and easements. The County Engineer shall determine compliance with this condition.
- m. A design level geotechnical investigation with fault study shall be provided with the submittal of each final map.
- n. Cut slopes, fill slopes, and berms shall be setback from parcel lines and access easements in accordance with Washoe County Code Article 438. The County Engineer shall determine compliance with this condition.
- o. Slope easements shall be provided for areas of cut or fill that fall outside of the subdivision boundary.
- p. TMWA shall approve any grading in existing waterline easements and any proposed access road relocations.

**DRAINAGE and STORM WATER DISCHARGE PROGRAM**  
(COUNTY CODE 110.420 and 110.421)

- q. The conditional approval of this tentative map shall not be construed as final approval of the drainage facilities shown on the tentative map. Final approval of the drainage facilities will occur during the final map review and will be based upon the final hydrology report.

- r. Prior to finalization of the first final map, a master hydrology/hydraulic report and a master storm drainage plan shall be submitted to the County Engineer for approval. The County Engineer shall determine compliance with this condition.
- s. Prior to finalization of any portion of the tentative map, a final, detailed hydrology/hydraulic report for that unit shall be submitted to the County Engineer. All storm drainage improvements necessary to serve the project shall be designed and constructed to County standards and specifications and/or financial assurances in an appropriate form and amount shall be provided. The County Engineer shall determine compliance with this condition.
- t. Any increase in stormwater runoff resulting from the development and based on the 5 year and 100 storm(s) shall be detained onsite. The County Engineer shall determine compliance with this condition.
- u. Standard reinforced concrete headwalls or other approved alternatives shall be placed on the inlet and outlet of all drainage structures, and grouted rock riprap shall be used to prevent erosion at the inlets and outlets of all culverts to the satisfaction of the Engineering and Capital Projects Division.
- v. The developer shall provide pretreatment for petrochemicals and silt for all storm drainage leaving the site to the satisfaction of the Engineering and Capital Projects Division.
- w. The Truckee Meadows Regional Stormwater Quality Management Program Construction Permit Submittal Checklist and Inspection Fee shall be submitted with each final map. The County Engineer shall determine compliance with this condition.
- x. In medians with irrigated landscaping adjacent to the curb, a subdrain system shall be installed a minimum of one foot behind the back face of curb to intercept drainage from the landscaping. The system shall be tied to the storm drain system or an acceptable alternative drainage system. The County Engineer shall determine compliance with this condition.
- y. Drainage swales that drain more than two lots are not allowed to flow over the curb into the street; these flows shall be intercepted by an acceptable storm drain inlet and routed into the storm drain system. The County Engineer shall determine compliance with this condition.
- z. A note on the final map shall indicate that all drainage facilities not maintained by Washoe County shall be privately maintained and perpetually funded by a homeowners association. As an alternative to a homeowners association, the developer may request the establishment of a County Utility Service Area under which fees would be paid for maintenance of the proposed storm drainage detention facility. The fee amount will be based on the additional service above that normally provided by the County to maintain new stormwater facilities dedicated by the developer (i.e., curb and gutter, drop inlets and piping). The County Engineer shall determine compliance with this condition. The maintenance and funding of these drainage facilities shall also be addressed in the CC&Rs to the satisfaction of the District Attorney's Office.

- aa. The maximum permissible flow velocity (that which does not cause scour) shall be determined for all proposed channels and open ditches. The determination shall be based on a geotechnical analysis of the channel soil, proposed channel lining and channel cross section, and it shall be in accordance with acceptable engineering publications/calculations. Appropriate linings shall be provided for all proposed channels and open ditches such that the 100-year flows do not exceed the maximum permissible flow velocity. The County Engineer shall determine compliance with this condition.
- bb. All slopes steeper than 3:1 shall be mechanically stabilized to control erosion. As an alternative to riprap, an engineered solution (geofabric, etc.) may be acceptable. The County Engineer shall determine compliance with this condition.
- cc. Drainage easements shall be provided for all storm runoff that crosses more than one lot. The County Engineer shall determine compliance with this condition.
- dd. Maintenance access roadways and drainage easements shall be provided for all existing and proposed drainage facilities. All drainage facilities located within Common Area shall be constructed with an adjoining minimum 12' wide gravel access road. Maintenance access road shall be provided to the bottom of proposed detention basins as well as over County owned and maintained storm drainage facilities. County Engineer shall determine compliance with this condition.
- ee. The project shall mitigate the increased stormwater volume produced from the development based on the 100 year–10 day storm event. Alternatives for mitigation include on-site retention with infiltration, excavation of material within or adjacent to the existing flood zone creating additional effective flood volume, or, other means subject to approval by the County Engineer. For on-site storm water retention to be approved, the engineer must demonstrate through appropriate analyses (which may include, but not be limited to, geotechnical investigation, groundwater transport modeling, or other appropriate analysis) that infiltrated storm water runoff will not be transmitted to Swan Lake via groundwater. Excavations for storm water retention basins shall not be located within the 100-year floodplain or within the groundwater table or groundwater table which could be expected to occur during flood conditions.
- ff. The project shall mitigate the loss of Swan Lake flood pool volume and flood pool area for any portion of the development where fill is placed within areas located at or below the current FEMA designated 100-year water surface elevation or future revised 100-year flood plain elevation approved by the County Engineer. Mitigation of lost flood pool area shall provide at least equivalent storm water volume lost through evaporation.
- gg. A note shall be added to the final map and similar language contained with the project CC&R's stating that owners of parcels created by final map within this development shall not protest the formation of a Storm Water Utility District, Flood Control District, Special Assessment District or other funding mechanism which is approved and created for the purpose of storm water and/or flood water management.

- hh. The FEMA 100-year floodplain shall be shown on the final map and grading plan to the satisfaction of the County Engineer. All grading and construction in these areas shall be in conformance with the Washoe County Code Article 416.
- ii. Offsite drainage and common area drainage draining onto residential lots shall be perpetuated around the residential lots and drainage facilities capable of passing a 100-year storm shall be constructed with the subdivision improvements to perpetuate the storm water runoff to improved or natural drainage facilities. The maintenance of these drainage facilities shall be addressed in the CC&Rs to the satisfaction of the District Attorney's Office. The County Engineer shall determine compliance with this condition.
- jj. Prior to the finalization of the first final map, a maintenance and operation plan for the maintenance of the projects detention/retention basins shall be developed in accordance with the Washoe County Code Article 421.

#### TRAFFIC AND ROADWAY (COUNTY CODE 110.436)

- kk. All roadway improvements necessary to serve the project shall be designed and constructed to County standards and specifications and/or financial assurances in an appropriate form and amount shall be provided. The County Engineer shall determine compliance with this condition.
- ll. Street names shall be reviewed and approved by the Regional Street Naming Coordinator.
- mm. Proposed landscaping and/or fencing along street rights-of-way and within median islands shall be designed to meet American Association of State Highway and Transportation Officials (AASHTO) sight distances and safety guidelines. No tree shall overhang the curb line of any public street. The County Engineer shall determine compliance with this condition.
- nn. For any utilities placed in existing County streets, the streets shall be repaired to the satisfaction of the County Engineer. At a minimum, this will require full depth removal and replacement of asphalt for half the street width, or replacement of non-woven pavement reinforcing fabric with a 2" asphalt overlay for half the street width. Type II slurry seal is required for the entire street width with either option. Full width street improvements may be required if the proposed utility location is too close to the centerline of the existing street.
- oo. Streetlights shall be constructed to Washoe County standards at locations to be determined at the final design stage. The County Engineer shall determine compliance with this condition.
- pp. AASHTO clear zones shall be determined for all streets adjacent to retaining walls or slopes steeper than 3:1. If a recoverable or traversable clear zone cannot be provided, an analysis to determine if barriers are warranted shall be submitted for approval. The County Engineer shall determine compliance with this condition.
- qq. All retaining walls that are within the slope failure wedge from Washoe County right-of-way shall be constructed of reinforced masonry block or reinforced



concrete and designed by an engineer licensed in the State of Nevada. The County Engineer shall determine compliance with this condition. The maintenance of the retaining walls shall be by Homeowners Association and the CCR's shall clearly identify the HOA's maintenance responsibilities of retaining walls

- rr. No retaining walls that retain soil from the County right-of-way shall be located within a plowed snow storage easement. The County Engineer shall determine compliance with this condition.
- ss. No direct access from individual lots shall be allowed onto Lemmon Drive, Deodar Way and Estates Road.
- tt. Deodar Way shall be constructed to residential collector standards.
- uu. Deodar Way shall be constructed to half street improvements from Street 'A' to Estates Road.
- vv. Appropriate curve warning signs and/or a lower speed limit shall be determined and posted on all horizontal roadway curves that do not meet the standard Washoe County 25-mile per hour design speed. The minimum centerline radius allowed shall be 100'. The County Engineer shall determine compliance with this condition.
- ww. Appropriate transitions shall be provided between the existing and proposed improvements at all proposed street connections. This may include removal of existing pavement. The County Engineer shall determine compliance with this condition.
- xx. A note shall be added to the final map and similar language contained with the project CC&R's stating that access to the site may be limited during flood events to emergency access routes.
- yy. The portions of Lemmon Drive adjacent to the project boundary shall be raised and reconstructed to provide 2 travel lanes at an elevation of 4926' above mean sea level. All existing or new culvert pipes located within this area shall include the ability to close providing a water-tight seal, designed and constructed to the satisfaction of the County Engineer and the City of Reno Public Works Director. Following Washoe County and City of Reno roadway design and permitting requirements, the roadway subgrade shall be constructed for the 4-lane ultimate road improvement.

4. The following conditions are requirements of the Engineering Division (Utilities); which shall be responsible for determining compliance with these conditions.

**Contact Name – Timothy Simpson, P.E., 775.954.4648**

- a. The applicant shall conform to all conditions imposed by intergovernmental agreements required to provide sewer service to the subject project, and, if required, be a party to any such agreements.

- b. All fees shall be paid or deferred in accordance with Washoe County Ordinance prior to the approval of each final map.
- c. Improvement plans shall be submitted and approved by CSD prior to approval of the final map. They shall be in compliance with Washoe County Design Standards and be designed by a Professional Engineer licensed to practice in the State of Nevada.
- d. The applicant shall submit an electronic copy of the street and lot layout for each final map at initial submittal time. The files must be in a format acceptable to Washoe County.
- e. The applicant shall construct and/or provide the financial assurance for the construction of any on-site and off-site sanitary sewer collection systems prior to signature on each final map. The financial assurance must be in a form and amount acceptable to the CSD.
- f. Approved improvement plans shall be used for the construction of on-site and off-site sanitary sewer collection system. The CSD will be responsible to inspect the construction of the sanitary sewer collection system.
- g. The sanitary sewer collection system must be offered for dedication to Washoe County along with the recordation of each final map.
- h. Easements and real property for all sanitary sewer collection systems and appurtenances shall be in accordance with Washoe County Design Standards and offered for dedication to Washoe County along with the recordation of each final map.
- i. A master sanitary sewer report for the entire tentative map shall be prepared and submitted by the applicant's engineer at the time of the initial submittal for the first final map which addresses:
  - i. The estimated sewage flows generated by this project;
  - ii. Projected sewage flows from potential or existing development within tributary areas;
  - iii. The impact on capacity of existing infrastructure;
  - iv. Slope of pipe, invert elevation and rim elevation for all manholes; and
  - v. Proposed collection line sizes, on-site and off-site alignment, and half-full velocities.
- j. No Certificate of Occupancy will be issued until all the sewer collection facilities necessary to serve each final map have been completed, accepted and engineer prepared as-built drawings are delivered to the utility. As-built drawings must be in a format acceptable to Washoe County.
- k. No permanent structures (including rockery or retaining walls, building's, etc.) shall be allowed within or upon any County maintained utility easement.

- l. A minimum 30-foot sanitary sewer and access easement shall be dedicated to Washoe County over any facilities not located in a dedicated right of way.
- m. A minimum 12-foot wide all weather sanitary sewer access road shall be constructed to facilitate access to off-site sanitary sewer manholes.
- n. The developer will be responsible to fund the design and construction of major infrastructure such as pump structures, controls, telemetry and appurtenances, lift stations, force mains, sewer mains, interceptor and wastewater treatment facilities necessary to accommodate the project. However, the actual design will be the responsibility of the CSD. Prior to initiation of design the Developer shall pay the estimated design costs to Washoe County. The CSD may either provide such design in-house, or select an outside consultant. When an outside consultant is to be selected, the CSD and the Developer shall jointly select that consultant.
- o. The CSD shall reserve the right to over-size or realign the design of infrastructure to accommodate future development as determined by accepted engineering calculations. Funding shall be the responsibility of Washoe County. Washoe County shall either participate monetarily at the time of design and/or shall credit an appropriate dollar amount to the Developer at the time of recordation of the subdivision map.

#### **Washoe County Health District**

5. The following conditions are requirements of the Health District, which shall be responsible for determining compliance with these conditions. The District Board of Health has jurisdiction over all public health matters in the Health District. Any conditions set by the Health District must be appealed to the District Board of Health.

#### **Contact Name – James English, 775.328.24.34, [jenglish@washoecounty.us](mailto:jenglish@washoecounty.us)**

- a. Prior to any final grading or other civil site improvements, a complete water system plan and Water Project submittal for the referenced proposal must be submitted to Health District. The plan must show that the water system will conform to the State of Nevada Design, Construction, Operation and Maintenance Regulations for Public Water Systems, NAC Chapter 445A, and the State of Nevada Regulations Governing Review of Plans for Subdivisions, Condominiums, and Planned Unit Developments, NAC 278.400 and 278.410.
  - i. The application for a Water Project shall conform to the requirements of NAC 445A.66695.
  - ii. Two copies of complete construction plans are required for review. All plans must include an overall site plan, additional phases that will eventually be built to indicate that the water system will be looped, all proposed final grading, utilities, and improvements for the proposed application.
- b. Mass grading may proceed after approval of the Tentative Map and after a favorable review by this Health District of a grading permit application.



- i. The final map submittal shall include a Truckee Meadows Water Authority annexation and discovery with the mass grading permit.
- c. Improvement plans for the water system may be constructed prior to final map submittal only after Water Project approval by this Health District.
  - i. For improvement plans approved prior to final map submittal, the Developer shall provide certification by the Professional Engineer of record that the improvement plans were not altered subsequent to final map submittal.
- d. Any changes to previously approved improvement plans made prior to final map submittal shall be resubmitted to this Health District for approval per NAC 278.290 and NAC 445A.66715.
- e. The WCHD requires the following to be submitted with the final map application for review and approval:
  - i. Construction plans for the development must be submitted to this Health District for approval. The construction drawings must conform to the State of Nevada Regulations Concerning Review of Plans for Subdivisions, Condominiums and Planned Unit Developments, and any applicable requirements of this Health District.
- f. Prior to approval of a final map for the referenced project and pursuant to NAC 278.370, the developer must have the design engineer or a third person submit to the satisfaction this Health District an inspection plan for periodic inspection of the construction of the systems for water supply and community sewerage. The inspection plan must address the following and be included with the final map submittal:
  - i. The inspection plan must indicate if an authorized agency, city or county is performing inspection of the construction of the systems for water supply and community sewerage;
  - ii. The design engineer or third person shall, pursuant to the approved inspection plan, periodically certify in writing to this Health District that the improvements are being installed in accordance with the approved plans and recognized practices of the trade;
  - iii. The developer must bear the cost of the inspections; and
  - iv. The developer may select a third-person inspector but the selection must be approved by the Health District or local agency. A third-person inspector must be a disinterested person who is not an employee of the developer.
- g. Prior to final map approval, a "Commitment for Service" letter from the sewage purveyor committing sewer service for the entire proposed development shall be submitted to this Health District. The letter must indicate that the community facility for treatment will not be caused to exceed its capacity and the discharge

permit requirements by this added service, or the facility will be expanded to provide for the added service.

- i. A copy of this letter must be included with the final map submittal.
- h. Prior to final map approval, a “Commitment for Water Service” letter from the water purveyor committing adequate water service for the entire proposed development must be submitted to this Health District.
  - i. A copy of this letter must be included with the final map submittal.
- i. The final map submittal must include a letter from Nevada Division of Environmental Protection to the Health District certifying their approval of the final map.
- j. The final map application packet must include a letter from Division of Water Resources certifying their approval of the final map.
- k. Pursuant to NAC 278.360 of the State of Nevada Regulations Governing Review of plans for Subdivision, Condominiums, and Planned Unit Developments, the development of the subdivision must be carried on in a manner which will minimize water pollution.
  - i. Construction plans shall clearly show how the subdivision will comply with NAC 278.360.
- l. Prior to approval of the final map, the applicant must submit to the Health District the final map fee.
- m. All grading and development activities must be in compliance with the DBOH Regulations Governing the Prevention of Vector-Borne Diseases.

\*\*\* End of Conditions \*\*\*





SITE PLAN: SHEET 04  
 GRADING PLAN: SHEET 09  
 UTILITY PLAN: SHEET 15

DATE	REVISIONS

DRAWN BY: \_\_\_\_\_  
 CHECKED BY: \_\_\_\_\_

CUNNINGHAM  
 552-210-08  
 42.07 AC  
 NOT A PART

NELSON  
 080-730-29  
 46.39 AC  
 NOT A PART

JDS LLC  
 080-635-02 & 080-635-01  
 1.89 AC & 13.59 AC

LARSON  
 080-730-35  
 26.89 AC

JDS LLC  
 080-730-21  
 43.21 AC

LARSON  
 080-730-36  
 40.00 AC  
 NOT A PART

ANDREWS  
 080-730-37  
 40.00 AC  
 NOT A PART

JONES  
 080-730-22  
 40.49 AC  
 NOT A PART

NIMSIC  
 080-730-28  
 41.42 AC  
 NOT A PART

USA  
 552-030-01  
 620.16 AC  
 NOT A PART

NORTH VALLEYS  
 INVESTMENT GRP.  
 080-730-16  
 40.29 AC  
 NOT A PART

NORTH VALLEYS INVESTMENT GRP.  
 080-730-17  
 41.78 AC  
 NOT A PART

PFEIFER  
 552-210-09  
 43.46 AC  
 NOT A PART

PREET  
 552-210-06  
 40.87± AC - ORIGINAL  
 40.63± AC - ADJUSTED  
 NOT A PART

SITE PLAN: SHEET 07  
 GRADING PLAN: SHEET 12  
 UTILITY PLAN: SHEET 18

SITE PLAN: SHEET 03  
 GRADING PLAN: SHEET 08  
 UTILITY PLAN: SHEET 14

**LEGEND**

- SHEET REFERENCE LINE
- EXISTING PARCEL/LOT LINE
- EXISTING EASEMENT LINE (TO BE ADJUSTED WHEN IMPACTED BY PROPOSED DEVELOPMENT)
- PROPOSED LOT NUMBER
- EXISTING STREET NAME
- PROPOSED STREET NAME
- PROPOSED LOT LINE
- PROPOSED RIGHT OF WAY
- PARCEL SUBJECT TO DEVELOPMENT
- EXISTING PROPERTY LINE INFORMATION
- EXISTING PROPERTY LINE CURVE INFORMATION

January 10, 2018 - 09:42 Del: Name: P:\Rstcwn\01\Map\Drawings\Plan\_Sht\Tentative\_Map\_02\_MASTER\_SITE\_PLAN.dwg Updated By: S:\jds

OWNER OF PARCEL 552-210-06 IS NOT A PART OF THIS TENTATIVE MAP. HOWEVER, THIS OWNER HAS AGREED TO GRANT EASEMENTS AND RIGHT OF WAY FOR STREETS, ACCESS, MAINTENANCE, AND DRAINAGE IMPROVEMENTS

**Manhard**  
 CONSULTING LTD



8800 Double R Boulevard, Suite 101, Reno, NV 89521 ph: 775-748-3800 fax: 775-748-3800  
 Civil Engineers • Surveyors • Water Resources Engineers • Water & Wastewater Engineers  
 Construction Managers • Environmental Scientists • Landscape Architects • Planners

LEMMON VALLEY HEIGHTS  
 WASHOE COUNTY, NEVADA  
 MASTER SITE PLAN AND SHEET INDEX

PROJ. MGR.: DMK  
 PROJ. ASSOC.: SWJ  
 DRAWN BY: SWJ  
 DATE: JAN 2018  
 SCALE: 1"=200'  
 SHEET **02** OF **19**  
 RSTWCN001

TENTATIVE MAP





**LEGEND**

- FINAL MAP WALLS TO BE ADDED TO MEET CODE (5522 LF)
- TENTATIVE MAP WALLS THAT WERE KEPT OR ADJUSTED (5561 LF)
- - - TENTATIVE MAP LIMITS OF GRADING

PROPOSED FINAL DESIGN NUMBER OF NORTH LOTS = 97  
 PROPOSED FINAL DESIGN NUMBER OF SOUTH LOTS = 68  
 PROPOSED TOTAL NUMBER OF LOTS = 165

THE PROPOSED FINAL DESIGN IS PLANNED TO YIELD 41 LESS LOTS AND  
 11,994 LF OF LESS RETENTION WALL

March 22, 2022 - 14:48 Draw Name: Lemmon Heights Tentative Map Final Drawings/Exhibits.dwg (Final Overall Wall Plan.dwg Updated By: cjtichen)

DRAWN BY / CHECK BY	DATE

Manhard



CONSULTING LTD

847 Ridge Street, Suite 400, Reno, NV 89501 ph: 775-748-8300 fx: 775-748-8880 manhard.com  
 Civil Engineers • Surveyors • Water Resource Engineers • Water & Wastewater Engineers  
 Construction Managers • Environmental Scientists • Landscaping Architects • Planners

**LEMMON HEIGHTS TENTATIVE MAP**  
**WASHOE COUNTY, NEVADA**  
**CONDITIONS AMMENDMENT EXHIBIT**

PROJ. MGR.:	DK	
PROJ. ASSOC.:	JTS	
DRAWN BY:	JTS	
DATE:	MAR 2022	
SCALE:	AS SHOWN	
SHEET		
2 OF 2		





**LEGEND**

- TENTATIVE MAP WALLS TO BE REMOVED (17516 LF)
  - TENTATIVE MAP WALLS TO REMAIN OR BE ADJUSTED (5561 LF)
- TENTATIVE MAP NUMBER OF NORTH LOTS = 84  
 TENTATIVE MAP NUMBER OF SOUTH LOTS = 122  
 TOTAL NUMBER OF LOTS = 206

March 22, 2022 - 14:09 Dog Name: \\vnc\cna\Projects\815\820001\Drawings\Exhibits\TENTATIVE OVERALL WALL PLAN.dwg Updated By: dskchen

DATE	REVISIONS	DRAWN BY	CHECK BY

**Manhard**  
 CONSULTING LTD.  
 841 Ridge Street, Suite 400, Reno, NV 89501 ph: 775-748-8800 fax: 775-748-8880 manhard.com  
 Civil Engineers • Surveyors • Water Resource Engineers • Water & Wastewater Engineers  
 Construction Managers • Environmental Scientists • Landscape Architects • Planners

LEMMON HEIGHTS TENTATIVE MAP  
 WASHOE COUNTY, NEVADA  
 CONDITIONS AMMENDMENT EXHIBIT

PROJ. MGR.: DK
PROJ. ASSOC.: JTS
DRAWN BY: JTS
DATE: MAR 2022
SCALE: AS SHOWN
SHEET
<b>1</b> OF <b>2</b>