

Kennel & Doggie Day Care

Special Use Permit



Washoe County Planning Commission Presentation – 02/04/2020

Property Location


Property located on west side of the Pyramid Highway at intersection of Ingenuity Avenue

Adjacent on north and west to a mini-storage and boat and RV storage site.

+/-¾ mile N. of Calle De La Playa +/-2 ¾ miles N. La Posada/Eagle Canyon

534-600-01 534-591-01 SUBJECT SITE

530-492-01





Existing Site Photos



Eastern Portion of Site – View to North



Pyramid Hwy Frontage – View to North



Northern Property Line – View to West

Master Plan

The property is Master Planned (I) Industrial

West – Industrial (Mini Storage) North- Industrial (Boat/RV Storage) South- Industrial (Vacant) East – State Hwy ROW & Commercial (Vacant)

530-492-01 534SR1-08 534 450 04 8-161-0 INGENUITY AVE Completion HORIZON VIEW AVE C4-450-03 SR October 17, 2019 1:4,514 420 840 ft 210 Master SR SUBJECT PROPERTY 62.5 125 250 m TL CIT UR DI WB Washoe County RDS Washoe County GIS

RR

APN

Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus

DS USDA USGS AeroGRID IGN and the GIS User Communit



Zoning

Property is zoned (I) Industrial

West – I - (Mini Storage) North – I - (Boat/RV Storage) South – I - (Vacant) East – State Highway & NC - (Vacant)

SUP Requests

- Dog Kennels are allowed in Industrial Zoning with a special use permit.
- A SUP request for grading



Existing Site


- Total Site 2.75+/- Acres
- Topography Gently Sloping East to West
- Site is vacant/undeveloped

Proposed Development


- Indoor Kennel with outdoor play areas
- Outdoor play areas (7 AM to 6 PM) potty breaks in evening/night (individual or small groups of dogs)
- Nearest residential property is 650'+/- to proposed kennel building (to East)
- No new direct ingress or egress from Pyramid Highway
- Landscaped berm along Pyramid Highway required per SSAP
- 150 foot building setback from Pyramid Highway – per SSAP



cfa EST. 1981 35 YEARS



- 3. ALL PLANTER BEDS WILL RECEIVE 3-INCH DEPTH OF MULCH WITH WEED CONTROL
- 4. ALL AND/CAPPIO VILL BE AUTOMATIONALLY IRROATED UNLESS NOTEO OTHERNISE ON THE PLAN. TURE-CRASS WILL BE RRIGATED UNDIL (UW ANCE OPHYR, ROTARY, ANDRO HIWACH TABAS TO REDUCE UNDI DRIFT, CONTAINER PLANTINGS WILL BE DRIP IRRIGATED. A REDUCED PRESSURE TYPE BACAPLOW PREVENTOR WILL BE PROVIDED ON THE IRROATED INCOMENTIATION SYSTEM AS REQUIRED PRE OCDE.



LANDSCAPE REQUIREMENTS PER WASHOE COUNTY DEVELOPMENT CODE & SPANISH SPRINSS AREA PLANI REQUIRED LANDSCAPE AREA: 85/5 50 FT (10% OF DEVELOPMENT AREA)

PROVIDED LANDSCAPE AREA: 8515 SQ FT MIN.

TREES REGURED: 20 • I STREET FRONTAGE TREES (I TREE FER 50 LF) INSEMUTY TAA'T FRONTING RETENTION BASIN (I TREE) • IS PRRAME HIGHNAY BUFFER TREES (I TREE FER 20 LF) • 4 PARKING REAT ATREES (I TREE FER 54/205 - 35 SPACES)

TREES PROVIDED: 20 MIN.

LANDSCAPE SUFFER AREAS MAY BE LANDSCAPED OR KEPT IN NATIVE VEOLTATION. ALL BUFFER AREAS DISTURBED BY DEVELOPMENT CONSTRUCTION SHALL BE REVESETATED.



40

Scale in Feet

60'


Drawn JHH Checked R/H

vie 12/6/11

Shoot

L1 oł

Preliminary Floor Plan – 20,000 SF Building







Legal Findings

(1) Consistency. The proposed use is consistent with the action programs, policies, standards and maps of the Master Plan and the applicable area plan;

LUT.5.1 – Utilities and roadway access is provided to the site and it is definitely ready for development.

LUT.20.7 – Landscaping will be provided per the requirements of the SSAP and will be provided as drought tolerant plantings.

LUT.20.8 – The roofline of the proposed building is conducive for solar panels with a large roof surface oriented to the south.

LUT.21.2 – The proposed use is a use that is not provided in the northern part of Spanish Springs where there are many dog owners. This proposed use can be frequented by many residents who reside in the northern part of Spanish Springs and areas further north and will help to reduce vehicle miles travelled for such services.

LUT.21.4 – The SSAP design guidelines in Appendix B were followed for the design of this site.

LUT.23.2 – The landscape plan incorporates a berm along Pyramid Highway, per the requirement of the SSAP.

LUT.25.1 – This review of applicable policies shows adherence to this policy.

LUT.29.4 – VMT can be reduced with this proposed use being so closely located off Pyramid Highway making for convenient drop-off and pick-up of dogs from day care or boarding.

LUT.29.10 – A 150' setback off the Pyramid Highway frontage is required as part of the SSAP. It is assumed and understood that some of this area may be necessary in the future for potential widening of Pyramid Highway.

PSF.1.17 – Water rights sufficient to meet the project demands will be provided with final plans for the project.

SS.3.4 - The necessary right-of-way and intersection requirements will be protected.

SS.3.11 - Non-residential projects shall submit traffic reports for review and approval prior to the issuance of building permits for the project.

SS.4.1 Undergrounding of utilities

SS 4.3 – Slopes will not exceed 3:1 with final grading

SS 5.1 – Development Standards shall follow Appendix B (Business Park Design Guidelines)

SS 12.1 – Water Resources for project shall follow requirements of Policy.

Legal Findings – cont.

(b) Improvements. Adequate utilities, roadway improvements, sanitation, water supply, drainage, and other necessary facilities have been provided, the proposed improvements are properly related to existing and proposed roadways, and an adequate public facilities determination has been made in accordance with Division Seven;

<u>All utilities are accessible and adjacent to the subject property.</u> The primary serving roadways (Ingenuity Avenue and Pyramid Highway) are <u>adjacent to the site and currently underutilized relative to their overall capacity</u> due to the limited construction of industrial and (generally) lower residential density patterns in the area. Retention has been identified and provided on site to meet the new regulation relative to stormwater that goes to Boneyard Flat.

(c) Site Suitability. The site is physically suitable for the type of development and for the intensity of development;

The site is located in an appropriate location for the use. <u>The location of the proposed commercial kennel id directly adjacent to</u> <u>industrially zoned properties on the north, west and south sides</u> and abuts Pyramid Highway on the east with NC zoned property on the east side of Pyramid Highway, <u>The project site backs up to an existing mini-warehouse and boat and RV storage on the</u> <u>north and west</u> and <u>the nearest residential properties are over 675 feet</u> to the east of the proposed kennel building and have the ambient noise of Pyramid Highway separating the their residential area from the proposed commercial kennel. Given this distance, noise that already exists in the area and the fact that the <u>proposed kennel will have all dogs indoors in the nighttime,</u> <u>no impact on the nearest residential uses is foreseen.</u>



Legal Findings – cont.

(d) Issuance Not Detrimental. Issuance of the permit will not be significantly detrimental to the public health, safety or welfare; injurious to the property or improvements of adjacent properties; or detrimental to the character of the surrounding area; and

All of the property surrounding the site is either Industrially zoned (north, west and south) or Neighborhood Commercially zoned (east) with Pyramid Highway separating the subject parcel from the NC zoned property. The project site backs up to an existing mini-warehouse and boat and RV storage on the north and west and the nearest residential properties are over 675 feet to the east of the proposed kennel building and have the ambient noise of Pyramid Highway separating the residential area from the proposed commercial kennel. Given the surrounding zoning, existing built/adjacent uses and the fact that the proposed kennel will have all dogs indoors in the nighttime no detrimental impacts to the character of the of the surrounding area nor injurious to the property or improvements of adjacent properties.

(e) Effect on a Military Installation. Issuance of the permit will not have a detrimental effect on the location purpose or mission of the military installation

There are no military installations located in proximity to the proposed site area. As such, this finding is not applicable.



The applicant and CFA agree with the staff's recommendation and the conditions that are presented within the staff report.

We believe, as does staff that all of the legal findings in association with this project for a special use permit approval can be met.



Questions




Extra Slides for Discussion/As Necessary


Development Statistics


Total Parcel Size Site Development Area: Area For Future Development


Total Building Square Footage Total Paved Area (Not including Phase 2 area) Landscaped Area (includes Site and ROW landscaping) 119,790+/- S.F. 82,764+/- S.F. 37,026+/- S.F.


20,000+/- S.F. 18,416+/- S.F. 8,515+/- S.F. (Min Required)


















Proposed . Light Fixtures

			EXTERIOR LIGHTING FIXTURE SCHEDULE			
D-Series Size 1	D-Series Size 1	LIGHT	NG FRETURE REQUIRED	ATALOG MUMBERS ARE SERIES TIPE ONLY Y THE SPECFICATIONS AND PROJECT CONDIT WITHES MUST INCORPORATE ALL WORK WHI	PROVIDE TRUNS, BALLÁSTS, MOUNTING EDUIPMENT, FITTINGS AND LA ONS FOR A COMPLETE INSTALLETION, THIS IS NOT A STANDALLONE TATED OR MIPLIED THROUGHOUT THE DRAWINGS AND SPECIFICATION	
			SYMBOL	SKETCH DESCRIPTION AND	MANUFACTURER	
d"servies Introduction	d'series Introduction		-	LED WALL MOUNTED FIX 1000mA DRVIER, SLACK	UNE WER THE TAN (SEE TO SEE, MEENIN THROW) OFTICS AND FARSH	
ecifications The D Series Wall luminaire is stylish fully imfaulter Back Box (BBW, ELCW) in Apparted ICD solution for hulding-mount as 13-34* Wadee 17.5 a water motion for the stellar motion for the series and the motion for the series and the series of the	Specifications The D Series Vail furning is style), hely Laminaire Back Box (BBW, ELCW) integrated LED solution for building on mark www. 13.94° Walate 12.1m www. 13.14° MW Ster specification if the unit of modern design.	61	모	HOLINTING HEIGHT: 12"-1 LAMP? LIED WOLTAGE 2770	9" 2573 LUNENS (23 WATTS)	
EXAMP weeker 27th ALL 124-1477 She applications if features a steel, modern design and the second design	Mass. D3-97 (3-37) Mass. (3-37)	-	_	SUBSTITUTIONS: OR	97 7,673 ЦИНСКІ (73 МАТТІЗ) 1940: ОБРИТ LED 2000 ГООД АЛК ТДИ МУКІТ ОВІКО ТОЙНІ, Ф. БИВЛЕСТ ТО ПЕНЕМ — МО ЕФИНА ОКЕ: МІТН ТІТЕ: ПТШ (ГОНИККО ПИВ'Я) ОКТІСЯ АЛО ГООДНІА ДИ ОКЕ: МІТН ТІТЕ: ПТШ (ГОНИККО ПИВ'Я)	
Ke 5.35° Malgite 5.37° and control options for customated performance. With an expected senior bits of over 20 years of	Keight: 5-27" Height: 5-27" and control options for customized performance.	(0)	모	BLACK FARSH MOUNTING HEICHT: 12"-	×	
registring use and use to 74% in energy serving over comparate 20% methods unmarks, the DServing Weil use which is commarked and by the DServing Weil use which is commarked and by the DServing Weil use which is commarked and by the DServing Weil use which is commarked and the light methods which is the serving which is the the the serving service of the the the the service of the the the the service light methods which is the service of the the service of the the the service light methods which is the service of the service light methods which is the service of the serv	networks and so to 198, to energy service the D Service Walk is a tablet, how making and the the D Service Walk is a tablet, how making and the D Service Walk is a tablet, how making and the D Service Walk is a tablet.	(82)	-	VOLTAGE 2771 WANUFACTURER: UTH	2.712 LUMENS (73 WATTS) NUA: OSNWI LED 20C 1000 40K TETU NVOCT DBLND	
The per-version of the per-versi	The Downs wild a structure for the second structure of the second structure of the second structure s	-		SUBSTITUTIONS OR IED SINGE HEAD POLE AND UPDOWN (BURE B	P ^P 2.72 LOARNS (73 WATTS) 2.72 LOARNS (53 MATTS) 2.94 - START 10 PROV (140 KTAN WICKI DR:ND 2.94 - START 10 PROV WICH 40 KTAN WICKI DR:ND 2.94 - PROVEM WICH 4° SOLARE SITEL POLE 20-0° TH ACK THEM - PROVEM WICH 4° SOLARE SITEL POLE 20-0° TH	
daving listernastion EXAMPLE: DSW1 LED 20C 1000 40K T3M MVOLT DDBTXD	Chidening Information EXAMPLE: DSXW1 LED 20C 1000 40K T3M MVOLT DDBTXD some	(31)	ç	MOUNTING HEIGHT: 22-	6" 15.609 LUMENS (TES #ATTS)	
Mill Description Descripacing in the init in the initial initial initininin	And the formula discovery franks the part and address to			VOLTAGE NUC MANUFACTURER LITH SUBSTITUTIONS OR	6" 15.609 LUMENS (163 #41715) 7446, DISAT LED PIS 40K 18:1" MING I SPA GELAD TOCAL & SUBJECT TO ARMEN () NO EGUAL	
UD VE DB OPE DB DPE DE DPE DPE <thde< th=""> <thde< th=""> <thde< th=""> <</thde<></thde<></thde<>	2001:10 월 11월 11월 11월 11월 11월 11월 11월 11월 11월			LED SINGLE HEAD POLE	0004. * 3000007 100 NEWE (NO 2004) NEWTO PROME MIL THE THIS THE THIS (PORMED BRECH, MEDIUM 1 100 NO 1000-M ARKER, BESCH FUNCK, PROVIDE MILH 4* 500 500 102.055 LUMENS (HET WITC) 102.055 LUD PF 4MK ID NA MIRE 7 594 AS LIBEND 102.04. * \$300.0007 ID NEWE (NO 2004)	
nghni () () () () () () () () () () () () ()	ingen) desire bai yan bain 277 kin kina 277 kina kina 277 kina 278 k	2	₽	MOUNTING HEICHT: 22- LAMP: 150	6" 12.038 LUNENS (YET WATTS)	
1927 - Maria Kana Kana Ji, Yukawa Kana Kana Ji, Yukawa Kana Kana Kana Kana Kana Kana Kana K	PROF PROTOCOLOGY CONTRACT,			MANUFACTURER: LITTH SUBSTITUTIONS: C OR	ana, bisno led pig fon trinn madet spa his bbend edual 🔿 subject to review 🔿 no edual	
I I I I I I I I I I I I I I I I I I I	I reconstructed (196.7 backader	S				
performance performance Development (Constraints) (COD Delvice (COD Sectors (COD)) (Constraints) Develop(COD) (COD) (COD	Name Million Million Regulation					
pelinded Signal-space() Nov (α) (275 ND ¹⁰ - MT Borowski, NOS In 100 - MD Borowski, 2010 - MD Borowski,	Bage/Indel Bage/In					
Accessories 100 mm and 100 mp for the month of the montholdee of the montholdee of the montholdee of the mont	Accessories statistical and the million of the million vehicles					
Accessions emilian 0. Mice analysis of PA 49, 497-11 a reference A In Old Tan analysis of PA 49, 497-11 a reference A 0. Mice analysis of PA 49, 497-11 a reference A In Old Tan analysis of PA 49, 497-11 a reference A 0. Mice analysis of PA 49, 497-11 a reference A In Old Tan analysis of PA 49, 497-11 a reference A 0. Mice analysis of PA 49, 497-11 a reference A In Old Tan analysis of PA 49, 497-11 a reference A 0. Mice analysis of PA 49, 497-11 a reference A In Old Tan analysis of PA 49, 497-11 a reference A 0. Mice analysis of PA 49, 497-11 a reference A In Old Tan analysis of PA 49, 497-11 a reference A 0. Mice analysis of PA 49, 497-11 a reference A In Old Tan analysis of PA 49, 497-11 a reference A 0. Mice analysis of PA 49, 497-11 a reference A In Old Tan analysis of PA 49, 497-11 a reference A 0. Mice analysis of PA 49, 497-11 a reference A In Old Tan analysis of PA 49, 497-11 a reference A 0. Mice analysis of PA 49, 497-11 a reference A In Old Tan analysis of PA 49, 497-11 a reference A 0. Mice analysis of PA 49, 497-11 a reference A In Old Tan analysis of PA 49, 497-11 a reference A 0. Mice analysis of PA 49, 497-11 a reference A In Old Tan analysis of PA 49, 497-11 a reference A 0. Mice analysis of PA 49, 497-11 a reference A In Old Tan analysis of PA 49, 497-11 a reference A </td <td>Accessories Accessories Accessori</td> <td></td> <td></td> <td></td> <td></td>	Accessories Accessori					
Hit, Begentemen T, Reisens Mehr Sonor Mehr angel. Heinen Mehr Sonor Mehr Sonor Mehr angel. Heinen Mehr Mehr Mehr Mehr Mehr Mehr Mehr Mehr	 allog adds, frequencies construction to the frequencies fills take in parts of the same of parts of the same of parts of the same of the					
19. Also andread as a separate a manage an frequencies information. 19. Recombing with ACOR	II Resultation do DOI 11 Augustation and Doing one account of the Augustation of the 12 Kanadation of COI 14					
LPPHOPMA Dist University 4 Compt, Analysis 100 (2 How LAD, 20, 72) (2 How Lands 100) Internation Internation LEPHOPMAG INIX 100 (2007) (2007) (2 How Lands 100) INIX 100 (2007) (2 How Lands 100) Internation Internation K. 0.070208 INIX 100 (2 How Lands 100) Internation Internation Internation	Construction Construction And Consets					
D-Series Size 1	D-Series Size 1					
	LED FOCE EXTENSION					
ranes 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	of series 🖉 🥸 👁 🔭					
Introduction The modern styling of the D-Series is striking	Introduction The modern tryling of the D-Serves is striking					
In the detailed in the second	Specifications Specifications					
32° 13° 13° 14° 15° 16° 16° 16° 16° 16° 16° 16° 16	Leagner 20 of the latent in LED technology into a high some to be performance, high efficacy, leng-life turnaries. The outbanding photomance performance					
 Automatic and a state of the st	Name Dir Magina Dir Magina <td></td> <td></td> <td></td> <td></td>					
20 Ins pediatofier and area lighting applications with trice the interrupt application of 67% and expected arrive life of over 100,000 hours.	High 27 tas peddetsimi and area (pdfmg applications with typical energy swings of 65% and expected service life of over 100,000 hours.					
weine setund hand	The Tradit Applies and the applies					
EXAMPLE: DSK1 LED P7 40K T3M MVOLT SPA NLTAIR2 PIRHN DDEXD	Cirilaring Information EXAMPLE: DSXT LED P7 40K T3M MVOLT SPA NLTAIR2 PIBHN DDBXD resise					
En Desame Dellas - Pau Mag	See Inter Deserver Inter Deserver					
Developing Mit Dist	DDLES Investigation DB					
H M PF TE System of the system System <thsystem< th=""></thsystem<>	11 PP 97 UK VERSION THE SECTION 244 Mile Antenning (spar) Beneticipane UK Versionism (S. Ladiovarri, 277 2006). Surgerier presidenting (spar) 197 PD THE THE SECTION SECTION 2013 (sparsard) 347 With the sparsar multiplication 197 PD THE THE Section Section 2013 (sparsard) 447 Bagestelle					
FIT PDP THE frequences ACD Advancement ADP Strated associate	tedar 604 360 2 tad in heren julia dans					
FC* FM* The Transform BC3 Sprant seff B* Spectrace Statements Set Section services set Section						
In the International Internation International International Internation						
In the International State						
In the International Internation International International Internation						
Main Market Ma					111	
In the International State	New York					

ORIGIN 8

ARCHITECTURE

P.O. BOX 50522 SPARKS, NEVADA 89435 PH: 775-525-9240

WWW.ORIGINEARCHITECTURE.COM

A COMMERCIAL PROJECT FOR:

NUMBER AND DESCRIPTION

9411 05/3410 ELECTRICAL SCHEDULE AND DETAILS

JP #19178

P. 775.851 2337 P. 775.851 2337

13 DECEMBER 2019

19-021

NOTED

-

E-2

0 INGENUITY AVE WASHOE COUNTY. NEVADA 89441 APN: 530-492-01

Trip Generation Data

TABLE 1 TRIP GENERATION					
AND USE	ADT	AM PEAK HOUR TOTAL	PM PEAK HOUR <u>TOTAL</u>		
Day Care 100 Dogs, 70%	Day Care, 30%	6 Kennel			
100 Dogs	282	52	51		
Grooming Shop / Retail					
2,000 Square Feet	76	2	8		
Construction Office					
3,000 Square Feet	29	3	3		
Totals	387	57	63		