



Conditions of Approval

Detached Accessory Dwelling Administrative Review Case Number
WDADAR23-0001

The project approved under Detached Accessory Dwelling Administrative Review Case Number WDADAR21-0001 shall be carried out in accordance with these conditions of approval granted on December 13, 2023. Conditions of approval are requirements placed on a permit or development by each reviewing agency. These conditions of approval may require submittal of documents, applications, fees, inspections, amendments to plans, and more. These conditions do not relieve the applicant of the obligation to obtain any other approvals and licenses from relevant authorities required under any other act or to abide by all other generally applicable codes, and neither these conditions nor the approval by the County of this project/use override or negate any other applicable restrictions on uses or development on the property.

Unless otherwise specified, all conditions related to the approval of this detached accessory dwelling administrative review shall be met or financial assurance must be provided to satisfy the conditions of approval prior to issuance of a certificate of occupancy by the Planning and Building Division. The agency responsible for determining compliance with a specific condition shall determine whether the condition has been fully completed or whether the applicant shall be offered the option of providing financial assurance. All agreements, easements, or other documentation required by these conditions shall have a copy filed with Planning and Building.

Compliance with the conditions of approval related to this administrative review is the responsibility of the applicant, his/her successor in interest, and all owners, and occupants of the property. Failure to comply with any of the conditions imposed in the approval of the Administrative Review Permit may result in the initiation of revocation procedures.

For the purpose of conditions imposed by Washoe County, “may” is permissive and “shall” or “must” is mandatory.

The Washoe County Commission oversees many of the reviewing agencies/departments with the exception of the following agencies.

- **The DISTRICT BOARD OF HEALTH, through the Washoe County Health District, has jurisdiction over all public health matters in the Health District. Any conditions set by the Health District must be appealed to the District Board of Health.**

FOLLOWING ARE CONDITIONS OF APPROVAL REQUIRED BY THE REVIEWING AGENCIES. EACH CONDITION MUST BE MET TO THE SATISFACTION OF THE ISSUING AGENCY.

Washoe County Planning and Building Division

1. The following conditions are requirements of Planning and Building, which shall be responsible for determining compliance with these conditions.

Contact Name – Julee Olander, Planner, 775.328.3627, jolander@washoecounty.gov

- a. **The applicant shall attach a copy of the action order approving this project to all permits and applications (including building permits) applied for as part of this detached accessory dwelling administrative review.**

- b. The applicant shall demonstrate substantial conformance to the plans approved as part of this administrative review permit. Planning and Building shall determine compliance with this condition.
- c. The applicant shall submit construction plans, with all information necessary for comprehensive review by Washoe County, and initial building permits shall be issued within two years from the date of approval by Washoe County. The applicant shall complete construction within the time specified by the building permits.
- d. Construction activities shall be limited to the hours between 7am to 7pm, Monday through Saturday only. Any construction machinery activity or any noise associated with the construction activity are also limited to these hours.
- e. A note shall be placed on all construction drawings and grading plans stating:

NOTE

Should any cairn or grave of a Native American be discovered during site development, work shall temporarily be halted at the specific site and the Sheriff's Office as well as the State Historic Preservation Office of the Department of Conservation and Natural Resources shall be immediately notified per NRS 383.170.

Washoe County Engineering and Capital Projects

- 2. The following conditions are requirements of Planning and Development, which shall be responsible for determining compliance with these conditions.
Contact Information: Janelle K. Thomas, P.E. 775.328.3603, jkthomas@washoecounty.gov
 - a. The Applicant shall demonstrate that the access to the proposed dwelling unit will not be provided over the existing septic tank and leach field.

Washoe County Health District

- 3. The following condition is a requirement of the Health District, which shall be responsible for determining compliance with this condition. The District Board of Health has jurisdiction over all public health matters in the Health District. Any conditions set by the Health District must be appealed to the District Board of Health.
Contact Name - James English, Environmental Health Specialist Supervisor, 775.328.2610, jenglish@washoecounty.gov
 - a. All future plans and permits must be routed to EHS for review and approval.

Washoe County Water Rights

- 4. The following condition is a requirement of the Water Rights Coordinator, which shall be responsible for determining compliance with this condition.
Contact Name – Timber Weiss, P.E., 775.954.4626, tweiss@washoecounty.gov
 - a. Prior to building permit approval, please comply with TMWA's requirements for detached accessory dwellings.

Truckee Meadows Fire Protection District

5. The following condition is a requirement of the Truckee Meadows Fire Protection District, which shall be responsible for determining compliance with this condition.

Contact Name – Brittany Lemon; Fire Captain; 775.326.6000; blemon@tmfpd.us

- a. This project shall meet and comply with all requirements of currently adopted TMFPD fire codes, ordinances, and standards at the time of construction to include infrastructure for fire apparatus access roads and water supply.” <https://tmfpd.us/fire-code/>.
- b. This parcel is in a high WUI zone with conforming water. It will require 50 feet of defensible space from the proposed building to the lot line. Depending on the defensible space provided, IR1 or IR2 construction is required.

*** End of Conditions ***