| DATE:    | 01/07/2021  |
|----------|---|
| TO:      | 911 Emergency Response Advisory Committee   |
| FROM:    | Rishma Khimji, Director, Department of Information Technology, <u>khimjir@reno.gov</u> , 775-334-2026 <b>P</b>  |
| SUBJECT: | REQUEST FOR APPROVAL FOR FUNDING for the Dispatch-Fire Station<br>Alerting System software, hardware and installation costs for the City of Reno<br>Public Safety Dispatch in an amount not to exceed \$1,231,000.00. |

### **SUMMARY**

Currently, the City of Reno's Public Safety Answer Point (PSAP) transmits audible notification alerts to responding fire station(s) during emergency fire events to inform fire staff of required resources. The system that is used for this purpose is at the end-of-life and is out of warranty. The City of Reno Public Safety Dispatch and Fire Department requires a new system to ensure there is a robust enhanced communication system between dispatch and the fire stations required during fire emergency calls.

## **BACKGROUND**

The City of Reno Fire Stations are currently equipped with a legacy station-alerting system that has been at the end-of-life and out of warranty for many years. The operational abilities are also limited and do not allow dispatch and fire to have expanded communication capabilities between them such as automated triggers, multi-tones, voice messaging and soft-start alerts. On the dispatch side, functionality is often limited. Dispatchers have to manually trigger multiple pages to the fire station(s), sometimes causing a delay in the alerts. There are also multiple server and network failure points within the system causing outages and frequent downtimes.

Alerting of emergency calls and the various operational needs for fire resources is critical to dispatch services. This is a primary notification system between dispatch and fire resources.

After a review of the current needs and the expanded capabilities listed above, DoIT, in consultation with the City of Reno's Public Safety Dispatch and Fire personnel, we recommend the purchase for the software, alerting equipment and installation at a cost not to exceed 1,231,000. The system we recommend is the Phoenix G2 – Automated Fire Station Alerting System which includes the Dispatch and Fire Station systems.

The attached quotes reflect the following:

- Quote for Software and Hardware, on a 5-year contract (one-payment): \$966,025.06
- Quote for Professional Installation at Dispatch and Fire Stations: \$264,894.64

### **NRS APPLICABLE:**

NRS 244A.7645 Provides approval of costs associated with maintenance, upgrade and replacement of equipment necessary for the operation of the enhanced telephone system.

The following is a complete definition of the NRS 244A.7645, with applicable sections highlighted:

NRS 244A.7645 Establishment of advisory committee to develop plan to enhance or improve telephone system; creation of special revenue fund; use of money in fund.

1. If a surcharge is imposed pursuant to <u>NRS 244A.7643</u> in a county whose population is 100,000 or more but less than 700,000, the board of county commissioners of that county shall establish by ordinance an advisory committee to develop a plan to enhance the telephone system for reporting an emergency in that county and to oversee any money allocated for that purpose. The advisory committee must consist of not less than five members who:

(a) Are residents of the county;

(b) Possess knowledge concerning telephone systems for reporting emergencies; and

(c) Are not elected public officers.

2. If a surcharge is imposed pursuant to <u>NRS 244A.7643</u> in a county whose population is less than 100,000, the board of county commissioners of that county shall establish by ordinance an advisory committee to develop a plan to enhance or improve the telephone system for reporting an emergency in that county and to oversee any money allocated for that purpose. The advisory committee must:

(a) Consist of not less than five members who:

(1) Are residents of the county;

(2) Possess knowledge concerning telephone systems for reporting emergencies; and

(3) Are not elected public officers; and

(b) Include a representative of an incumbent local exchange carrier which provides service to persons in that county. As used in this paragraph, "incumbent local exchange carrier" has the meaning ascribed to it in 47 U.S.C. § 251(h)(1), as that section existed on October 1, 1999, and includes a local exchange carrier that is treated as an incumbent local exchange carrier pursuant to that section.

3. If a surcharge is imposed in a county pursuant to <u>NRS 244A.7643</u>, the board of county commissioners of that county shall create a special revenue fund of the county for the deposit of the money collected pursuant to <u>NRS 244A.7643</u>. The money in the fund must be used only:

(a) In a county whose population is 45,000 or more but less than 700,000, to enhance the telephone system for reporting an emergency, including only:

(1) Paying recurring and nonrecurring charges for telecommunication services necessary for the operation of the enhanced telephone system;

(2) Paying costs for personnel and training associated with the routine maintenance and updating of the database for the system;

(3) Purchasing, leasing or renting the equipment and software necessary to operate the enhanced telephone system, including, without limitation, equipment and software that identify the number or location from which a call is made; and

(4) Paying costs associated with any maintenance, upgrade and replacement of equipment and software necessary for the operation of the enhanced telephone system.

(b) In a county whose population is less than 45,000, to improve the telephone system for reporting an emergency in the county.

4. If the balance in the fund created in a county whose population is 45,000 or more but less than 700,000 pursuant to subsection 3 which has not been committed for expenditure exceeds \$1,000,000 at the end of any fiscal year, the board of county commissioners shall reduce the amount of the surcharge imposed during the next fiscal year by the amount necessary to ensure that the unencumbered balance in the fund at the end of the next fiscal year does not exceed \$1,000,000.

5. If the balance in the fund created in a county whose population is less than 45,000 pursuant to subsection 3 which has not been committed for expenditure exceeds \$500,000 at the end of any fiscal year, the board of county commissioners shall reduce the amount of the surcharge imposed during the next fiscal year by the amount necessary to ensure that the unencumbered balance in the fund at the end of the next fiscal year does not exceed \$500,000.

(Added to NRS by <u>1995</u>, <u>1056</u>; A <u>1999</u>, <u>1686</u>; <u>2001</u>, <u>621</u>, <u>2125</u>; <u>2007</u>, <u>561</u>; <u>2009</u>, <u>641</u>; <u>2011</u>, <u>1124</u>)

## **STAKEHOLDER REVIEW(s)**

Stakeholders are City of Reno Public Safety Dispatch, the Reno Fire Department and the Department of Information Technology (Reno).

## **PREVIOUS ACTION**

No previous action has been taken on this specific item. However, previous purchases of software to enhance PSAP communications has been approved by the board on various occasions.

## FISCAL IMPACT

The Enhanced 911 Fund is a special revenue fund which receives revenue pursuant to NRS 244A.7643 in the form of telephone surcharges collected to support the emergency reporting system. Budget authority exists within the E911 Fund to support the Dispatch and Fire Station Alerting System. The total cost for the system, including software, hardware, project management, training and installation is \$1,231,000.00 for a five-year contract.

### **RECOMMENDATION**

It is recommended that the E911 Emergency Response Advisory Committee approve the request for funding for the Dispatch-Fire Station Alerting System software, hardware and installation costs for the City of Reno Public Safety Dispatch in an amount not to exceed \$1,231,000.00.

## **POSSIBLE MOTION**

911 Emergency Response Advisory Committee January 21, 2021 Page 4 of 4

Motion to approve funding for funding for the Dispatch-Fire Station Alerting System software, hardware and installation costs for the City of Reno Public Safety Dispatch in an amount not to exceed \$1,231,000.00 and allow the City of Reno's Department of Information Technology to move forward with the purchase and implementation of said system.

# US DIGITAL DESIGNS

Tempe, Arizona USA

Phoenix G2 - Automated Fire Station Alerting

The City of Reno, Nevada Public Safety Dispatch

Project:

## G2 Fire Station Alerting System One (1) Dispatch System & Fourteen (14) Station Systems with Additional Warranty Support

Proposal number: NV RENO007

Revision #

1

[Pricing Protected per Public Procurement Authority (PPA0), League of Oregon Cities (LOC), Master Price Agreement (MPA) available to members of National Purchase Partners, LLC, dba Public Safety GPO, dba Law Enforcement GPO and dba NPPGov - Contract #VH 1164 - more information available at https://nppgov.com/contract/us-digital-designs]

> The City of Reno, Nevada is Member #M-5718755 and The Reno Fire Department is Member #M-5709452

> > Quote Date: 07-Jan-2021

Quote Expires: 7-Apr-2021

INSTALLATION BY: N/A - Installation is Not Assumed or Included by USDD Customer to contract directly with a Certified G2 Installer

> By: **Peter Donkin** Project Manager

US Digital Designs, Inc.

1835 E Sixth St #27 Tempe, AZ 85281 602-687-1759 direct 480-290-7892 fax pdonkin@usdd.com

[This Proposal is subject to corrections due to Errors or Omissions]

# **US DIGITAL DESIGNS**

#### 1835 E. Sixth St. Suite #27 Tempe, Arizona 85281 877-551-8733 tel 480-290-7892 fax

## Quote SUBMITTED TO: The City of Reno, Nevada

DATE: Expires:

1/7/2021 4/7/2021

QUOTE

**Public Safety Dispatch** 

**REF PROPOSAL** NV RENO007 v1

## **DISPATCH-LEVEL**

# **PRIMARY DISPATCH G2 FSA SYSTEM**

Dispatch center costs typically only need to be assumed once per dispatching agency, no matter how many stations are dispatched (unless redundant centers or further modifications are needed).

| DISPA | TCH S | YSTEM | I INTE | RFACES   |          |              |              |              |  |
|-------|-------|-------|--------|--|----------|--------------|--------------|--------------|--|
| Item  | Unit  | Mfr   | Qty    | Description  | Part No. | US List Unit | QUOTE UNIT   | QUOTE EXT    |  |
| DI1   | LOT   | USDD  | 0      | Radio System Interface (Full Console<br>Interface) - Requires (owner-furbished)<br>dedicated console, specifically and<br>solely tasked for Station Alerting | RSI-P    | \$ 13,650.00 | \$ 12,285.00 | \$-          |  |
| DI2   | LOT   | USDD  | 0      | Additional Radio Channel   | ARC      | \$ 4,225.00  | \$ 3,802.50  | \$-          |  |
| DI3   | LOT   | CAD   | 1      | CAD Interface - CommandCAD<br>(USDD-side Only - Customer<br>responsibility to discuss CAD-side<br>costs (if any) with their vendor)                          | CADI-P   | \$ 11,950.00 | \$ 10,755.00 | \$ 10,755.00 |  |

| DISPA | TCH S | YSTEM | CON | IPONENTS  |          |              |             |             |  |
|-------|-------|-------|-----|---|----------|--------------|-------------|-------------|--|
| Item  | Unit  | Mfr   | Qty | Description   | Part No. | US List Unit | QUOTE UNIT  | QUOTE EXT   |  |
| DC1a  | PR    | USDD  | 1   | <b>G2 Communications Gateway Pair</b><br>(Hardware for CAD interface) 2@1RU<br>each (2RU Total)   | G2-GW    | \$ 10,425.00 | \$ 9,382.50 | \$ 9,382.50 |  |
| DC2   | Kit   | USDD  | 1   | <b>G2 Gateway Audio Radio Interface</b><br>( <b>GaRi</b> ) - Kitted with a Rack-Mount<br>Adapter Plate which mounts (up to) 2<br>GaRI2s in 19" Rack | GaRI2-RM | \$ 2,502.00  | \$ 2,251.80 | \$ 2,251.80 |  |
| DC5   | Kit   | USDD  | 0   | G2 HDTV REMOTE Module (TV & Electrical Outlet by Others)  | TVR      | \$ 975.00    | \$ 877.50   | \$-         |  |
| DC6   | Kit   | USDD  | 0   | G2 Light Tower Interface  | LTI      | \$ 575.00    | \$ 517.50   | \$-         |  |

| DISPA | DISPATCH SYSTEM SERVICES |      |     |  |          |              |             |              |  |  |  |  |
|-------|--------------------------|------|-----|--|----------|--------------|-------------|--------------|--|--|--|--|
| Item  | Unit                     | Mfr  | Qty | Description                              | Part No. | US List Unit | QUOTE UNIT  | QUOTE EXT    |  |  |  |  |
| DS1   | HR                       | USDD | 50  | Gateway Configuration &<br>Modifications | GW-CM    | \$ 310.00    | \$ 279.00   | \$ 13,950.00 |  |  |  |  |
| DS2   | LOT                      | USDD | 0   | Radio System Interface Modification      | RSI-CM   | \$ 4,225.00  | \$ 3,802.50 | \$-          |  |  |  |  |

|      |     |      |   | Gateway Installation / On-Site BY   |           |                |                |                |  |
|------|-----|------|---|---|-----------|----------------|----------------|----------------|--|
| DS3a | LOT | USDD | 1 | USDD (with direct coordinated<br>assistance by authorized customer<br>CAD, Radio & IT personnel)  | GW-I-O    | \$<br>875.00   | \$<br>787.50   | \$<br>787.50   |  |
| DS3b | LOT | USDD | 0 | Gateway Installation / BY<br>CUSTOMER (with REMOTE<br>ASSISTANCE by USDD Personnel)   | GW-I-C    | \$<br>325.00   | \$<br>292.50   | \$<br>-        |  |
| DS3c | LOT | USDD | 1 | Gateway Start-Up / On-Site BY USDD<br>(with direct coordinated assistance by<br>authorized customer CAD, Radio & IT<br>personnel)   | GW-SU-O   | \$<br>5,925.00 | \$<br>5,391.75 | \$<br>5,391.75 |  |
| DS4  | LOT | USDD | 1 | Gateway Project Management  | GW-PM     | \$<br>349.03   | \$<br>314.13   | \$<br>314.13   |  |
| DS5a | LOT | USDD | 1 | Training - System Administrator /<br>Dispatch Supervisor - On-Site (4<br>Hours)   | TRA-DIS-O | \$<br>4,025.00 | \$<br>3,622.50 | \$<br>3,622.50 |  |
| DS5b | LOT | USDD | 0 | Training - System Administrator /<br>Dispatch Supervisor - Remote<br>Refresh (4 Hours)  | TRA-DIS-R | \$<br>1,200.00 | \$<br>1,080.00 | \$<br>-        |  |
| DS6a | LOT | USDD | 1 | Training - Station-Level<br>Configuration and Equipment Usage<br>- On-Site (4 Hours)  | TRA-STA-O | \$<br>4,025.00 | \$<br>3,622.50 | \$<br>3,622.50 |  |
| DS6b | LOT | USDD | 0 | Training - Station-Level<br>Configuration and Equipment Usage<br>- Remote Refresh (4 Hours)   | TRA-STA-R | \$<br>1,200.00 | \$<br>1,080.00 | \$<br>-        |  |
| DS7a | LOT | USDD | 0 | Training - Installation Contractor -<br>On-Site / USDD G2 Certification / 8<br>Hours (TBD - only needed if required to<br>use non-certified contractor)                       | TRA-IC-O  | \$<br>5,325.00 | \$<br>4,792.50 | \$<br>-        |  |
| DS7b | LOT | USDD | 0 | Training - Installation Contractor - At<br>Arizona Training Center / USDD G2<br>Certification / 8 Hours (TBD - only<br>needed if required to use non-certified<br>contractor) | TRA-IC-AZ | \$<br>2,725.00 | \$<br>2,452.50 | \$<br>-        |  |
| DS8a | HR  | USDD | 0 | Management Meeting with Customer /<br><u>at USDD Tempe</u> , AZ location (per Hour<br>/ Per Person)   | MTG-MGT-U | \$<br>244.00   | \$<br>219.60   | \$<br>-        |  |
| DS8b | LOT | USDD | 0 | Management Meeting with Customer /<br><u>at Customer Site</u> (above per hour/per<br>person cost + required travel and<br>accomodation)                                       | MTG-MGT-C | \$<br>-        | \$<br>-        | \$<br>-        |  |
| DS9  | LOT | USDD | 0 | Misc Option 1   |           | \$<br>-        | \$<br>-        | \$<br>-        |  |
| DS10 | LOT | USDD | 0 | Misc Option 2   |           | \$<br>-        | \$<br>-        | \$<br>-        |  |

| PRIMARY DISPATCH G2 FSA SYSTEM | System Total:   | \$<br>50,077.68 |
|--------------------------------|-----------------|-----------------|
|                                | Shipping Total: | \$<br>99.00     |
|                                | System Subtotal | \$<br>50,176.68 |

## **PRIMARY DISPATCH WARRANTY & SUPPORT**

INCLUDES G2 MOBILE SMART-PHONE ALERTING APPS & USDD-HOSTED MAPPING SERVICES (if available). Customer must elect to choose any coverage they require beyond initial warranty period, or USDD will not be authorized to provide any service or support. Mobile Smart Phone Alerting App and Mapping Services only available to customer while under warranty or elected recurring annual support. Support Agreements subject to change if system design is modified. For additional details, please review current USDD Warranty Statement and Service Agreement

|      |      | DIS  | PATC | H-LEVEL WARRANTY & OPTIO  | NAL RECUR  | RING ANN     | JAL SUPPC   | ORT   |  |
|------|------|------|------|---|------------|--------------|-------------|---|--|
| Item | Unit | Mfr  | Qty  | Description   | Part No.   | US List Unit | QUOTE UNIT  | QUOTE EXT   |  |
| 17   | HR   | USDD | 1.5  | [STANDARD] <b>1st YEAR WARRANTY</b><br><b>&amp; SUPPORT</b> FOR THIS DISPATCH<br>SYSTEM (or Component): Telephone /<br>Remote Access Support (8:00 AM -<br>5:00 PM MST) PLEASE NOTE: An<br>additional 6 months (for total of 18<br>months/1.5 years) of initial warranty<br>has been offered by USDD for no<br>additional cost so all stations can be<br>installed and enjoy same<br>warranty/support start/stop dates) | RS-1YR-STD | \$ 2,238.93  | \$2,015.04  | 3022.5555 but No<br>Charge For Initial<br>Warranty Period /<br>Not Included in<br>Subtotals |  |
| 18   | LOT  | USDD | 3.5  | [STANDARD] EACH <b>ADDITIONAL</b><br><b>YEAR</b> (12-Months) <b>WARRANTY &amp;</b><br><b>SUPPORT</b> FOR THIS DISPATCH<br>SYSTEM (or Component): Telephone /<br>Remote Access Support (8:00 AM -<br>5:00 PM MST)  | RS-AYR-STD | \$ 2,238.93  | \$ 2,015.04 | \$ 7,052.63   |  |

### INDIVIDUAL DISPATCH SYSTEMS TOTALS

PRIMARY DISPATCH G2 FSA SYSTEM TOTAL: \$ 50,176.68 PRIMARY DISPATCH MOBILE APP SERVICE TOTAL: \$ -PRIMARY DISPATCH MAPPING SERVICE TOTAL: \$ -

### ENTIRE DISPATCH-LEVEL SUBTOTALS (NOW INCLUDING WARRANTY, OPTIONAL SUPPORT & TAX AS WELL)

| ALL DISPATCH-LEVEL SYSTEMS SUBTOTAL:               | \$<br>50,077.68 |
|--|-----------------|
| ALL DISPATCH-LEVEL SHIPPING SUBTOTAL:              | \$<br>99.00     |
| ALL DISPATCH-LEVEL WARRANTY & SUPPORT:             | 7,052.63        |
| ALL DISPATCH-LEVEL MISCELLANEOUS. (if applicable): | \$<br>-         |
| PRIMARY DISPATCH-LEVEL GRAND TOTAL:                | \$<br>57,229.31 |

### (SEE 'SECTION TOTALS' PAGE FOR EVEN MORE DETAIL)

Expires:

## US DIGITAL DESIGNS



1/7/2021 4/7/2021

1835 E. Sixth St. Suite #27 Tempe, Arizona 85281 877-551-8733 tel 480-290-7892 fax

### Quote SUBMITTED TO: The City of Reno, Nevada **Public Safety Dispatch**

### **REF PROPOSAL STATION-LEVEL**

### NV\_RENO007 v1

## **STATION 01**

| STATI | STATION SYSTEM LICENSES |      |     |   |            |    |              |    |          |                |  |  |  |
|-------|-------------------------|------|-----|---|------------|----|--------------|----|----------|----------------|--|--|--|
| Item  | Unit                    | Mfr  | Qty | Description   | Part No.   | ι  | US List Unit |    | OTE UNIT | QUOTE EXT      |  |  |  |
| SL1   | Ea                      | USDD | 1   | G2 VOICEALERT - Single Station License.   | VA         | \$ | 1,030.00     | \$ | 927.00   | \$ 927.00      |  |  |  |
| SL2   | Ea/Yr                   | USDD | 24  | G2 MOBILE FSAS APP - Single Device License. Up<br>to 24 Licenses-Per-ATX are offered at \$0.00 cost each<br>as long as system is currently under warranty or elected<br>recurring annual support coverage. See 'Mobile' Section<br>for more detail. | G2-APP-DLI | \$ | 108.00       | \$ | 97.20    | N/A - Included |  |  |  |

| STATI | ON SY | STEM | CON | ITROLLER  |          |              |           |                |           |              |  |
|-------|-------|------|-----|---|----------|--------------|-----------|----------------|-----------|--------------|--|
| Item  | Unit  | Mfr  | Qty | Description   | Part No. | US List Unit |           | Q              | UOTE UNIT | QUOTE EXT    |  |
| SC1   | Kit   | USDD | 1   | <b>G2 ATX STATION CONTROLLER -</b><br>Power/Signal/Control up to 8 peripheral Remote<br>Options. 4 Unique Amps/Zones available. | АТХ      | \$           | 21,750.00 | <del>6</del> 9 | 19,575.00 | \$ 19,575.00 |  |
| SC2   | Kit   | USDD | 0   | <b>G2 EXPANSION KIT</b> - Allows ability to<br>Power/Signal/Control up to 12 more peripheral<br>Remote options per EXP.         | EXP      | \$           | 7,325.00  | \$             | 6,592.50  | \$-          |  |
| SC3   | Kit   | USDD | 0   | Rack Mount Ears for ATX or EXP  | ATX-E    | \$           | 54.00     | \$             | 48.60     | \$-          |  |
| SC4   | Kit   | USDD | 0   | Base Plate for ATX or EXP   | ATX-P    | \$           | 54.00     | \$             | 48.60     | \$-          |  |
| SC5   | Ea    | TBD  | 1   | ATX UPS, Standard   | UPS-STD  | \$           | 923.00    | \$             | 830.70    | \$ 830.70    |  |
| SC6   | Ea    | TBD  | 1   | Shelf/Bracket, Wall-Mount for UPS   | UPS-WMB  | \$           | 57.00     | \$             | 51.30     | \$ 51.30     |  |

| STATI | ON SY | STEM | I PER | IPHERAL COMPONENTS   |          |    |              |    |           |    |          |  |
|-------|-------|------|-------|--|----------|----|--------------|----|-----------|----|----------|--|
| Item  | Unit  | Mfr  | Qty   | Description  | Part No. | ι  | JS List Unit | Q  | UOTE UNIT | Q  | UOTE EXT |  |
| SP1a  | Ea    | TBD  | 0     | Audio Amplifier, External, Standard  | AMP      | \$ | 987.00       | \$ | 888.30    | \$ | -        |  |
| SP1b  | Ea    | TBD  | 0     | Shelf, Under Table or Wall Mount, for 1U 1/2 Rack  | AMP-S    | \$ | 66.00        | \$ | 59.40     | \$ | -        |  |
| SP2   | Ea    | USDD | 0     | G2 COLOR INDICATOR REMOTE Module - Up to 8 unique colors   | CIR      | \$ | 725.00       | \$ | 652.50    | \$ | -        |  |
| SP3a  | Ea    | USDD | 0     | <b>G2 HDTV REMOTE</b> Module (TV & Electrical Outlet<br>by Others; C.E.C. control subject to TV ability)                   | TVR      | \$ | 975.00       | \$ | 877.50    | \$ | -        |  |
| SP3b  | Ea    | TBD  | 0     | Flat Panel Monitor / Smart HDTV 40-43" (Electrical<br>Outlet/Provision By Others; C.E.C. control subject<br>to TV ability) | FP-43    | \$ | 1,377.57     | \$ | 1,239.81  | \$ | -        |  |
| SP3c  | Ea    | TBD  | 0     | Flat Panel / TV Mount- Universal 23"-46" Tilt  | FPM-U    | \$ | 107.86       | \$ | 97.07     | \$ | -        |  |
| SP4   | Ea    | USDD | 0     | G2 I/O REMOTE Module w/ 8 In & 8 Out   | IOR      | \$ | 1,275.00     | \$ | 1,147.50  | \$ | -        |  |
| SP5   | Ea    | USDD | 1     | Push Button, Standard (Black)  | PB-B     | \$ | 110.00       | \$ | 99.00     | \$ | 99.00    |  |
| SP6   | Ea    | USDD | 1     | Push Button, Emergency (Red)   | PB-R     | \$ | 110.00       | \$ | 99.00     | \$ | 99.00    |  |
| SP7   | Ea    | USDD | 2     | G2 MESSAGE REMOTE 2 Module (2017 Version 2)  | MR2      | \$ | 1,275.00     | \$ | 1,147.50  | \$ | 2,295.00 |  |
| SP9a  | Ea    | USDD | 0     | G2 MESSAGE SIGN (Digital LED) MINI<br>GammaSign / 12 <u>"</u> Active Screen Width / Turn Out<br>Timing ONLY                | MS-G-M   | \$ | 915.00       | \$ | 823.50    | \$ | -        |  |
| SP9b  | Ea    | USDD | 2     | G2 MESSAGE SIGN (Digital LED) STANDARD<br>GammaSign / 24" Active Screen Width  | MS-G-S   | \$ | 1,050.00     | \$ | 945.00    | \$ | 1,890.00 |  |

| SP9c  | Ea | USDD | 0  | G2 MESSAGE SIGN (Digital LED) EXTENDED<br>GammaSign / <u>36"</u> Active Screen Width   | MS-G-E       | \$<br>1,575.00 | \$<br>1,417.50 | \$-         |   |
|-------|----|------|----|--|--------------|----------------|----------------|-------------|---|
| SP9d  | Ea | USDD | 2  | MS-G Adapter Plate, SINGLE. VESA 100, joins (1) MS-<br>G-S (or-E) to any standard mount with VESA 100 hole patterns<br>(mount not included)  | MS-AP-S      | \$<br>38.00    | \$<br>34.20    | \$ 68.4     | ) |
| SP9e  | Ea | USDD | 0  | MS-G Adapter Plate, DOUBLE, VESA 100, joins (2) MS-<br>G-S(or-E) to any standard mount with VESA 100 hole patterns<br>(mount not included)   | MS-AP-D      | \$<br>49.00    | \$<br>44.10    | \$-         |   |
| SP9f  | Ea | USDD | 0  | MS-G Hanger Kit. Hangs single or double (back-to-back)<br>Message Signs (Gamma Version) from Ceiling. Includes both<br>suspended ceiling T-Bar Scissor Clips and Hard-Pan Flange<br>Mounts.  | MS-HK        | \$<br>73.00    | \$<br>65.70    | \$-         |   |
| SP11  | Ea | TBD  | 2  | MS Mount - Articulating, Long reach  | MS-MNT-ART-L | \$<br>287.00   | \$<br>258.30   | \$ 516.6    | ) |
| SP12a | Ea | USDD | 10 | G2 ROOM REMOTE 2 Module / 2017 version 2   | RR2          | \$<br>2,025.00 | \$<br>1,822.50 | \$ 18,225.0 | ) |
| SP12c | Ea | USDD | 0  | RR2 Adpater Plate, for Retrofit in RR1 Wall Cavity   | RR2-AP       | \$<br>46.00    | \$<br>41.40    | \$-         |   |
| SP12d | Ea | USDD | 0  | RR2 Surface Mount Box, for SURFACE MOUNT<br>(hard wall) installation. Three (3) 3/4" conduit<br>knock-outs.  | RR2-SMB      | \$<br>175.00   | \$<br>157.50   | \$-         |   |
| SP15  | Ea | USDD | 16 | G2 SPEAKER - LED Illuminated - FLUSH Mount,<br>70v   | SPK-LED-FM   | \$<br>325.00   | \$<br>292.50   | \$ 4,680.0  |   |
| SP16  | Ea | USDD | 0  | G2 SPEAKER - LED Illuminated - SURFACE<br>Mount (Metal Box), 70v   | SPK-LED-SM   | \$<br>325.00   | \$<br>292.50   | \$-         |   |
| SP17a | Ea | USDD | 2  | G2 SPEAKER - OmniAlertStrobe -<br>Omnidirectional Alerting Speaker, optimized for<br>high Vocal Intelligibility in large open indoor areas<br>and with High-Intensity LED Strobe Light Arrays<br>includes Cable Hanging Kit (typically requires MR2<br>for power/signal/control) | SPK-OAS      | \$<br>815.00   | \$<br>733.50   | \$ 1,467.0  | ) |
| SP17b | Ea | USDD | 0  | SPK-OAS/OmniStrobe Mounting Bracket / BEAM<br>FLANGE CLIP- for mounting directly onto an<br>exposed (1/8-14") I-Beam   | SPK-OAS-BFC  | \$<br>13.00    | \$<br>11.70    | \$-         |   |
| SP17c | Ea | USDD | 0  | SPK-OAS/OmniStrobe Mounting Bracket /DROP<br>CEILING BRACKET- for mounting directly to T-Bar<br>in Suspended Ceiling   | SPK-OAS-DCB  | \$<br>48.00    | \$<br>43.20    | \$-         |   |
| SP17d | Ea | USDD | 0  | SPK-OAS/OmniStrobe Mounting Bracket /<br>SURFACE MOUNT - for mounting directly to hard<br>ceiling  | SPK-OAS-SMB  | \$<br>42.00    | \$<br>37.80    | \$-         |   |
| SP18a | Ea | USDD | 4  | SPEAKER - STANDARD, FLUSH Mount, 70v   | SPK-STD-FM   | \$<br>85.00    | \$<br>76.50    | \$ 306.0    | ) |
| SP18b | Ea | USDD | 0  | SPEAKER - STANDARD, SURFACE Mount (Metal<br>Box), 70v  | SPK-STD-SM   | \$<br>85.00    | \$<br>76.50    | \$-         |   |
| SP19  | Ea | USDD | 2  | SPEAKER - APP BAY/OUTDOOR - Weatherized,<br>Surface Mount, 70v   | SPK-W-SM     | \$<br>310.00   | \$<br>279.00   | \$ 558.0    |   |
| SP21  | Ea | USDD | 1  | G2 Strobe Light / Red LED  | STR          | \$<br>550.00   | \$<br>495.00   | \$ 495.0    | ) |
| SP20  | Ea | USDD | 0  | Transformer, 8ohm to 70V, External   | XFMR         | \$<br>53.00    | \$<br>47.70    | \$-         |   |
| SP22  | Ea | USDD | 0  | VIDEO DOOR STATION - Doorbell & Camera that<br>ties into G2 FSAS (HDTV Remote) - Includes<br>Power Injector  | VDS          | \$<br>1,700.00 | \$<br>1,530.00 | \$-         |   |

| STATI | ON SY | STEM | SER | VICES   |          |    |           |    |           |                |  |
|-------|-------|------|-----|---|----------|----|-----------|----|-----------|----------------|--|
| Item  | Unit  | Mfr  | Qty | Description   | Part No. | US | List Unit | Q  | UOTE UNIT | QUOTE EXT      |  |
| SS1   | Ea    | USDD | 0   | Station Installation (N/A - Installation is Not<br>Assumed or Included by USDD. Customer to<br>contract directly with a Certified G2 Installer.)                  | ST-INST  | \$ | -         | \$ | -         | \$<br>-        |  |
| SS2   | Ea    | USDD | 0   | Station Remediation (Removal and Disposal of<br>Legacy Equipment Not currently Assumed or<br>Included, nor is any related Remediation to Paint,<br>Drywall, etc.) | ST-INST  | \$ | -         | \$ | -         | \$<br>-        |  |
| SS3   | Ea    | USDD | 1   | Station Configuration & Start-Up  | ST-SU    | \$ | 2,233.78  | \$ | 2,010.40  | \$<br>2,010.40 |  |
| SS4   | Ea    | USDD | 1   | Station Project Management  | ST-PM    | \$ | 1,122.68  | \$ | 1,010.41  | \$<br>1,010.41 |  |
| SS5   | Ea    | USDD | 1   | Station Engineering / Design Services   | ST-ES    | \$ | 393.52    | \$ | 354.16    | \$<br>354.16   |  |
| SS6   | Ea    | USDD | 1   | Station Documentation   | ST-DM    | \$ | 57.87     | \$ | 52.08     | \$<br>52.08    |  |

| SS7a | Ea | USDD | 0 | Station Training - Configuration and Equipment.<br>On-Site @ Station. 4 Hours, 1 Visit. (for Technical<br>Services Staff)  | TRA-UT-O  | \$<br>4,025.00 | \$<br>3,622.50 | \$- |  |
|------|----|------|---|--|-----------|----------------|----------------|-----|--|
| SS7b | Ea | USDD |   | Station Training - User/Technician / Remote<br>Refresh (2 Hours)   | TRA-UT-R  | \$<br>600.00   | \$<br>540.00   | \$- |  |
| SS8a | Ea | USDD | - | Training - Installation Contractor - On-Site /<br>USDD G2 Certification / 8 Hours (TBD - only<br>needed if requied to use non-certified contractor)                        | TRA-IC-O  | \$<br>5,325.00 | \$<br>4,792.50 | \$- |  |
| SS8b | Ea | USDD |   | Training - Installation Contractor - At Arizona<br>Training Center / USDD G2 Certification / 8 Hours<br>(TBD - only needed if required to use non-certified<br>contractor) | TRA-IC-AZ | \$<br>2,725.00 | \$<br>2,452.50 | \$- |  |
| SS9  | Ea | USDD | 0 | Miscellaneous/TBD  | MISC      | \$<br>-        | \$<br>-        | \$- |  |

| STATI | STATION SYSTEM WARRANTY & OPTIONAL RECURRING ANNUAL SUPPORT |      |     |   |            |              |             |  |  |  |  |  |
|-------|---|------|-----|---|------------|--------------|-------------|--|--|--|--|--|
| Item  | Unit  | Mfr  | Qty | Description   | Part No.   | US List Unit | QUOTE UNIT  | QUOTE EXT  |  |  |  |  |
| SW1   | YR  | USDD | 1.5 | [STANDARD] 1st YEAR WARRANTY &<br>SUPPORT FOR THIS STATION SYSTEM (or<br>component): Telephone / Remote Access Support<br>(8:00 AM - 5:00 PM MST) PLEASE NOTE: An<br>additional 6 months (for total of 18 months/1.5<br>years) of initial warranty has been offered by USDD<br>for no additional cost so all stations can be installed<br>and enjoy same warranty/support start/stop dates) | RS-1YR-STD | \$ 5,208.30  | \$ 4,687.47 | 7031.205 but No<br>Charge For Initial<br>Warranty Period /<br>Not Included in<br>Subtotals |  |  |  |  |
| SW2   | YR  | USDD | •.• | [STANDARD] EACH ADDITIONAL YEAR (12-<br>Months) WARRANTY & SUPPORT FOR THIS<br>STATION SYSTEM (or Component): Telephone /<br>Remote Access Support (8:00 AM - 5:00 PM MST)  | RS-AYR-STD | \$ 5,208.30  | \$ 4,687.47 | \$ 16,406.15   |  |  |  |  |

| STATION 01 | System:                       | \$<br>55,510.06 |
|------------|-------------------------------|-----------------|
|            | Shipping:                     | \$<br>1,146.00  |
|            | Warranty & Support:           | \$<br>16,406.15 |
|            | Miscellaneous (if applicable) | \$<br>-         |
|            | STATION SUBTOTAL:             | \$<br>73,062.21 |

Customer must elect to choose any coverage they require beyond initial warranty period, or USDD will not be authorized to provide any service or support. Mobile Smart Phone Alerting App and Mapping Services only available to customer while under warranty or elected recurring annual support. Support Agreements subject to change if system design is modified. For additional details, please review current USDD Warranty Statement and Service Agreement. USDD cannot warrant nor support any system configuration that deviates from this specific proposal's documented station system design file number. USDD cannot warrant nor support any system not using USDD-approved UPS Battery Backup. USDD cannot warrant nor support any system not installed by G2 Trained & Certified Installation technician (installer). If customer intends to tie this system into any 3rd-party system or devices, USDD will be unable to warrant or support the sytem until we've had a chance to review documented engineering assumptions and approve system integrity, performance and reliability expectations.

For FSAaaS Program: The cost of service and support beyond initial warranty period is included in the FSASaaS Program for a total of 5 years. The service and support includes Mobile Smart Phone Alerting App and Mapping Services. Please see the FSASaaS Subscription Agreement for more information concerning the service and support provided by USDD. USDD cannot warrant nor support any system not using USDD-approved UPS Battery Backup. USDD cannot warrant nor support any system not installed by G2 Trained & Certified Installation technician (installer). If customer intends to tie this system into any 3rd-party system or devices, USDD will be unable to warrant or support the sytem until we've had a chance to review documented engineering assumptions and approve system integrity, performance and reliability expectations.

#### Station System Installation Notes:

01 - Unless specifically detailed in this proposal, no installation by USDD or it's subcontractors is assumed or provided.

02 - Because these are mission-critical systems, USDD can only warrant and support systems installed by G2 Trained and Certified Contractors.

03 - USDD can source, qualify, train and certify Local Licensed Regional Subcontrators where needed.

04 - Installation warranted by installation contractor - G2 FSAS warranted, serviced and supported by USDD.

05 - Unless specifically detailed in this proposal, installation to be performed during normal working hours.

06 - Unless specifically detailed in this proposal, no permit fees or material charges have been included.

07 - Unless specifically detailed in this proposal, no removal or remediation has been assumed or included.

08 - Unless specifically detailed in this proposal, no bonds of any type (performance, bid) have been assumed, included or budgeted for in this proposal.

09 - USDD FSAS Equipment to be made available by owner to Installation Contractor prior to on-site arrival.

10 - Structural backing for system devices and other millwork (not specifically detailed) by others.

11 - If applicable, Gas Control Shutoff Valve Addendum (to USDD and installation contractor) must be signed prior to installation.

12 - All electrical power, including (but not limited to) raceway, conduit, backboxes, service panels, high-voltage wiring and fixtures by others.

13 - All communications pathway infrastructure (network, radio, etc.) by others unless specifically detailed in this proposal.

14 - USDD cannot warrant nor support any owner-furbished (3rd-Party) system or component we are required to integrate with. USDD cannot warrant nor support any system or component it has not proofed engineering for and has not specifically authorized for use within public safety environments.

Expires:

## US DIGITAL DESIGNS

**STATION-LEVEL** 



1/7/2021

4/7/2021

 1835 E. Sixth St. Suite #27

 Tempe, Arizona 85281

 877-551-8733 tel
 480-290-7892 fax

### <u>Quote SUBMITTED TO:</u> The City of Reno, Nevada Public Safety Dispatch

## REF PROPOSAL

### NV\_RENO007 v1

## STATION 02

| STATI | STATION SYSTEM LICENSES |      |     |   |            |    |              |     |         |                |  |  |
|-------|-------------------------|------|-----|---|------------|----|--------------|-----|---------|----------------|--|--|
| Item  | Unit                    | Mfr  | Qty | Description   | Part No.   | ι  | JS List Unit | QUO | TE UNIT | QUOTE EXT      |  |  |
| SL1   | Ea                      | USDD | 1   | G2 VOICEALERT - Single Station License.   | VA         | \$ | 1,030.00     | \$  | 927.00  | \$ 927.00      |  |  |
| SL2   | Ea/Yr                   | USDD | 24  | G2 MOBILE FSAS APP - Single Device License. Up<br>to 24 Licenses-Per-ATX are offered at \$0.00 cost each<br>as long as system is currently under warranty or elected<br>recurring annual support coverage. See 'Mobile' Section<br>for more detail. | G2-APP-DLI | \$ | 108.00       | \$  | 97.20   | N/A - Included |  |  |

| STATI | ON SY | STEM | CON | ITROLLER  |          |                 |    |           |              |  |
|-------|-------|------|-----|---|----------|-----------------|----|-----------|--------------|--|
| Item  | Unit  | Mfr  | Qty | Description   | Part No. | US List Unit    | Q  | UOTE UNIT | QUOTE EXT    |  |
| SC1   | Kit   | USDD |     | <b>G2 ATX STATION CONTROLLER -</b><br>Power/Signal/Control up to 8 peripheral Remote<br>Options. 4 Unique Amps/Zones available. | ΑΤΧ      | \$<br>21,750.00 | \$ | 19,575.00 | \$ 19,575.00 |  |
| SC2   | Kit   | USDD | 0   | <b>G2 EXPANSION KIT</b> - Allows ability to<br>Power/Signal/Control up to 12 more peripheral<br>Remote options per EXP.         | EXP      | \$<br>7,325.00  | \$ | 6,592.50  | \$-          |  |
| SC3   | Kit   | USDD | 0   | Rack Mount Ears for ATX or EXP  | ATX-E    | \$<br>54.00     | \$ | 48.60     | \$           |  |
| SC4   | Kit   | USDD | 0   | Base Plate for ATX or EXP   | ATX-P    | \$<br>54.00     | \$ | 48.60     | \$-          |  |
| SC5   | Ea    | TBD  | 1   | ATX UPS, Standard   | UPS-STD  | \$<br>923.00    | \$ | 830.70    | \$ 830.70    |  |
| SC6   | Ea    | TBD  | 1   | Shelf/Bracket, Wall-Mount for UPS   | UPS-WMB  | \$<br>57.00     | \$ | 51.30     | \$ 51.30     |  |

| STATI | TATION SYSTEM PERIPHERAL COMPONENTS |      |     |  |          |    |              |    |           |    |           |  |
|-------|-------------------------------------|------|-----|--|----------|----|--------------|----|-----------|----|-----------|--|
| Item  | Unit                                | Mfr  | Qty | Description  | Part No. |    | US List Unit | Q  | UOTE UNIT |    | QUOTE EXT |  |
| SP1a  | Ea                                  | TBD  | 0   | Audio Amplifier, External, Standard  | AMP      | \$ | 987.00       | \$ | 888.30    | \$ | -         |  |
| SP1b  | Ea                                  | TBD  | 0   | Shelf, Under Table or Wall Mount, for 1U 1/2 Rack  | AMP-S    | \$ | 66.00        | \$ | 59.40     | \$ | -         |  |
| SP2   | Ea                                  | USDD | 0   | G2 COLOR INDICATOR REMOTE Module - Up to 8 unique colors   | CIR      | \$ | 725.00       | \$ | 652.50    | \$ | -         |  |
| SP3a  | Ea                                  | USDD | 0   | <b>G2 HDTV REMOTE</b> Module (TV & Electrical Outlet<br>by Others; C.E.C. control subject to TV ability)                   | TVR      | \$ | 975.00       | \$ | 877.50    | \$ | -         |  |
| SP3b  | Ea                                  | TBD  | 0   | Flat Panel Monitor / Smart HDTV 40-43" (Electrical<br>Outlet/Provision By Others; C.E.C. control subject<br>to TV ability) | FP-43    | \$ | 1,377.57     | \$ | 1,239.81  | \$ | -         |  |
| SP3c  | Ea                                  | TBD  | 0   | Flat Panel / TV Mount- Universal 23"-46" Tilt  | FPM-U    | \$ | 107.86       | \$ | 97.07     | \$ | -         |  |
| SP4   | Ea                                  | USDD | 0   | G2 I/O REMOTE Module w/ 8 In & 8 Out   | IOR      | \$ | 1,275.00     | \$ | 1,147.50  | \$ | -         |  |
| SP5   | Ea                                  | USDD | 1   | Push Button, Standard (Black)  | PB-B     | \$ | 110.00       | \$ | 99.00     | \$ | 99.00     |  |
| SP6   | Ea                                  | USDD | 1   | Push Button, Emergency (Red)   | PB-R     | \$ | 110.00       | \$ | 99.00     | \$ | 99.00     |  |
| SP7   | Ea                                  | USDD | 2   | G2 MESSAGE REMOTE 2 Module (2017 Version 2)  | MR2      | \$ | 1,275.00     | \$ | 1,147.50  | \$ | 2,295.00  |  |
| SP9a  | Ea                                  | USDD | 0   | G2 MESSAGE SIGN (Digital LED) MINI<br>GammaSign / 12 <u>"</u> Active Screen Width / Turn Out<br>Timing ONLY                | MS-G-M   | \$ | 915.00       | \$ | 823.50    | \$ | -         |  |
| SP9b  | Ea                                  | USDD | 1   | G2 MESSAGE SIGN (Digital LED) STANDARD<br>GammaSign / 24" Active Screen Width  | MS-G-S   | \$ | 1,050.00     | \$ | 945.00    | \$ | 945.00    |  |

| SP9c  | Ea | USDD | 0  | G2 MESSAGE SIGN (Digital LED) EXTENDED<br>GammaSign / <u>36"</u> Active Screen Width   | MS-G-E       | \$<br>1,575.00 | \$<br>1,417.50 | \$-          |  |
|-------|----|------|----|--|--------------|----------------|----------------|--------------|--|
| SP9d  | Ea | USDD | 1  | MS-G Adapter Plate, SINGLE. VESA 100, joins (1) MS-<br>G-S (or-E) to any standard mount with VESA 100 hole patterns<br>(mount not included)  | MS-AP-S      | \$<br>38.00    | \$<br>34.20    | \$ 34.20     |  |
| SP9e  | Ea | USDD | 0  | MS-G Adapter Plate, DOUBLE, VESA 100, joins (2) MS-<br>G-S(or-E) to any standard mount with VESA 100 hole patterns<br>(mount not included)   | MS-AP-D      | \$<br>49.00    | \$<br>44.10    | \$-          |  |
| SP9f  | Ea | USDD | 0  | MS-G Hanger Kit. Hangs single or double (back-to-back)<br>Message Signs (Gamma Version) from Ceiling. Includes both<br>suspended ceiling T-Bar Scissor Clips and Hard-Pan Flange<br>Mounts.  | MS-HK        | \$<br>73.00    | \$<br>65.70    | \$-          |  |
| SP11  | Ea | TBD  | 1  | MS Mount - Articulating, Long reach  | MS-MNT-ART-L | \$<br>287.00   | \$<br>258.30   | \$ 258.30    |  |
| SP12a | Ea | USDD | 10 | G2 ROOM REMOTE 2 Module / 2017 version 2   | RR2          | \$<br>2,025.00 | \$<br>1,822.50 | \$ 18,225.00 |  |
| SP12c | Ea | USDD | 0  | RR2 Adpater Plate, for Retrofit in RR1 Wall Cavity   | RR2-AP       | \$<br>46.00    | \$<br>41.40    | \$-          |  |
| SP12d | Ea | USDD | 0  | RR2 Surface Mount Box, for SURFACE MOUNT<br>(hard wall) installation. Three (3) 3/4" conduit<br>knock-outs.  | RR2-SMB      | \$<br>175.00   | \$<br>157.50   | \$-          |  |
| SP15  | Ea | USDD | 19 | G2 SPEAKER - LED Illuminated - FLUSH Mount,<br>70v   | SPK-LED-FM   | \$<br>325.00   | \$<br>292.50   | \$ 5,557.50  |  |
| SP16  | Ea | USDD | 0  | G2 SPEAKER - LED Illuminated - SURFACE<br>Mount (Metal Box), 70v   | SPK-LED-SM   | \$<br>325.00   | \$<br>292.50   | \$-          |  |
| SP17a | Ea | USDD | 2  | G2 SPEAKER - OmniAlertStrobe -<br>Omnidirectional Alerting Speaker, optimized for<br>high Vocal Intelligibility in large open indoor areas<br>and with High-Intensity LED Strobe Light Arrays<br>includes Cable Hanging Kit (typically requires MR2<br>for power/signal/control) | SPK-OAS      | \$<br>815.00   | \$<br>733.50   | \$ 1,467.00  |  |
| SP17b | Ea | USDD | 0  | SPK-OAS/OmniStrobe Mounting Bracket / BEAM<br>FLANGE CLIP- for mounting directly onto an<br>exposed (1/8-14") I-Beam   | SPK-OAS-BFC  | \$<br>13.00    | \$<br>11.70    | \$-          |  |
| SP17c | Ea | USDD | 0  | SPK-OAS/OmniStrobe Mounting Bracket /DROP<br>CEILING BRACKET- for mounting directly to T-Bar<br>in Suspended Ceiling   | SPK-OAS-DCB  | \$<br>48.00    | \$<br>43.20    | \$-          |  |
| SP17d | Ea | USDD | 0  | SPK-OAS/OmniStrobe Mounting Bracket /<br>SURFACE MOUNT - for mounting directly to hard<br>ceiling  | SPK-OAS-SMB  | \$<br>42.00    | \$<br>37.80    | \$-          |  |
| SP18a | Ea | USDD | 10 | SPEAKER - STANDARD, FLUSH Mount, 70v   | SPK-STD-FM   | \$<br>85.00    | \$<br>76.50    | \$ 765.00    |  |
| SP18b | Ea | USDD | 0  | SPEAKER - STANDARD, SURFACE Mount (Metal<br>Box), 70v  | SPK-STD-SM   | \$<br>85.00    | \$<br>76.50    | \$-          |  |
| SP19  | Ea | USDD | 1  | SPEAKER - APP BAY/OUTDOOR - Weatherized,<br>Surface Mount, 70v   | SPK-W-SM     | \$<br>310.00   | \$<br>279.00   | \$ 279.00    |  |
| SP21  | Ea | USDD | 1  | G2 Strobe Light / Red LED  | STR          | \$<br>550.00   | \$<br>495.00   | \$ 495.00    |  |
| SP20  | Ea | USDD | 0  | Transformer, 8ohm to 70V, External   | XFMR         | \$<br>53.00    | \$<br>47.70    | \$-          |  |
| SP22  | Ea | USDD | 0  | VIDEO DOOR STATION - Doorbell & Camera that<br>ties into G2 FSAS (HDTV Remote) - Includes<br>Power Injector  | VDS          | \$<br>1,700.00 | \$<br>1,530.00 | \$ -         |  |

| STATI | ON SY | STEM | SER | VICES   |          |              |    |             |             |  |
|-------|-------|------|-----|---|----------|--------------|----|-------------|-------------|--|
| Item  | Unit  | Mfr  | Qty | Description   | Part No. | US List Unit |    | QUOTE UNIT  | QUOTE EXT   |  |
| SS1   | Ea    | USDD | 0   | Station Installation (N/A - Installation is Not<br>Assumed or Included by USDD. Customer to<br>contract directly with a Certified G2 Installer.)                  | ST-INST  | \$           | -  | \$-         | \$-         |  |
| SS2   | Ea    | USDD | 0   | Station Remediation (Removal and Disposal of<br>Legacy Equipment Not currently Assumed or<br>Included, nor is any related Remediation to Paint,<br>Drywall, etc.) | ST-INST  | \$           | -  | \$-         | \$-         |  |
| SS3   | Ea    | USDD | 1   | Station Configuration & Start-Up  | ST-SU    | \$ 2,231.8   | 33 | \$ 2,008.65 | \$ 2,008.65 |  |
| SS4   | Ea    | USDD | 1   | Station Project Management  | ST-PM    | \$ 1,118.8   | 30 | \$ 1,006.92 | \$ 1,006.92 |  |
| SS5   | Ea    | USDD | 1   | Station Engineering / Design Services   | ST-ES    | \$ 392.1     | 6  | \$ 352.94   | \$ 352.94   |  |
| SS6   | Ea    | USDD | 1   | Station Documentation   | ST-DM    | \$ 57.6      | 67 | \$ 51.90    | \$ 51.90    |  |

| SS7a | Ea | USDD | 0 | Station Training - Configuration and Equipment.<br>On-Site @ Station. 4 Hours, 1 Visit. (for Technical<br>Services Staff)  | TRA-UT-O  | \$<br>4,025.00 | \$<br>3,622.50 | \$- |  |
|------|----|------|---|--|-----------|----------------|----------------|-----|--|
| SS7b | Ea | USDD |   | Station Training - User/Technician / Remote<br>Refresh (2 Hours)   | TRA-UT-R  | \$<br>600.00   | \$<br>540.00   | \$- |  |
| SS8a | Ea | USDD |   | Training - Installation Contractor - On-Site /<br>USDD G2 Certification / 8 Hours (TBD - only<br>needed if requied to use non-certified contractor)                        | TRA-IC-O  | \$<br>5,325.00 | \$<br>4,792.50 | \$- |  |
| SS8b | Ea | USDD |   | Training - Installation Contractor - At Arizona<br>Training Center / USDD G2 Certification / 8 Hours<br>(TBD - only needed if required to use non-certified<br>contractor) | TRA-IC-AZ | \$<br>2,725.00 | \$<br>2,452.50 | \$- |  |
| SS9  | Ea | USDD | 0 | Miscellaneous/TBD  | MISC      | \$<br>-        | \$<br>-        | \$- |  |

| STATI | STATION SYSTEM WARRANTY & OPTIONAL RECURRING ANNUAL SUPPORT |      |     |   |            |              |             |  |  |  |  |  |
|-------|---|------|-----|---|------------|--------------|-------------|--|--|--|--|--|
| Item  | Unit  | Mfr  | Qty | Description   | Part No.   | US List Unit | QUOTE UNIT  | QUOTE EXT  |  |  |  |  |
| SW1   | YR  | USDD | 1.5 | [STANDARD] 1st YEAR WARRANTY &<br>SUPPORT FOR THIS STATION SYSTEM (or<br>component): Telephone / Remote Access Support<br>(8:00 AM - 5:00 PM MST) PLEASE NOTE: An<br>additional 6 months (for total of 18 months/1.5<br>years) of initial warranty has been offered by USDD<br>for no additional cost so all stations can be installed<br>and enjoy same warranty/support start/stop dates) | RS-1YR-STD | \$ 5,190.30  | \$ 4,671.27 | 7006.905 but No<br>Charge For Initial<br>Warranty Period /<br>Not Included in<br>Subtotals |  |  |  |  |
| SW2   | YR  | USDD | 3.5 | [STANDARD] EACH ADDITIONAL YEAR (12-<br>Months) WARRANTY & SUPPORT FOR THIS<br>STATION SYSTEM (or Component): Telephone /<br>Remote Access Support (8:00 AM - 5:00 PM MST)  | RS-AYR-STD | \$ 5,190.30  | \$ 4,671.27 | \$ 16,349.45   |  |  |  |  |

| STATION 02 | System:                       | \$<br>55,323.41 |
|------------|-------------------------------|-----------------|
|            | Shipping:                     | \$<br>1,220.00  |
|            | Warranty & Support:           | \$<br>16,349.45 |
|            | Miscellaneous (if applicable) | \$<br>-         |
|            | STATION SUBTOTAL:             | \$<br>72,892.85 |

Customer must elect to choose any coverage they require beyond initial warranty period, or USDD will not be authorized to provide any service or support. Mobile Smart Phone Alerting App and Mapping Services only available to customer while under warranty or elected recurring annual support. Support Agreements subject to change if system design is modified. For additional details, please review current USDD Warranty Statement and Service Agreement. USDD cannot warrant nor support any system configuration that deviates from this specific proposal's documented station system design file number. USDD cannot warrant nor support any system not using USDD-approved UPS Battery Backup. USDD cannot warrant nor support any system not installed by G2 Trained & Certified Installation technician (installer). If customer intends to tie this system into any 3rd-party system or devices, USDD will be unable to warrant or support the sytem until we've had a chance to review documented engineering assumptions and approve system integrity, performance and reliability expectations.

For FSAaaS Program: The cost of service and support beyond initial warranty period is included in the FSASaaS Program for a total of 5 years. The service and support includes Mobile Smart Phone Alerting App and Mapping Services. Please see the FSASaaS Subscription Agreement for more information concerning the service and support provided by USDD. USDD cannot warrant nor support any system not using USDD-approved UPS Battery Backup. USDD cannot warrant nor support any system not installed by G2 Trained & Certified Installation technician (installer). If customer intends to tie this system into any 3rd-party system or devices, USDD will be unable to warrant or support the sytem until we've had a chance to review documented engineering assumptions and approve system integrity, performance and reliability expectations.

#### Station System Installation Notes:

01 - Unless specifically detailed in this proposal, no installation by USDD or it's subcontractors is assumed or provided.

02 - Because these are mission-critical systems, USDD can only warrant and support systems installed by G2 Trained and Certified Contractors.

03 - USDD can source, qualify, train and certify Local Licensed Regional Subcontrators where needed.

04 - Installation warranted by installation contractor - G2 FSAS warranted, serviced and supported by USDD.

05 - Unless specifically detailed in this proposal, installation to be performed during normal working hours.

06 - Unless specifically detailed in this proposal, no permit fees or material charges have been included.

07 - Unless specifically detailed in this proposal, no removal or remediation has been assumed or included.

08 - Unless specifically detailed in this proposal, no bonds of any type (performance, bid) have been assumed included or budgeted for in this proposal.

09 - USDD FSAS Equipment to be made available by owner to Installation Contractor prior to on-site arrival.

10 - Structural backing for system devices and other millwork (not specifically detailed) by others.

11 - If applicable, Gas Control Shutoff Valve Addendum (to USDD and installation contractor) must be signed prior to installation.

12 - All electrical power, including (but not limited to) raceway, conduit, backboxes, service panels, high-voltage wiring and fixtures by others.

13 - All communications pathway infrastructure (network, radio, etc.) by others unless specifically detailed in this proposal.

14 - USDD cannot warrant nor support any owner-furbished (3rd-Party) system or component we are required to integrate with. USDD cannot warrant nor support any system or component it has not proofed engineering for and has not specifically authorized for use within public safety environments.

## US DIGITAL DESIGNS

**STATION-LEVEL** 



1/7/2021

4/7/2021

 1835 E. Sixth St. Suite #27

 Tempe, Arizona 85281

 877-551-8733 tel
 480-290-7892 fax

### <u>Quote SUBMITTED TO:</u> The City of Reno, Nevada Public Safety Dispatch

## REF PROPOSAL

### NV\_RENO007 v1

## STATION 03

Based from USDD G2 Fire Station Alerting System Design Drawing # USDD.NV\_RENO.ALL STATIONS.FSA.2020.12.29.pdf

| STATI | ON SY | STEM | LICE | INSES   |            |    |              |     |         |                |  |
|-------|-------|------|------|---|------------|----|--------------|-----|---------|----------------|--|
| Item  | Unit  | Mfr  | Qty  | Description   | Part No.   | ι  | JS List Unit | QUO | TE UNIT | QUOTE EXT      |  |
| SL1   | Ea    | USDD | 1    | G2 VOICEALERT - Single Station License.   | VA         | \$ | 1,030.00     | \$  | 927.00  | \$ 927.00      |  |
| SL2   | Ea/Yr | USDD | 24   | G2 MOBILE FSAS APP - Single Device License. Up<br>to 24 Licenses-Per-ATX are offered at \$0.00 cost each<br>as long as system is currently under warranty or elected<br>recurring annual support coverage. See 'Mobile' Section<br>for more detail. | G2-APP-DLI | \$ | 108.00       | \$  | 97.20   | N/A - Included |  |

| STATI | ON SY | STEM |     | ITROLLER  |          |    |              |    |           |              |  |
|-------|-------|------|-----|---|----------|----|--------------|----|-----------|--------------|--|
| Item  | Unit  | Mfr  | Qty | Description   | Part No. | U  | US List Unit | Q  | UOTE UNIT | QUOTE EXT    |  |
| SC1   | Kit   | USDD |     | <b>G2 ATX STATION CONTROLLER -</b><br>Power/Signal/Control up to 8 peripheral Remote<br>Options. 4 Unique Amps/Zones available. | ΑΤΧ      | \$ | 21,750.00    | \$ | 19,575.00 | \$ 19,575.00 |  |
| SC2   | Kit   | USDD | 1   | <b>G2 EXPANSION KIT</b> - Allows ability to<br>Power/Signal/Control up to 12 more peripheral<br>Remote options per EXP.         | EXP      | \$ | 7,325.00     | \$ | 6,592.50  | \$ 6,592.50  |  |
| SC3   | Kit   | USDD | 0   | Rack Mount Ears for ATX or EXP  | ATX-E    | \$ | 54.00        | \$ | 48.60     | \$-          |  |
| SC4   | Kit   | USDD | 0   | Base Plate for ATX or EXP   | ATX-P    | \$ | 54.00        | \$ | 48.60     | \$-          |  |
| SC5   | Ea    | TBD  | 2   | ATX UPS, Standard   | UPS-STD  | \$ | 923.00       | \$ | 830.70    | \$ 1,661.40  |  |
| SC6   | Ea    | TBD  | 2   | Shelf/Bracket, Wall-Mount for UPS   | UPS-WMB  | \$ | 57.00        | \$ | 51.30     | \$ 102.60    |  |

| STATI | ON SY | STEM | PER | IPHERAL COMPONENTS   |          |                |    |           |             |  |
|-------|-------|------|-----|--|----------|----------------|----|-----------|-------------|--|
| Item  | Unit  | Mfr  | Qty | Description  | Part No. | US List Unit   | QU | JOTE UNIT | QUOTE EXT   |  |
| SP1a  | Ea    | TBD  | 1   | Audio Amplifier, External, Standard  | AMP      | \$<br>987.00   | \$ | 888.30    | \$ 888.30   |  |
| SP1b  | Ea    | TBD  | 1   | Shelf, Under Table or Wall Mount, for 1U 1/2 Rack  | AMP-S    | \$<br>66.00    | \$ | 59.40     | \$ 59.40    |  |
| SP2   | Ea    | USDD | 0   | G2 COLOR INDICATOR REMOTE Module - Up to 8 unique colors   | CIR      | \$<br>725.00   | \$ | 652.50    | \$-         |  |
| SP3a  | Ea    | USDD | 0   | <b>G2 HDTV REMOTE</b> Module (TV & Electrical Outlet<br>by Others; C.E.C. control subject to TV ability)                   | TVR      | \$<br>975.00   | \$ | 877.50    | \$-         |  |
| SP3b  | Ea    | TBD  | 0   | Flat Panel Monitor / Smart HDTV 40-43" (Electrical<br>Outlet/Provision By Others; C.E.C. control subject<br>to TV ability) | FP-43    | \$<br>1,377.57 | \$ | 1,239.81  | \$-         |  |
| SP3c  | Ea    | TBD  | 0   | Flat Panel / TV Mount- Universal 23"-46" Tilt  | FPM-U    | \$<br>107.86   | \$ | 97.07     | \$-         |  |
| SP4   | Ea    | USDD | 0   | G2 I/O REMOTE Module w/ 8 In & 8 Out   | IOR      | \$<br>1,275.00 | \$ | 1,147.50  | \$-         |  |
| SP5   | Ea    | USDD | 2   | Push Button, Standard (Black)  | PB-B     | \$<br>110.00   | \$ | 99.00     | \$ 198.00   |  |
| SP6   | Ea    | USDD | 2   | Push Button, Emergency (Red)   | PB-R     | \$<br>110.00   | \$ | 99.00     | \$ 198.00   |  |
| SP7   | Ea    | USDD | 3   | G2 MESSAGE REMOTE 2 Module (2017 Version 2)  | MR2      | \$<br>1,275.00 | \$ | 1,147.50  | \$ 3,442.50 |  |
| SP9a  | Ea    | USDD | 0   | G2 MESSAGE SIGN (Digital LED) MINI<br>GammaSign / 12 <u>"</u> Active Screen Width / Turn Out<br>Timing ONLY                | MS-G-M   | \$<br>915.00   | \$ | 823.50    | \$-         |  |
| SP9b  | Ea    | USDD | 3   | G2 MESSAGE SIGN (Digital LED) STANDARD<br>GammaSign / 24" Active Screen Width  | MS-G-S   | \$<br>1,050.00 | \$ | 945.00    | \$ 2,835.00 |  |

DATE: Expires:

| SP9c  | Ea | USDD | 0  | G2 MESSAGE SIGN (Digital LED) EXTENDED<br>GammaSign / <u>36"</u> Active Screen Width   | MS-G-E       | \$<br>1,575.00 | \$<br>1,417.50 | \$<br>-         |  |
|-------|----|------|----|--|--------------|----------------|----------------|-----------------|--|
| SP9d  | Ea | USDD | 3  | MS-G Adapter Plate, SINGLE. VESA 100, joins (1) MS-<br>G-S (or-E) to any standard mount with VESA 100 hole patterns<br>(mount not included)  | MS-AP-S      | \$<br>38.00    | \$<br>34.20    | \$<br>102.60    |  |
| SP9e  | Ea | USDD | 0  | MS-G Adapter Plate, DOUBLE, VESA 100, joins (2) MS-<br>G-S(or-E) to any standard mount with VESA 100 hole patterns<br>(mount not included)   | MS-AP-D      | \$<br>49.00    | \$<br>44.10    | \$<br>-         |  |
| SP9f  | Ea | USDD | 0  | MS-G Hanger Kit. Hangs single or double (back-to-back)<br>Message Signs (Gamma Version) from Ceiling. Includes both<br>suspended ceiling T-Bar Scissor Clips and Hard-Pan Flange<br>Mounts.  | MS-HK        | \$<br>73.00    | \$<br>65.70    | \$<br>-         |  |
| SP11  | Ea | TBD  | 3  | MS Mount - Articulating, Long reach  | MS-MNT-ART-L | \$<br>287.00   | \$<br>258.30   | \$<br>774.90    |  |
| SP12a | Ea | USDD | 12 | G2 ROOM REMOTE 2 Module / 2017 version 2   | RR2          | \$<br>2,025.00 | \$<br>1,822.50 | \$<br>21,870.00 |  |
| SP12c | Ea | USDD | 0  | RR2 Adpater Plate, for Retrofit in RR1 Wall Cavity   | RR2-AP       | \$<br>46.00    | \$<br>41.40    | \$<br>-         |  |
| SP12d | Ea | USDD | 0  | RR2 Surface Mount Box, for SURFACE MOUNT<br>(hard wall) installation. Three (3) 3/4" conduit<br>knock-outs.  | RR2-SMB      | \$<br>175.00   | \$<br>157.50   | \$<br>-         |  |
| SP15  | Ea | USDD | 20 | G2 SPEAKER - LED Illuminated - FLUSH Mount,<br>70v   | SPK-LED-FM   | \$<br>325.00   | \$<br>292.50   | \$<br>5,850.00  |  |
| SP16  | Ea | USDD | 1  | G2 SPEAKER - LED Illuminated - SURFACE<br>Mount (Metal Box), 70v   | SPK-LED-SM   | \$<br>325.00   | \$<br>292.50   | \$<br>292.50    |  |
| SP17a | Ea | USDD | 3  | G2 SPEAKER - OmniAlertStrobe -<br>Omnidirectional Alerting Speaker, optimized for<br>high Vocal Intelligibility in large open indoor areas<br>and with High-Intensity LED Strobe Light Arrays<br>includes Cable Hanging Kit (typically requires MR2<br>for power/signal/control) | SPK-OAS      | \$<br>815.00   | \$<br>733.50   | \$<br>2,200.50  |  |
| SP17b | Ea | USDD | 0  | SPK-OAS/OmniStrobe Mounting Bracket / BEAM<br>FLANGE CLIP- for mounting directly onto an<br>exposed (1/8-14") I-Beam   | SPK-OAS-BFC  | \$<br>13.00    | \$<br>11.70    | \$<br>-         |  |
| SP17c | Ea | USDD | 0  | SPK-OAS/OmniStrobe Mounting Bracket /DROP<br>CEILING BRACKET- for mounting directly to T-Bar<br>in Suspended Ceiling   | SPK-OAS-DCB  | \$<br>48.00    | \$<br>43.20    | \$<br>-         |  |
| SP17d | Ea | USDD | 0  | SPK-OAS/OmniStrobe Mounting Bracket /<br>SURFACE MOUNT - for mounting directly to hard<br>ceiling  | SPK-OAS-SMB  | \$<br>42.00    | \$<br>37.80    | \$<br>-         |  |
| SP18a | Ea | USDD | 10 | SPEAKER - STANDARD, FLUSH Mount, 70v   | SPK-STD-FM   | \$<br>85.00    | \$<br>76.50    | \$<br>765.00    |  |
| SP18b | Ea | USDD | 0  | SPEAKER - STANDARD, SURFACE Mount (Metal<br>Box), 70v  | SPK-STD-SM   | \$<br>85.00    | \$<br>76.50    | \$<br>-         |  |
| SP19  | Ea | USDD | 5  | SPEAKER - APP BAY/OUTDOOR - Weatherized,<br>Surface Mount, 70v   | SPK-W-SM     | \$<br>310.00   | \$<br>279.00   | \$<br>1,395.00  |  |
| SP21  | Ea | USDD | 1  | G2 Strobe Light / Red LED  | STR          | \$<br>550.00   | \$<br>495.00   | \$<br>495.00    |  |
| SP20  | Ea | USDD | 0  | Transformer, 8ohm to 70V, External   | XFMR         | \$<br>53.00    | \$<br>47.70    | \$<br>-         |  |
| SP22  | Ea | USDD | 0  | VIDEO DOOR STATION - Doorbell & Camera that<br>ties into G2 FSAS (HDTV Remote) - Includes<br>Power Injector  | VDS          | \$<br>1,700.00 | \$<br>1,530.00 | \$<br>-         |  |

| STATI | ON SY | STEM | SER | VICES   |          |         |          |    |          |             |  |
|-------|-------|------|-----|---|----------|---------|----------|----|----------|-------------|--|
| Item  | Unit  | Mfr  | Qty | Description   | Part No. | US List | t Unit   | QU | OTE UNIT | QUOTE EXT   |  |
| SS1   | Ea    | USDD | 0   | Station Installation (N/A - Installation is Not<br>Assumed or Included by USDD. Customer to<br>contract directly with a Certified G2 Installer.)                  | ST-INST  | \$      | -        | \$ | -        | \$-         |  |
| SS2   | Ea    | USDD | 0   | Station Remediation (Removal and Disposal of<br>Legacy Equipment Not currently Assumed or<br>Included, nor is any related Remediation to Paint,<br>Drywall, etc.) | ST-INST  | \$      | -        | \$ | -        | \$-         |  |
| SS3   | Ea    | USDD | 1   | Station Configuration & Start-Up  | ST-SU    | \$ 2    | 2,231.60 | \$ | 2,008.44 | \$ 2,008.44 |  |
| SS4   | Ea    | USDD | 1   | Station Project Management  | ST-PM    | \$ 1    | ,115.80  | \$ | 1,004.22 | \$ 1,004.22 |  |
| SS5   | Ea    | USDD | 1   | Station Engineering / Design Services   | ST-ES    | \$      | 390.14   | \$ | 351.13   | \$ 351.13   |  |
| SS6   | Ea    | USDD | 1   | Station Documentation   | ST-DM    | \$      | 56.96    | \$ | 51.26    | \$ 51.26    |  |

| SS7a | Ea | USDD | 0 | Station Training - Configuration and Equipment.<br>On-Site @ Station. 4 Hours, 1 Visit. (for Technical<br>Services Staff)  | TRA-UT-O  | \$<br>4,025.00 | \$<br>3,622.50 | \$- |  |
|------|----|------|---|--|-----------|----------------|----------------|-----|--|
| SS7b | Ea | USDD |   | Station Training - User/Technician / Remote<br>Refresh (2 Hours)   | TRA-UT-R  | \$<br>600.00   | \$<br>540.00   | \$- |  |
| SS8a | Ea | USDD |   | Training - Installation Contractor - On-Site /<br>USDD G2 Certification / 8 Hours (TBD - only<br>needed if requied to use non-certified contractor)                        | TRA-IC-O  | \$<br>5,325.00 | \$<br>4,792.50 | \$- |  |
| SS8b | Ea | USDD |   | Training - Installation Contractor - At Arizona<br>Training Center / USDD G2 Certification / 8 Hours<br>(TBD - only needed if required to use non-certified<br>contractor) | TRA-IC-AZ | \$<br>2,725.00 | \$<br>2,452.50 | \$- |  |
| SS9  | Ea | USDD | 0 | Miscellaneous/TBD  | MISC      | \$<br>-        | \$<br>-        | \$- |  |

| STATI | ON SY | STEM | I WAF | RRANTY & OPTIONAL RECURRING ANNU  | IAL SUPPORT |              |             |  |  |
|-------|-------|------|-------|---|-------------|--------------|-------------|--|--|
| Item  | Unit  | Mfr  | Qty   | Description   | Part No.    | US List Unit | QUOTE UNIT  | QUOTE EXT  |  |
| SW1   | YR    | USDD | 1.5   | [STANDARD] 1st YEAR WARRANTY &<br>SUPPORT FOR THIS STATION SYSTEM (or<br>component): Telephone / Remote Access Support<br>(8:00 AM - 5:00 PM MST) PLEASE NOTE: An<br>additional 6 months (for total of 18 months/1.5<br>years) of initial warranty has been offered by USDD<br>for no additional cost so all stations can be installed<br>and enjoy same warranty/support start/stop dates) | RS-1YR-STD  | \$ 7,022.52  | \$ 6,320.27 | 9480.402 but No<br>Charge For Initial<br>Warranty Period /<br>Not Included in<br>Subtotals |  |
| SW2   | YR    | USDD | 3.5   | [STANDARD] EACH ADDITIONAL YEAR (12-<br>Months) WARRANTY & SUPPORT FOR THIS<br>STATION SYSTEM (or Component): Telephone /<br>Remote Access Support (8:00 AM - 5:00 PM MST)  | RS-AYR-STD  | \$ 7,022.52  | \$ 6,320.27 | \$ 22,120.94   |  |

| STATION 03 | System:                       | \$<br>73,640.25 |
|------------|-------------------------------|-----------------|
|            | Shipping:                     | \$<br>1,825.00  |
|            | Warranty & Support:           | \$<br>22,120.94 |
|            | Miscellaneous (if applicable) | \$<br>-         |
|            | STATION SUBTOTAL:             | \$<br>97,586.19 |

Customer must elect to choose any coverage they require beyond initial warranty period, or USDD will not be authorized to provide any service or support. Mobile Smart Phone Alerting App and Mapping Services only available to customer while under warranty or elected recurring annual support. Support Agreements subject to change if system design is modified. For additional details, please review current USDD Warranty Statement and Service Agreement. USDD cannot warrant nor support any system configuration that deviates from this specific proposal's documented station system design file number. USDD cannot warrant nor support any system not using USDD-approved UPS Battery Backup. USDD cannot warrant nor support any system not installed by G2 Trained & Certified Installation technician (installer). If customer intends to tie this system into any 3rd-party system or devices, USDD will be unable to warrant or support the sytem until we've had a chance to review documented engineering assumptions and approve system integrity, performance and reliability expectations.

For FSAaaS Program: The cost of service and support beyond initial warranty period is included in the FSASaaS Program for a total of 5 years. The service and support includes Mobile Smart Phone Alerting App and Mapping Services. Please see the FSASaaS Subscription Agreement for more information concerning the service and support provided by USDD. USDD cannot warrant nor support any system not using USDD-approved UPS Battery Backup. USDD cannot warrant nor support any system not installed by G2 Trained & Certified Installation technician (installer). If customer intends to tie this system into any 3rd-party system or devices, USDD will be unable to warrant or support the sytem until we've had a chance to review documented engineering assumptions and approve system integrity, performance and reliability expectations.

#### Station System Installation Notes:

01 - Unless specifically detailed in this proposal, no installation by USDD or it's subcontractors is assumed or provided.

02 - Because these are mission-critical systems, USDD can only warrant and support systems installed by G2 Trained and Certified Contractors.

03 - USDD can source, qualify, train and certify Local Licensed Regional Subcontrators where needed.

04 - Installation warranted by installation contractor - G2 FSAS warranted, serviced and supported by USDD.

05 - Unless specifically detailed in this proposal, installation to be performed during normal working hours.

06 - Unless specifically detailed in this proposal, no permit fees or material charges have been included.

07 - Unless specifically detailed in this proposal, no removal or remediation has been assumed or included.

08 - Unless specifically detailed in this proposal, no bonds of any type (performance, bid) have been assumed included or budgeted for in this proposal.

09 - USDD FSAS Equipment to be made available by owner to Installation Contractor prior to on-site arrival.

10 - Structural backing for system devices and other millwork (not specifically detailed) by others.

11 - If applicable, Gas Control Shutoff Valve Addendum (to USDD and installation contractor) must be signed prior to installation.

12 - All electrical power, including (but not limited to) raceway, conduit, backboxes, service panels, high-voltage wiring and fixtures by others.

13 - All communications pathway infrastructure (network, radio, etc.) by others unless specifically detailed in this proposal.

14 - USDD cannot warrant nor support any owner-furbished (3rd-Party) system or component we are required to integrate with. USDD cannot warrant nor support any system or component it has not proofed engineering for and has not specifically authorized for use within public safety environments.

Expires:

## US DIGITAL DESIGNS

**STATION-LEVEL** 



1/7/2021

4/7/2021

 1835 E. Sixth St. Suite #27

 Tempe, Arizona 85281

 877-551-8733 tel
 480-290-7892 fax

### <u>Quote SUBMITTED TO:</u> The City of Reno, Nevada Public Safety Dispatch

## 

NV\_RENO007 v1

## **STATION 04**

| STATI | ON SY | STEM | LICE | INSES   |            |                |     |          |                |  |
|-------|-------|------|------|---|------------|----------------|-----|----------|----------------|--|
| Item  | Unit  | Mfr  | Qty  | Description   | Part No.   | US List Unit   | QUC | DTE UNIT | QUOTE EXT      |  |
| SL1   | Ea    | USDD | 1    | G2 VOICEALERT - Single Station License.   | VA         | \$<br>1,030.00 | \$  | 927.00   | \$ 927.00      |  |
| SL2   | Ea/Yr | USDD | 24   | G2 MOBILE FSAS APP - Single Device License. Up<br>to 24 Licenses-Per-ATX are offered at \$0.00 cost each<br>as long as system is currently under warranty or elected<br>recurring annual support coverage. See 'Mobile' Section<br>for more detail. | G2-APP-DLI | \$<br>108.00   | \$  | 97.20    | N/A - Included |  |

| STATI | ON SY | STEM | CON | ITROLLER  |          |                 |    |           |              |  |
|-------|-------|------|-----|---|----------|-----------------|----|-----------|--------------|--|
| Item  | Unit  | Mfr  | Qty | Description   | Part No. | US List Unit    | G  | UOTE UNIT | QUOTE EXT    |  |
| SC1   | Kit   | USDD |     | <b>G2 ATX STATION CONTROLLER -</b><br>Power/Signal/Control up to 8 peripheral Remote<br>Options. 4 Unique Amps/Zones available. | ΑΤΧ      | \$<br>21,750.00 | \$ | 19,575.00 | \$ 19,575.00 |  |
| SC2   | Kit   | USDD | 0   | <b>G2 EXPANSION KIT</b> - Allows ability to<br>Power/Signal/Control up to 12 more peripheral<br>Remote options per EXP.         | EXP      | \$<br>7,325.00  | \$ | 6,592.50  | \$-          |  |
| SC3   | Kit   | USDD | 0   | Rack Mount Ears for ATX or EXP  | ATX-E    | \$<br>54.00     | \$ | 48.60     | \$-          |  |
| SC4   | Kit   | USDD | 0   | Base Plate for ATX or EXP   | ATX-P    | \$<br>54.00     | \$ | 48.60     | \$-          |  |
| SC5   | Ea    | TBD  | 1   | ATX UPS, Standard   | UPS-STD  | \$<br>923.00    | \$ | 830.70    | \$ 830.70    |  |
| SC6   | Ea    | TBD  | 1   | Shelf/Bracket, Wall-Mount for UPS   | UPS-WMB  | \$<br>57.00     | \$ | 51.30     | \$ 51.30     |  |

| STATI | ON SY | STEM | I PER | IPHERAL COMPONENTS   |          |    |              |    |           |                |  |
|-------|-------|------|-------|--|----------|----|--------------|----|-----------|----------------|--|
| Item  | Unit  | Mfr  | Qty   | Description  | Part No. |    | US List Unit | Q  | UOTE UNIT | QUOTE EXT      |  |
| SP1a  | Ea    | TBD  | 0     | Audio Amplifier, External, Standard  | AMP      | \$ | 987.00       | \$ | 888.30    | \$<br>-        |  |
| SP1b  | Ea    | TBD  | 0     | Shelf, Under Table or Wall Mount, for 1U 1/2 Rack  | AMP-S    | \$ | 66.00        | \$ | 59.40     | \$<br>-        |  |
| SP2   | Ea    | USDD | 0     | G2 COLOR INDICATOR REMOTE Module - Up to 8 unique colors   | CIR      | \$ | 725.00       | \$ | 652.50    | \$<br>-        |  |
| SP3a  | Ea    | USDD | 0     | <b>G2 HDTV REMOTE</b> Module (TV & Electrical Outlet<br>by Others; C.E.C. control subject to TV ability)                   | TVR      | \$ | 975.00       | \$ | 877.50    | \$<br>-        |  |
| SP3b  | Ea    | TBD  | 0     | Flat Panel Monitor / Smart HDTV 40-43" (Electrical<br>Outlet/Provision By Others; C.E.C. control subject<br>to TV ability) | FP-43    | \$ | 1,377.57     | \$ | 1,239.81  | \$<br>-        |  |
| SP3c  | Ea    | TBD  | 0     | Flat Panel / TV Mount- Universal 23"-46" Tilt  | FPM-U    | \$ | 107.86       | \$ | 97.07     | \$<br>-        |  |
| SP4   | Ea    | USDD | 0     | G2 I/O REMOTE Module w/ 8 In & 8 Out   | IOR      | \$ | 1,275.00     | \$ | 1,147.50  | \$<br>-        |  |
| SP5   | Ea    | USDD | 1     | Push Button, Standard (Black)  | PB-B     | \$ | 110.00       | \$ | 99.00     | \$<br>99.00    |  |
| SP6   | Ea    | USDD | 1     | Push Button, Emergency (Red)   | PB-R     | \$ | 110.00       | \$ | 99.00     | \$<br>99.00    |  |
| SP7   | Ea    | USDD | 2     | G2 MESSAGE REMOTE 2 Module (2017 Version 2)  | MR2      | \$ | 1,275.00     | \$ | 1,147.50  | \$<br>2,295.00 |  |
| SP9a  | Ea    | USDD | 0     | G2 MESSAGE SIGN (Digital LED) MINI<br>GammaSign / 12 <u>"</u> Active Screen Width / Turn Out<br>Timing ONLY                | MS-G-M   | \$ | 915.00       | \$ | 823.50    | \$<br>-        |  |
| SP9b  | Ea    | USDD | 1     | G2 MESSAGE SIGN (Digital LED) STANDARD<br>GammaSign / 24" Active Screen Width  | MS-G-S   | \$ | 1,050.00     | \$ | 945.00    | \$<br>945.00   |  |

| SP9c  | Ea | USDD | 0  | G2 MESSAGE SIGN (Digital LED) EXTENDED<br>GammaSign / <u>36"</u> Active Screen Width   | MS-G-E       | \$<br>1,575.00 | \$<br>1,417.50 | \$-          |  |
|-------|----|------|----|--|--------------|----------------|----------------|--------------|--|
| SP9d  | Ea | USDD | 1  | MS-G Adapter Plate, SINGLE. VESA 100, joins (1) MS-<br>G-S (or-E) to any standard mount with VESA 100 hole patterns<br>(mount not included)  | MS-AP-S      | \$<br>38.00    | \$<br>34.20    | \$ 34.20     |  |
| SP9e  | Ea | USDD | 0  | MS-G Adapter Plate, DOUBLE, VESA 100, joins (2) MS-<br><u>G -S(or-E)</u> to any standard mount with VESA 100 hole patterns<br>(mount not included)   | MS-AP-D      | \$<br>49.00    | \$<br>44.10    | \$-          |  |
| SP9f  | Ea | USDD | 0  | MS-G Hanger Kit. Hangs single or double (back-to-back)<br>Message Signs (Gamma Version) from Ceiling. Includes both<br>suspended ceiling T-Bar Scissor Clips and Hard-Pan Flange<br>Mounts.  | MS-HK        | \$<br>73.00    | \$<br>65.70    | \$-          |  |
| SP11  | Ea | TBD  | 1  | MS Mount - Articulating, Long reach  | MS-MNT-ART-L | \$<br>287.00   | \$<br>258.30   | \$ 258.30    |  |
| SP12a | Ea | USDD | 7  | G2 ROOM REMOTE 2 Module / 2017 version 2   | RR2          | \$<br>2,025.00 | \$<br>1,822.50 | \$ 12,757.50 |  |
| SP12c | Ea | USDD | 0  | RR2 Adpater Plate, for Retrofit in RR1 Wall Cavity   | RR2-AP       | \$<br>46.00    | \$<br>41.40    | \$-          |  |
| SP12d | Ea | USDD | 0  | RR2 Surface Mount Box, for SURFACE MOUNT (hard wall) installation. Three (3) 3/4" conduit knock-outs.  | RR2-SMB      | \$<br>175.00   | \$<br>157.50   | \$-          |  |
| SP15  | Ea | USDD | 14 | G2 SPEAKER - LED Illuminated - FLUSH Mount,<br>70v   | SPK-LED-FM   | \$<br>325.00   | \$<br>292.50   | \$ 4,095.00  |  |
| SP16  | Ea | USDD | 0  | G2 SPEAKER - LED Illuminated - SURFACE<br>Mount (Metal Box), 70v   | SPK-LED-SM   | \$<br>325.00   | \$<br>292.50   | \$-          |  |
| SP17a | Ea | USDD | 2  | G2 SPEAKER - OmniAlertStrobe -<br>Omnidirectional Alerting Speaker, optimized for<br>high Vocal Intelligibility in large open indoor areas<br>and with High-Intensity LED Strobe Light Arrays<br>includes Cable Hanging Kit (typically requires MR2<br>for power/signal/control) | SPK-OAS      | \$<br>815.00   | \$<br>733.50   | \$ 1,467.00  |  |
| SP17b | Ea | USDD | 0  | SPK-OAS/OmniStrobe Mounting Bracket / BEAM<br>FLANGE CLIP- for mounting directly onto an<br>exposed (1/8-14") I-Beam   | SPK-OAS-BFC  | \$<br>13.00    | \$<br>11.70    | \$-          |  |
| SP17c | Ea | USDD | 0  | SPK-OAS/OmniStrobe Mounting Bracket /DROP<br>CEILING BRACKET- for mounting directly to T-Bar<br>in Suspended Ceiling   | SPK-OAS-DCB  | \$<br>48.00    | \$<br>43.20    | \$-          |  |
| SP17d | Ea | USDD | 0  | SPK-OAS/OmniStrobe Mounting Bracket /<br>SURFACE MOUNT - for mounting directly to hard<br>ceiling  | SPK-OAS-SMB  | \$<br>42.00    | \$<br>37.80    | \$-          |  |
| SP18a | Ea | USDD | 5  | SPEAKER - STANDARD, FLUSH Mount, 70v   | SPK-STD-FM   | \$<br>85.00    | \$<br>76.50    | \$ 382.50    |  |
| SP18b | Ea | USDD | 0  | SPEAKER - STANDARD, SURFACE Mount (Metal<br>Box), 70v  | SPK-STD-SM   | \$<br>85.00    | \$<br>76.50    | \$-          |  |
| SP19  | Ea | USDD | 1  | SPEAKER - APP BAY/OUTDOOR - Weatherized,<br>Surface Mount, 70v   | SPK-W-SM     | \$<br>310.00   | \$<br>279.00   | \$ 279.00    |  |
| SP21  | Ea | USDD | 1  | G2 Strobe Light / Red LED  | STR          | \$<br>550.00   | \$<br>495.00   | \$ 495.00    |  |
| SP20  | Ea | USDD | 0  | Transformer, 8ohm to 70V, External   | XFMR         | \$<br>53.00    | \$<br>47.70    | \$-          |  |
| SP22  | Ea | USDD | 0  | VIDEO DOOR STATION - Doorbell & Camera that<br>ties into G2 FSAS (HDTV Remote) - Includes<br>Power Injector  | VDS          | \$<br>1,700.00 | \$<br>1,530.00 | \$-          |  |

| STATI | ON SY | STEM | SER | VICES   |          |      |          |    |          |             |  |
|-------|-------|------|-----|---|----------|------|----------|----|----------|-------------|--|
| Item  | Unit  | Mfr  | Qty | Description   | Part No. | US L | ist Unit | QU | OTE UNIT | QUOTE EXT   |  |
| SS1   | Ea    | USDD | 0   | Station Installation (N/A - Installation is Not<br>Assumed or Included by USDD. Customer to<br>contract directly with a Certified G2 Installer.)                  | ST-INST  | \$   | -        | \$ | -        | \$-         |  |
| SS2   | Ea    | USDD | 0   | Station Remediation (Removal and Disposal of<br>Legacy Equipment Not currently Assumed or<br>Included, nor is any related Remediation to Paint,<br>Drywall, etc.) | ST-INST  | \$   | -        | \$ | -        | \$-         |  |
| SS3   | Ea    | USDD | 1   | Station Configuration & Start-Up  | ST-SU    | \$   | 2,229.53 | \$ | 2,006.57 | \$ 2,006.57 |  |
| SS4   | Ea    | USDD | 1   | Station Project Management  | ST-PM    | \$   | 1,114.76 | \$ | 1,003.29 | \$ 1,003.29 |  |
| SS5   | Ea    | USDD | 1   | Station Engineering / Design Services   | ST-ES    | \$   | 396.36   | \$ | 356.72   | \$ 356.72   |  |
| SS6   | Ea    | USDD | 1   | Station Documentation   | ST-DM    | \$   | 56.98    | \$ | 51.28    | \$ 51.28    |  |

| SS7a | Ea | USDD | 0 | Station Training - Configuration and Equipment.<br>On-Site @ Station. 4 Hours, 1 Visit. (for Technical<br>Services Staff)  | TRA-UT-O  | \$<br>4,025.00 | \$<br>3,622.50 | \$- |  |
|------|----|------|---|--|-----------|----------------|----------------|-----|--|
| SS7b | Ea | USDD |   | Station Training - User/Technician / Remote<br>Refresh (2 Hours)   | TRA-UT-R  | \$<br>600.00   | \$<br>540.00   | \$- |  |
| SS8a | Ea | USDD |   | Training - Installation Contractor - On-Site /<br>USDD G2 Certification / 8 Hours (TBD - only<br>needed if requied to use non-certified contractor)                        | TRA-IC-O  | \$<br>5,325.00 | \$<br>4,792.50 | \$- |  |
| SS8b | Ea | USDD |   | Training - Installation Contractor - At Arizona<br>Training Center / USDD G2 Certification / 8 Hours<br>(TBD - only needed if required to use non-certified<br>contractor) | TRA-IC-AZ | \$<br>2,725.00 | \$<br>2,452.50 | \$- |  |
| SS9  | Ea | USDD | 0 | Miscellaneous/TBD  | MISC      | \$<br>-        | \$<br>-        | \$- |  |

| STATI | STATION SYSTEM WARRANTY & OPTIONAL RECURRING ANNUAL SUPPORT |      |     |   |            |              |             |   |  |  |  |  |
|-------|---|------|-----|---|------------|--------------|-------------|---|--|--|--|--|
| Item  | Unit  | Mfr  | Qty | Description   | Part No.   | US List Unit | QUOTE UNIT  | QUOTE EXT   |  |  |  |  |
| SW1   | YR  | USDD | 1.5 | [STANDARD] 1st YEAR WARRANTY &<br>SUPPORT FOR THIS STATION SYSTEM (or<br>component): Telephone / Remote Access Support<br>(8:00 AM - 5:00 PM MST) PLEASE NOTE: An<br>additional 6 months (for total of 18 months/1.5<br>years) of initial warranty has been offered by USDD<br>for no additional cost so all stations can be installed<br>and enjoy same warranty/support start/stop dates) | RS-1YR-STD | \$ 4,459.05  | \$ 4,013.15 | 6019.7175 but No<br>Charge For Initial<br>Warranty Period /<br>Not Included in<br>Subtotals |  |  |  |  |
| SW2   | YR  | USDD |     | [STANDARD] EACH ADDITIONAL YEAR (12-<br>Months) WARRANTY & SUPPORT FOR THIS<br>STATION SYSTEM (or Component): Telephone /<br>Remote Access Support (8:00 AM - 5:00 PM MST)  | RS-AYR-STD | \$ 4,459.05  | \$ 4,013.15 | \$ 14,046.01  |  |  |  |  |

| STATION 04 | System:                       | \$<br>48,008.36 |
|------------|-------------------------------|-----------------|
|            | Shipping:                     | \$<br>993.00    |
|            | Warranty & Support:           | \$<br>14,046.01 |
|            | Miscellaneous (if applicable) | \$<br>-         |
|            | STATION SUBTOTAL:             | \$<br>63,047.37 |

Customer must elect to choose any coverage they require beyond initial warranty period, or USDD will not be authorized to provide any service or support. Mobile Smart Phone Alerting App and Mapping Services only available to customer while under warranty or elected recurring annual support. Support Agreements subject to change if system design is modified. For additional details, please review current USDD Warranty Statement and Service Agreement. USDD cannot warrant nor support any system configuration that deviates from this specific proposal's documented station system design file number. USDD cannot warrant nor support any system not using USDD-approved UPS Battery Backup. USDD cannot warrant nor support any system not installed by G2 Trained & Certified Installation technician (installer). If customer intends to tie this system into any 3rd-party system or devices, USDD will be unable to warrant or support the sytem until we've had a chance to review documented engineering assumptions and approve system integrity, performance and reliability expectations.

For FSAaaS Program: The cost of service and support beyond initial warranty period is included in the FSASaaS Program for a total of 5 years. The service and support includes Mobile Smart Phone Alerting App and Mapping Services. Please see the FSASaaS Subscription Agreement for more information concerning the service and support provided by USDD. USDD cannot warrant nor support any system not using USDD-approved UPS Battery Backup. USDD cannot warrant nor support any system not installed by G2 Trained & Certified Installation technician (installer). If customer intends to tie this system into any 3rd-party system or devices, USDD will be unable to warrant or support the sytem until we've had a chance to review documented engineering assumptions and approve system integrity, performance and reliability expectations.

#### Station System Installation Notes:

01 - Unless specifically detailed in this proposal, no installation by USDD or it's subcontractors is assumed or provided.

02 - Because these are mission-critical systems, USDD can only warrant and support systems installed by G2 Trained and Certified Contractors.

03 - USDD can source, qualify, train and certify Local Licensed Regional Subcontrators where needed.

04 - Installation warranted by installation contractor - G2 FSAS warranted, serviced and supported by USDD.

05 - Unless specifically detailed in this proposal, installation to be performed during normal working hours.

06 - Unless specifically detailed in this proposal, no permit fees or material charges have been included.

07 - Unless specifically detailed in this proposal, no removal or remediation has been assumed or included.

08 - Unless specifically detailed in this proposal, no bonds of any type (performance, bid) have been assumed included or budgeted for in this proposal.

09 - USDD FSAS Equipment to be made available by owner to Installation Contractor prior to on-site arrival.

10 - Structural backing for system devices and other millwork (not specifically detailed) by others.

11 - If applicable, Gas Control Shutoff Valve Addendum (to USDD and installation contractor) must be signed prior to installation.

12 - All electrical power, including (but not limited to) raceway, conduit, backboxes, service panels, high-voltage wiring and fixtures by others.

13 - All communications pathway infrastructure (network, radio, etc.) by others unless specifically detailed in this proposal.

14 - USDD cannot warrant nor support any owner-furbished (3rd-Party) system or component we are required to integrate with. USDD cannot warrant nor support any system or component it has not proofed engineering for and has not specifically authorized for use within public safety environments.

Expires:

## US DIGITAL DESIGNS

**STATION-LEVEL** 



1/7/2021

4/7/2021

 1835 E. Sixth St. Suite #27

 Tempe, Arizona 85281

 877-551-8733 tel
 480-290-7892 fax

### <u>Quote SUBMITTED TO:</u> The City of Reno, Nevada Public Safety Dispatch

## 

NV\_RENO007 v1

## **STATION 05**

| STATI | STATION SYSTEM LICENSES |      |     |   |            |    |              |            |                |  |  |
|-------|-------------------------|------|-----|---|------------|----|--------------|------------|----------------|--|--|
| Item  | Unit                    | Mfr  | Qty | Description   | Part No.   | ι  | JS List Unit | QUOTE UNIT | QUOTE EXT      |  |  |
| SL1   | Ea                      | USDD | 1   | G2 VOICEALERT - Single Station License.   | VA         | \$ | 1,030.00     | \$ 927.00  | \$ 927.00      |  |  |
| SL2   | Ea/Yr                   | USDD | 24  | G2 MOBILE FSAS APP - Single Device License. Up<br>to 24 Licenses-Per-ATX are offered at \$0.00 cost each<br>as long as system is currently under warranty or elected<br>recurring annual support coverage. See 'Mobile' Section<br>for more detail. | G2-APP-DLI | \$ | 108.00       | \$ 97.20   | N/A - Included |  |  |

| STATI | ON SY | STEM | CON | ITROLLER  |          |    |              |    |           |              |  |
|-------|-------|------|-----|---|----------|----|--------------|----|-----------|--------------|--|
| Item  | Unit  | Mfr  | Qty | Description   | Part No. | _  | US List Unit | Q  | UOTE UNIT | QUOTE EXT    |  |
| SC1   | Kit   | USDD |     | <b>G2 ATX STATION CONTROLLER -</b><br>Power/Signal/Control up to 8 peripheral Remote<br>Options. 4 Unique Amps/Zones available. | ΑΤΧ      | \$ | 21,750.00    | \$ | 19,575.00 | \$ 19,575.00 |  |
| SC2   | Kit   | USDD | 0   | <b>G2 EXPANSION KIT</b> - Allows ability to<br>Power/Signal/Control up to 12 more peripheral<br>Remote options per EXP.         | EXP      | \$ | 7,325.00     | \$ | 6,592.50  | \$-          |  |
| SC3   | Kit   | USDD | 0   | Rack Mount Ears for ATX or EXP  | ATX-E    | \$ | 54.00        | \$ | 48.60     | \$-          |  |
| SC4   | Kit   | USDD | 0   | Base Plate for ATX or EXP   | ATX-P    | \$ | 54.00        | \$ | 48.60     | \$-          |  |
| SC5   | Ea    | TBD  | 1   | ATX UPS, Standard   | UPS-STD  | \$ | 923.00       | \$ | 830.70    | \$ 830.70    |  |
| SC6   | Ea    | TBD  | 1   | Shelf/Bracket, Wall-Mount for UPS   | UPS-WMB  | \$ | 57.00        | \$ | 51.30     | \$ 51.30     |  |

| STATI | STATION SYSTEM PERIPHERAL COMPONENTS |      |     |  |          |    |              |    |           |    |           |  |
|-------|--------------------------------------|------|-----|--|----------|----|--------------|----|-----------|----|-----------|--|
| Item  | Unit                                 | Mfr  | Qty | Description  | Part No. |    | US List Unit | Q  | UOTE UNIT |    | QUOTE EXT |  |
| SP1a  | Ea                                   | TBD  | 0   | Audio Amplifier, External, Standard  | AMP      | \$ | 987.00       | \$ | 888.30    | \$ | -         |  |
| SP1b  | Ea                                   | TBD  | 0   | Shelf, Under Table or Wall Mount, for 1U 1/2 Rack  | AMP-S    | \$ | 66.00        | \$ | 59.40     | \$ | -         |  |
| SP2   | Ea                                   | USDD | 0   | G2 COLOR INDICATOR REMOTE Module - Up to 8 unique colors   | CIR      | \$ | 725.00       | \$ | 652.50    | \$ | -         |  |
| SP3a  | Ea                                   | USDD | 0   | <b>G2 HDTV REMOTE</b> Module (TV & Electrical Outlet<br>by Others; C.E.C. control subject to TV ability)                   | TVR      | \$ | 975.00       | \$ | 877.50    | \$ | -         |  |
| SP3b  | Ea                                   | TBD  | 0   | Flat Panel Monitor / Smart HDTV 40-43" (Electrical<br>Outlet/Provision By Others; C.E.C. control subject<br>to TV ability) | FP-43    | \$ | 1,377.57     | \$ | 1,239.81  | \$ | -         |  |
| SP3c  | Ea                                   | TBD  | 0   | Flat Panel / TV Mount- Universal 23"-46" Tilt  | FPM-U    | \$ | 107.86       | \$ | 97.07     | \$ | -         |  |
| SP4   | Ea                                   | USDD | 0   | G2 I/O REMOTE Module w/ 8 In & 8 Out   | IOR      | \$ | 1,275.00     | \$ | 1,147.50  | \$ | -         |  |
| SP5   | Ea                                   | USDD | 1   | Push Button, Standard (Black)  | PB-B     | \$ | 110.00       | \$ | 99.00     | \$ | 99.00     |  |
| SP6   | Ea                                   | USDD | 1   | Push Button, Emergency (Red)   | PB-R     | \$ | 110.00       | \$ | 99.00     | \$ | 99.00     |  |
| SP7   | Ea                                   | USDD | 1   | G2 MESSAGE REMOTE 2 Module (2017 Version 2)  | MR2      | \$ | 1,275.00     | \$ | 1,147.50  | \$ | 1,147.50  |  |
| SP9a  | Ea                                   | USDD | 0   | G2 MESSAGE SIGN (Digital LED) MINI<br>GammaSign / 12 <u>"</u> Active Screen Width / Turn Out<br>Timing ONLY                | MS-G-M   | \$ | 915.00       | \$ | 823.50    | \$ | -         |  |
| SP9b  | Ea                                   | USDD | 1   | G2 MESSAGE SIGN (Digital LED) STANDARD<br>GammaSign / 24" Active Screen Width  | MS-G-S   | \$ | 1,050.00     | \$ | 945.00    | \$ | 945.00    |  |

| SP9c  | Ea | USDD | 0 | G2 MESSAGE SIGN (Digital LED) EXTENDED<br>GammaSign / <u>36"</u> Active Screen Width   | MS-G-E       | \$<br>1,575.00 | \$<br>1,417.50 | \$-         |  |
|-------|----|------|---|--|--------------|----------------|----------------|-------------|--|
| SP9d  | Ea | USDD | 1 | MS-G Adapter Plate, SINGLE. VESA 100, joins (1) MS-<br>G-S (or-E) to any standard mount with VESA 100 hole patterns<br>(mount not included)  | MS-AP-S      | \$<br>38.00    | \$<br>34.20    | \$ 34.20    |  |
| SP9e  | Ea | USDD | 0 | MS-G Adapter Plate, DOUBLE, VESA 100, joins (2) MS-<br><u>G-S(or-E)</u> to any standard mount with VESA 100 hole patterns<br>(mount not included)  | MS-AP-D      | \$<br>49.00    | \$<br>44.10    | \$-         |  |
| SP9f  | Ea | USDD | 0 | MS-G Hanger Kit. Hangs single or double (back-to-back)<br>Message Signs (Gamma Version) from Ceiling. Includes both<br>suspended ceiling T-Bar Scissor Clips and Hard-Pan Flange<br>Mounts.  | MS-HK        | \$<br>73.00    | \$<br>65.70    | \$-         |  |
| SP11  | Ea | TBD  | 1 | MS Mount - Articulating, Long reach  | MS-MNT-ART-L | \$<br>287.00   | \$<br>258.30   | \$ 258.30   |  |
| SP12a | Ea | USDD | 4 | G2 ROOM REMOTE 2 Module / 2017 version 2   | RR2          | \$<br>2,025.00 | \$<br>1,822.50 | \$ 7,290.00 |  |
| SP12c | Ea | USDD | 0 | RR2 Adpater Plate, for Retrofit in RR1 Wall Cavity   | RR2-AP       | \$<br>46.00    | \$<br>41.40    | \$-         |  |
| SP12d | Ea | USDD | 0 | RR2 Surface Mount Box, for SURFACE MOUNT<br>(hard wall) installation. Three (3) 3/4" conduit<br>knock-outs.  | RR2-SMB      | \$<br>175.00   | \$<br>157.50   | \$-         |  |
| SP15  | Ea | USDD | 9 | G2 SPEAKER - LED Illuminated - FLUSH Mount,<br>70v   | SPK-LED-FM   | \$<br>325.00   | \$<br>292.50   | \$ 2,632.50 |  |
| SP16  | Ea | USDD | 0 | G2 SPEAKER - LED Illuminated - SURFACE<br>Mount (Metal Box), 70v   | SPK-LED-SM   | \$<br>325.00   | \$<br>292.50   | \$-         |  |
| SP17a | Ea | USDD | 1 | G2 SPEAKER - OmniAlertStrobe -<br>Omnidirectional Alerting Speaker, optimized for<br>high Vocal Intelligibility in large open indoor areas<br>and with High-Intensity LED Strobe Light Arrays<br>includes Cable Hanging Kit (typically requires MR2<br>for power/signal/control) | SPK-OAS      | \$<br>815.00   | \$<br>733.50   | \$ 733.50   |  |
| SP17b | Ea | USDD | 0 | SPK-OAS/OmniStrobe Mounting Bracket / BEAM<br>FLANGE CLIP- for mounting directly onto an<br>exposed (1/8-14") I-Beam   | SPK-OAS-BFC  | \$<br>13.00    | \$<br>11.70    | \$-         |  |
| SP17c | Ea | USDD | 0 | SPK-OAS/OmniStrobe Mounting Bracket /DROP<br>CEILING BRACKET- for mounting directly to T-Bar<br>in Suspended Ceiling   | SPK-OAS-DCB  | \$<br>48.00    | \$<br>43.20    | \$-         |  |
| SP17d | Ea | USDD | 0 | SPK-OAS/OmniStrobe Mounting Bracket /<br>SURFACE MOUNT - for mounting directly to hard<br>ceiling  | SPK-OAS-SMB  | \$<br>42.00    | \$<br>37.80    | \$-         |  |
| SP18a | Ea | USDD | 4 | SPEAKER - STANDARD, FLUSH Mount, 70v   | SPK-STD-FM   | \$<br>85.00    | \$<br>76.50    | \$ 306.00   |  |
| SP18b | Ea | USDD | 0 | SPEAKER - STANDARD, SURFACE Mount (Metal<br>Box), 70v  | SPK-STD-SM   | \$<br>85.00    | \$<br>76.50    | \$-         |  |
| SP19  | Ea | USDD | 1 | SPEAKER - APP BAY/OUTDOOR - Weatherized,<br>Surface Mount, 70v   | SPK-W-SM     | \$<br>310.00   | \$<br>279.00   | \$ 279.00   |  |
| SP21  | Ea | USDD | 0 | G2 Strobe Light / Red LED  | STR          | \$<br>550.00   | \$<br>495.00   | \$-         |  |
| SP20  | Ea | USDD | 0 | Transformer, 8ohm to 70V, External   | XFMR         | \$<br>53.00    | \$<br>47.70    | \$-         |  |
| SP22  | Ea | USDD | 0 | VIDEO DOOR STATION - Doorbell & Camera that<br>ties into G2 FSAS (HDTV Remote) - Includes<br>Power Injector  | VDS          | \$<br>1,700.00 | \$<br>1,530.00 | \$-         |  |

| STATI | ON SY | STEM | SER | VICES   |          |      |          |    |          |             |  |
|-------|-------|------|-----|---|----------|------|----------|----|----------|-------------|--|
| Item  | Unit  | Mfr  | Qty | Description   | Part No. | US L | ist Unit | QU | OTE UNIT | QUOTE EXT   |  |
| SS1   | Ea    | USDD | 0   | Station Installation (N/A - Installation is Not<br>Assumed or Included by USDD. Customer to<br>contract directly with a Certified G2 Installer.)                  | ST-INST  | \$   | -        | \$ | -        | \$-         |  |
| SS2   | Ea    | USDD | 0   | Station Remediation (Removal and Disposal of<br>Legacy Equipment Not currently Assumed or<br>Included, nor is any related Remediation to Paint,<br>Drywall, etc.) | ST-INST  | \$   | -        | \$ | -        | \$-         |  |
| SS3   | Ea    | USDD | 1   | Station Configuration & Start-Up  | ST-SU    | \$   | 2,229.84 | \$ | 2,006.86 | \$ 2,006.86 |  |
| SS4   | Ea    | USDD | 1   | Station Project Management  | ST-PM    | \$   | 1,114.92 | \$ | 1,003.43 | \$ 1,003.43 |  |
| SS5   | Ea    | USDD | 1   | Station Engineering / Design Services   | ST-ES    | \$   | 391.20   | \$ | 352.08   | \$ 352.08   |  |
| SS6   | Ea    | USDD | 1   | Station Documentation   | ST-DM    | \$   | 58.68    | \$ | 52.81    | \$ 52.81    |  |

| SS7a | Ea | USDD |   | Station Training - Configuration and Equipment.<br>On-Site @ Station. 4 Hours, 1 Visit. (for Technical<br>Services Staff)  | TRA-UT-O  | \$<br>4,025.00 | \$   | 3,622.50 | \$- |  |
|------|----|------|---|--|-----------|----------------|------|----------|-----|--|
| SS7b | Ea | USDD |   | Station Training - User/Technician / Remote<br>Refresh (2 Hours)   | TRA-UT-R  | \$<br>600.00   | \$   | 540.00   | \$- |  |
| SS8a | Ea | USDD |   | Training - Installation Contractor - On-Site /<br>USDD G2 Certification / 8 Hours (TBD - only<br>needed if requied to use non-certified contractor)                        | TRA-IC-O  | \$<br>5,325.00 | \$\$ | 4,792.50 | \$- |  |
| SS8b | Ea | USDD | 0 | Training - Installation Contractor - At Arizona<br>Training Center / USDD G2 Certification / 8 Hours<br>(TBD - only needed if required to use non-certified<br>contractor) | TRA-IC-AZ | \$<br>2,725.00 | \$   | 2,452.50 | \$- |  |
| SS9  | Ea | USDD | 0 | Miscellaneous/TBD  | MISC      | \$<br>-        | \$   | -        | \$- |  |

| STATI | STATION SYSTEM WARRANTY & OPTIONAL RECURRING ANNUAL SUPPORT |      |     |   |            |              |             |   |  |  |  |  |
|-------|---|------|-----|---|------------|--------------|-------------|---|--|--|--|--|
| Item  | Unit  | Mfr  | Qty | Description   | Part No.   | US List Unit | QUOTE UNIT  | QUOTE EXT   |  |  |  |  |
| SW1   | YR  | USDD | 1.5 | [STANDARD] 1st YEAR WARRANTY &<br>SUPPORT FOR THIS STATION SYSTEM (or<br>component): Telephone / Remote Access Support<br>(8:00 AM - 5:00 PM MST) PLEASE NOTE: An<br>additional 6 months (for total of 18 months/1.5<br>years) of initial warranty has been offered by USDD<br>for no additional cost so all stations can be installed<br>and enjoy same warranty/support start/stop dates) | RS-1YR-STD | \$ 3,520.80  | \$ 3,168.72 | 4753.08 but No<br>Charge For Initial<br>Warranty Period /<br>Not Included in<br>Subtotals |  |  |  |  |
| SW2   | YR  | USDD |     | [STANDARD] EACH ADDITIONAL YEAR (12-<br>Months) WARRANTY & SUPPORT FOR THIS<br>STATION SYSTEM (or Component): Telephone /<br>Remote Access Support (8:00 AM - 5:00 PM MST)  | RS-AYR-STD | \$ 3,520.80  | \$ 3,168.72 | \$ 11,090.52  |  |  |  |  |

| STATION 05 | System:                       | \$<br>38,623.18 |
|------------|-------------------------------|-----------------|
|            | Shipping:                     | \$<br>775.00    |
|            | Warranty & Support:           | \$<br>11,090.52 |
|            | Miscellaneous (if applicable) | \$<br>-         |
|            | STATION SUBTOTAL:             | \$<br>50,488.70 |

Customer must elect to choose any coverage they require beyond initial warranty period, or USDD will not be authorized to provide any service or support. Mobile Smart Phone Alerting App and Mapping Services only available to customer while under warranty or elected recurring annual support. Support Agreements subject to change if system design is modified. For additional details, please review current USDD Warranty Statement and Service Agreement. USDD cannot warrant nor support any system configuration that deviates from this specific proposal's documented station system design file number. USDD cannot warrant nor support any system not using USDD-approved UPS Battery Backup. USDD cannot warrant nor support any system not installed by G2 Trained & Certified Installation technician (installer). If customer intends to tie this system into any 3rd-party system or devices, USDD will be unable to warrant or support the sytem until we've had a chance to review documented engineering assumptions and approve system integrity, performance and reliability expectations.

For FSAaaS Program: The cost of service and support beyond initial warranty period is included in the FSASaaS Program for a total of 5 years. The service and support includes Mobile Smart Phone Alerting App and Mapping Services. Please see the FSASaaS Subscription Agreement for more information concerning the service and support provided by USDD. USDD cannot warrant nor support any system not using USDD-approved UPS Battery Backup. USDD cannot warrant nor support any system not installed by G2 Trained & Certified Installation technician (installer). If customer intends to tie this system into any 3rd-party system or devices, USDD will be unable to warrant or support the sytem until we've had a chance to review documented engineering assumptions and approve system integrity, performance and reliability expectations.

#### Station System Installation Notes:

01 - Unless specifically detailed in this proposal, no installation by USDD or it's subcontractors is assumed or provided.

02 - Because these are mission-critical systems, USDD can only warrant and support systems installed by G2 Trained and Certified Contractors.

03 - USDD can source, qualify, train and certify Local Licensed Regional Subcontrators where needed.

04 - Installation warranted by installation contractor - G2 FSAS warranted, serviced and supported by USDD.

05 - Unless specifically detailed in this proposal, installation to be performed during normal working hours.

06 - Unless specifically detailed in this proposal, no permit fees or material charges have been included.

07 - Unless specifically detailed in this proposal, no removal or remediation has been assumed or included.

08 - Unless specifically detailed in this proposal, no bonds of any type (performance, bid) have been assumed included or budgeted for in this proposal.

09 - USDD FSAS Equipment to be made available by owner to Installation Contractor prior to on-site arrival.

10 - Structural backing for system devices and other millwork (not specifically detailed) by others.

11 - If applicable. Gas Control Shutoff Valve Addendum (to USDD and installation contractor) must be signed prior to installation.

12 - All electrical power, including (but not limited to) raceway, conduit, backboxes, service panels, high-voltage wiring and fixtures by others.

13 - All communications pathway infrastructure (network, radio, etc.) by others unless specifically detailed in this proposal.

14 - USDD cannot warrant nor support any owner-furbished (3rd-Party) system or component we are required to integrate with. USDD cannot warrant nor support any system or component it has not proofed engineering for and has not specifically authorized for use within public safety environments.

Expires:

## US DIGITAL DESIGNS

**STATION-LEVEL** 



1/7/2021

4/7/2021

 1835 E. Sixth St. Suite #27

 Tempe, Arizona 85281

 877-551-8733 tel
 480-290-7892 fax

### <u>Quote SUBMITTED TO:</u> The City of Reno, Nevada Public Safety Dispatch

## REF PROPOSAL

### NV\_RENO007 v1

## STATION 06

| STATI | ON SY | STEM | LICE | INSES   |            |    |              |     |          |                |  |
|-------|-------|------|------|---|------------|----|--------------|-----|----------|----------------|--|
| Item  | Unit  | Mfr  | Qty  | Description   | Part No.   | ι  | JS List Unit | QUC | DTE UNIT | QUOTE EXT      |  |
| SL1   | Ea    | USDD | 1    | G2 VOICEALERT - Single Station License.   | VA         | \$ | 1,030.00     | \$  | 927.00   | \$ 927.00      |  |
| SL2   | Ea/Yr | USDD | 24   | G2 MOBILE FSAS APP - Single Device License. Up<br>to 24 Licenses-Per-ATX are offered at \$0.00 cost each<br>as long as system is currently under warranty or elected<br>recurring annual support coverage. See 'Mobile' Section<br>for more detail. | G2-APP-DLI | \$ | 108.00       | \$  | 97.20    | N/A - Included |  |

| STATI | ON SY | STEM | CON | ITROLLER  |          |                 |    |           |              |  |
|-------|-------|------|-----|---|----------|-----------------|----|-----------|--------------|--|
| Item  | Unit  | Mfr  | Qty | Description   | Part No. | US List Unit    | 0  | UOTE UNIT | QUOTE EXT    |  |
| SC1   | Kit   | USDD |     | <b>G2 ATX STATION CONTROLLER -</b><br>Power/Signal/Control up to 8 peripheral Remote<br>Options. 4 Unique Amps/Zones available. | ΑΤΧ      | \$<br>21,750.00 | \$ | 19,575.00 | \$ 19,575.00 |  |
| SC2   | Kit   | USDD | 0   | <b>G2 EXPANSION KIT</b> - Allows ability to<br>Power/Signal/Control up to 12 more peripheral<br>Remote options per EXP.         | EXP      | \$<br>7,325.00  | \$ | 6,592.50  | \$-          |  |
| SC3   | Kit   | USDD | 0   | Rack Mount Ears for ATX or EXP  | ATX-E    | \$<br>54.00     | \$ | 48.60     | \$-          |  |
| SC4   | Kit   | USDD | 0   | Base Plate for ATX or EXP   | ATX-P    | \$<br>54.00     | \$ | 48.60     | \$-          |  |
| SC5   | Ea    | TBD  | 1   | ATX UPS, Standard   | UPS-STD  | \$<br>923.00    | \$ | 830.70    | \$ 830.70    |  |
| SC6   | Ea    | TBD  | 1   | Shelf/Bracket, Wall-Mount for UPS   | UPS-WMB  | \$<br>57.00     | \$ | 51.30     | \$ 51.30     |  |

| STATI | ON SY | STEM | I PER | IPHERAL COMPONENTS   |          |    |              |    |           |                |  |
|-------|-------|------|-------|--|----------|----|--------------|----|-----------|----------------|--|
| Item  | Unit  | Mfr  | Qty   | Description  | Part No. |    | US List Unit | Q  | UOTE UNIT | QUOTE EXT      |  |
| SP1a  | Ea    | TBD  | 0     | Audio Amplifier, External, Standard  | AMP      | \$ | 987.00       | \$ | 888.30    | \$<br>-        |  |
| SP1b  | Ea    | TBD  | 0     | Shelf, Under Table or Wall Mount, for 1U 1/2 Rack  | AMP-S    | \$ | 66.00        | \$ | 59.40     | \$<br>-        |  |
| SP2   | Ea    | USDD | 0     | G2 COLOR INDICATOR REMOTE Module - Up to 8 unique colors   | CIR      | \$ | 725.00       | \$ | 652.50    | \$<br>-        |  |
| SP3a  | Ea    | USDD | 0     | <b>G2 HDTV REMOTE</b> Module (TV & Electrical Outlet<br>by Others; C.E.C. control subject to TV ability)                   | TVR      | \$ | 975.00       | \$ | 877.50    | \$<br>-        |  |
| SP3b  | Ea    | TBD  | 0     | Flat Panel Monitor / Smart HDTV 40-43" (Electrical<br>Outlet/Provision By Others; C.E.C. control subject<br>to TV ability) | FP-43    | \$ | 1,377.57     | \$ | 1,239.81  | \$<br>-        |  |
| SP3c  | Ea    | TBD  | 0     | Flat Panel / TV Mount- Universal 23"-46" Tilt  | FPM-U    | \$ | 107.86       | \$ | 97.07     | \$<br>-        |  |
| SP4   | Ea    | USDD | 0     | G2 I/O REMOTE Module w/ 8 In & 8 Out   | IOR      | \$ | 1,275.00     | \$ | 1,147.50  | \$<br>-        |  |
| SP5   | Ea    | USDD | 1     | Push Button, Standard (Black)  | PB-B     | \$ | 110.00       | \$ | 99.00     | \$<br>99.00    |  |
| SP6   | Ea    | USDD | 1     | Push Button, Emergency (Red)   | PB-R     | \$ | 110.00       | \$ | 99.00     | \$<br>99.00    |  |
| SP7   | Ea    | USDD | 2     | G2 MESSAGE REMOTE 2 Module (2017 Version 2)  | MR2      | \$ | 1,275.00     | \$ | 1,147.50  | \$<br>2,295.00 |  |
| SP9a  | Ea    | USDD | 0     | G2 MESSAGE SIGN (Digital LED) MINI<br>GammaSign / 12 <u>"</u> Active Screen Width / Turn Out<br>Timing ONLY                | MS-G-M   | \$ | 915.00       | \$ | 823.50    | \$<br>-        |  |
| SP9b  | Ea    | USDD | 1     | G2 MESSAGE SIGN (Digital LED) STANDARD<br>GammaSign / 24" Active Screen Width  | MS-G-S   | \$ | 1,050.00     | \$ | 945.00    | \$<br>945.00   |  |

| SP9c  | Ea | USDD | 0  | G2 MESSAGE SIGN (Digital LED) EXTENDED<br>GammaSign / <u>36"</u> Active Screen Width   | MS-G-E       | \$<br>1,575.00 | \$<br>1,417.50 | \$-          |  |
|-------|----|------|----|--|--------------|----------------|----------------|--------------|--|
| SP9d  | Ea | USDD | 1  | MS-G Adapter Plate, SINGLE. VESA 100, joins (1) MS-<br>G-S (or-E) to any standard mount with VESA 100 hole patterns<br>(mount not included)  | MS-AP-S      | \$<br>38.00    | \$<br>34.20    | \$ 34.20     |  |
| SP9e  | Ea | USDD | 0  | MS-G Adapter Plate, DOUBLE, VESA 100, joins (2) MS-<br><u>G-S(or-E)</u> to any standard mount with VESA 100 hole patterns<br>(mount not included)  | MS-AP-D      | \$<br>49.00    | \$<br>44.10    | \$-          |  |
| SP9f  | Ea | USDD | 0  | MS-G Hanger Kit. Hangs single or double (back-to-back)<br>Message Signs (Gamma Version) from Ceiling. Includes both<br>suspended ceiling T-Bar Scissor Clips and Hard-Pan Flange<br>Mounts.  | MS-HK        | \$<br>73.00    | \$<br>65.70    | \$-          |  |
| SP11  | Ea | TBD  | 1  | MS Mount - Articulating, Long reach  | MS-MNT-ART-L | \$<br>287.00   | \$<br>258.30   | \$ 258.30    |  |
| SP12a | Ea | USDD | 8  | G2 ROOM REMOTE 2 Module / 2017 version 2   | RR2          | \$<br>2,025.00 | \$<br>1,822.50 | \$ 14,580.00 |  |
| SP12c | Ea | USDD | 0  | RR2 Adpater Plate, for Retrofit in RR1 Wall Cavity   | RR2-AP       | \$<br>46.00    | \$<br>41.40    | \$-          |  |
| SP12d | Ea | USDD | 0  | RR2 Surface Mount Box, for SURFACE MOUNT (hard wall) installation. Three (3) 3/4" conduit knock-outs.  | RR2-SMB      | \$<br>175.00   | \$<br>157.50   | \$-          |  |
| SP15  | Ea | USDD | 15 | G2 SPEAKER - LED Illuminated - FLUSH Mount,<br>70v   | SPK-LED-FM   | \$<br>325.00   | \$<br>292.50   | \$ 4,387.50  |  |
| SP16  | Ea | USDD | 0  | G2 SPEAKER - LED Illuminated - SURFACE<br>Mount (Metal Box), 70v   | SPK-LED-SM   | \$<br>325.00   | \$<br>292.50   | \$-          |  |
| SP17a | Ea | USDD | 2  | G2 SPEAKER - OmniAlertStrobe -<br>Omnidirectional Alerting Speaker, optimized for<br>high Vocal Intelligibility in large open indoor areas<br>and with High-Intensity LED Strobe Light Arrays<br>includes Cable Hanging Kit (typically requires MR2<br>for power/signal/control) | SPK-OAS      | \$<br>815.00   | \$<br>733.50   | \$ 1,467.00  |  |
| SP17b | Ea | USDD | 0  | SPK-OAS/OmniStrobe Mounting Bracket / BEAM<br>FLANGE CLIP- for mounting directly onto an<br>exposed (1/8-14") I-Beam   | SPK-OAS-BFC  | \$<br>13.00    | \$<br>11.70    | \$ -         |  |
| SP17c | Ea | USDD | 0  | SPK-OAS/OmniStrobe Mounting Bracket /DROP<br>CEILING BRACKET- for mounting directly to T-Bar<br>in Suspended Ceiling   | SPK-OAS-DCB  | \$<br>48.00    | \$<br>43.20    | \$-          |  |
| SP17d | Ea | USDD | 0  | SPK-OAS/OmniStrobe Mounting Bracket /<br>SURFACE MOUNT - for mounting directly to hard<br>ceiling  | SPK-OAS-SMB  | \$<br>42.00    | \$<br>37.80    | \$-          |  |
| SP18a | Ea | USDD | 4  | SPEAKER - STANDARD, FLUSH Mount, 70v   | SPK-STD-FM   | \$<br>85.00    | \$<br>76.50    | \$ 306.00    |  |
| SP18b | Ea | USDD | 0  | SPEAKER - STANDARD, SURFACE Mount (Metal Box), 70v   | SPK-STD-SM   | \$<br>85.00    | \$<br>76.50    | \$-          |  |
| SP19  | Ea | USDD | 1  | SPEAKER - APP BAY/OUTDOOR - Weatherized,<br>Surface Mount, 70v   | SPK-W-SM     | \$<br>310.00   | \$<br>279.00   | \$ 279.00    |  |
| SP21  | Ea | USDD | 1  | G2 Strobe Light / Red LED  | STR          | \$<br>550.00   | \$<br>495.00   | \$ 495.00    |  |
| SP20  | Ea | USDD | 0  | Transformer, 8ohm to 70V, External   | XFMR         | \$<br>53.00    | \$<br>47.70    | \$-          |  |
| SP22  | Ea | USDD | 0  | VIDEO DOOR STATION - Doorbell & Camera that<br>ties into G2 FSAS (HDTV Remote) - Includes<br>Power Injector  | VDS          | \$<br>1,700.00 | \$<br>1,530.00 | \$-          |  |

| STATI | ON SY | STEM | SER | VICES   |          |    |           |    |           |             |   |
|-------|-------|------|-----|---|----------|----|-----------|----|-----------|-------------|---|
| Item  | Unit  | Mfr  | Qty | Description   | Part No. | US | List Unit | Q  | UOTE UNIT | QUOTE EXT   |   |
| SS1   | Ea    | USDD | 0   | Station Installation (N/A - Installation is Not<br>Assumed or Included by USDD. Customer to<br>contract directly with a Certified G2 Installer.)                  | ST-INST  | \$ | -         | \$ | -         | \$-         |   |
| SS2   | Ea    | USDD | 0   | Station Remediation (Removal and Disposal of<br>Legacy Equipment Not currently Assumed or<br>Included, nor is any related Remediation to Paint,<br>Drywall, etc.) | ST-INST  | \$ | -         | \$ | -         | \$-         |   |
| SS3   | Ea    | USDD | 1   | Station Configuration & Start-Up  | ST-SU    | \$ | 2,227.83  | \$ | 2,005.05  | \$ 2,005.05 | ; |
| SS4   | Ea    | USDD | 1   | Station Project Management  | ST-PM    | \$ | 1,113.92  | \$ | 1,002.52  | \$ 1,002.52 | 2 |
| SS5   | Ea    | USDD | 1   | Station Engineering / Design Services   | ST-ES    | \$ | 393.76    | \$ | 354.38    | \$ 354.38   | 3 |
| SS6   | Ea    | USDD | 1   | Station Documentation   | ST-DM    | \$ | 56.99     | \$ | 51.29     | \$ 51.29    |   |

| SS7a | Ea | USDD | 0 | Station Training - Configuration and Equipment.<br>On-Site @ Station. 4 Hours, 1 Visit. (for Technical<br>Services Staff)  | TRA-UT-O  | \$<br>4,025.00 | \$<br>3,622.50 | \$- |  |
|------|----|------|---|--|-----------|----------------|----------------|-----|--|
| SS7b | Ea | USDD |   | Station Training - User/Technician / Remote<br>Refresh (2 Hours)   | TRA-UT-R  | \$<br>600.00   | \$<br>540.00   | \$- |  |
| SS8a | Ea | USDD |   | Training - Installation Contractor - On-Site /<br>USDD G2 Certification / 8 Hours (TBD - only<br>needed if requied to use non-certified contractor)                        | TRA-IC-O  | \$<br>5,325.00 | \$<br>4,792.50 | \$- |  |
| SS8b | Ea | USDD | 0 | Training - Installation Contractor - At Arizona<br>Training Center / USDD G2 Certification / 8 Hours<br>(TBD - only needed if required to use non-certified<br>contractor) | TRA-IC-AZ | \$<br>2,725.00 | \$<br>2,452.50 | \$- |  |
| SS9  | Ea | USDD | 0 | Miscellaneous/TBD  | MISC      | \$<br>-        | \$<br>-        | \$- |  |

| Item | Unit | Mfr  | Qty | Description  | Part No.   | US List Unit | QUOTE UNIT  | QUOTE EXT  |  |
|------|------|------|-----|--|------------|--------------|-------------|--|--|
| SW1  | YR   | USDD | 1.5 | [STANDARD] 1st YEAR WARRANTY &<br>SUPPORT FOR THIS STATION SYSTEM (or<br>component): Telephone / Remote Access Support<br>(8:00 AM - 5:00 PM MST)                          | RS-1YR-STD | \$ 4,662.90  |             | 6294.915 but No<br>Charge For Initial<br>Warranty Period /<br>Not Included in<br>Subtotals |  |
| SW2  | YR   | USDD | 3.5 | [STANDARD] EACH ADDITIONAL YEAR (12-<br>Months) WARRANTY & SUPPORT FOR THIS<br>STATION SYSTEM (or Component): Telephone /<br>Remote Access Support (8:00 AM - 5:00 PM MST) | RS-AYR-STD | \$ 4,662.90  | \$ 4,196.61 | \$ 14,688.14   |  |

| STATION 06 | System:                       | \$<br>50,042.24 |
|------------|-------------------------------|-----------------|
|            | Shipping:                     | \$<br>1,012.00  |
|            | Warranty & Support:           | \$<br>14,688.14 |
|            | Miscellaneous (if applicable) | \$<br>-         |
|            | STATION SUBTOTAL:             | \$<br>65,742.38 |

Customer must elect to choose any coverage they require beyond initial warranty period, or USDD will not be authorized to provide any service or support. Mobile Smart Phone Alerting App and Mapping Services only available to customer while under warranty or elected recurring annual support. Support Agreements subject to change if system design is modified. For additional details, please review current USDD Warranty Statement and Service Agreement. USDD cannot warrant nor support any system configuration that deviates from this specific proposal's documented station system design file number. USDD cannot warrant nor support any system not using USDD-approved UPS Battery Backup. USDD cannot warrant nor support any system not installed by G2 Trained & Certified Installation technician (installer). If customer intends to tie this system into any 3rd-party system or devices, USDD will be unable to warrant or support the sytem until we've had a chance to review documented engineering assumptions and approve system integrity, performance and reliability expectations.

For FSAaaS Program: The cost of service and support beyond initial warranty period is included in the FSASaaS Program for a total of 5 years. The service and support includes Mobile Smart Phone Alerting App and Mapping Services. Please see the FSASaaS Subscription Agreement for more information concerning the service and support provided by USDD. USDD cannot warrant nor support any system not using USDD-approved UPS Battery Backup. USDD cannot warrant nor support any system not installed by G2 Trained & Certified Installation technician (installer). If customer intends to tie this system into any 3rd-party system or devices, USDD will be unable to warrant or support the sytem until we've had a chance to review documented engineering assumptions and approve system integrity, performance and reliability expectations.

#### Station System Installation Notes:

01 - Unless specifically detailed in this proposal, no installation by USDD or it's subcontractors is assumed or provided.

02 - Because these are mission-critical systems, USDD can only warrant and support systems installed by G2 Trained and Certified Contractors.

03 - USDD can source, qualify, train and certify Local Licensed Regional Subcontrators where needed.

04 - Installation warranted by installation contractor - G2 FSAS warranted, serviced and supported by USDD.

05 - Unless specifically detailed in this proposal, installation to be performed during normal working hours.

06 - Unless specifically detailed in this proposal, no permit fees or material charges have been included.

07 - Unless specifically detailed in this proposal, no removal or remediation has been assumed or included.

08 - Unless specifically detailed in this proposal, no bonds of any type (performance, bid) have been assumed included or budgeted for in this proposal.

09 - USDD FSAS Equipment to be made available by owner to Installation Contractor prior to on-site arrival.

10 - Structural backing for system devices and other millwork (not specifically detailed) by others.

11 - If applicable, Gas Control Shutoff Valve Addendum (to USDD and installation contractor) must be signed prior to installation.

12 - All electrical power, including (but not limited to) raceway, conduit, backboxes, service panels, high-voltage wiring and fixtures by others.

13 - All communications pathway infrastructure (network, radio, etc.) by others unless specifically detailed in this proposal.

14 - USDD cannot warrant nor support any owner-furbished (3rd-Party) system or component we are required to integrate with. USDD cannot warrant nor support any system or component it has not proofed engineering for and has not specifically authorized for use within public safety environments.

Expires:

## US DIGITAL DESIGNS

**STATION-LEVEL** 



1/7/2021

4/7/2021

 1835 E. Sixth St. Suite #27

 Tempe, Arizona 85281

 877-551-8733 tel
 480-290-7892 fax

### <u>Quote SUBMITTED TO:</u> The City of Reno, Nevada Public Safety Dispatch

## REF PROPOSAL

### NV\_RENO007 v1

## **STATION 07**

| STATI | ON SY | STEM | LICE | INSES   |            |    |              |     |          |                |  |
|-------|-------|------|------|---|------------|----|--------------|-----|----------|----------------|--|
| Item  | Unit  | Mfr  | Qty  | Description   | Part No.   | ι  | JS List Unit | QUO | DTE UNIT | QUOTE EXT      |  |
| SL1   | Ea    | USDD | 1    | G2 VOICEALERT - Single Station License.   | VA         | \$ | 1,030.00     | \$  | 927.00   | \$ 927.00      |  |
| SL2   | Ea/Yr | USDD | 24   | G2 MOBILE FSAS APP - Single Device License. Up<br>to 24 Licenses-Per-ATX are offered at \$0.00 cost each<br>as long as system is currently under warranty or elected<br>recurring annual support coverage. See 'Mobile' Section<br>for more detail. | G2-APP-DLI | \$ | 108.00       | \$  | 97.20    | N/A - Included |  |

| STATI | ON SY | STEM | CON | ITROLLER  |          |                 |    |           |              |  |
|-------|-------|------|-----|---|----------|-----------------|----|-----------|--------------|--|
| Item  | Unit  | Mfr  | Qty | Description   | Part No. | US List Unit    | G  | UOTE UNIT | QUOTE EXT    |  |
| SC1   | Kit   | USDD |     | <b>G2 ATX STATION CONTROLLER -</b><br>Power/Signal/Control up to 8 peripheral Remote<br>Options. 4 Unique Amps/Zones available. | ΑΤΧ      | \$<br>21,750.00 | \$ | 19,575.00 | \$ 19,575.00 |  |
| SC2   | Kit   | USDD | 0   | <b>G2 EXPANSION KIT</b> - Allows ability to<br>Power/Signal/Control up to 12 more peripheral<br>Remote options per EXP.         | EXP      | \$<br>7,325.00  | \$ | 6,592.50  | \$-          |  |
| SC3   | Kit   | USDD | 0   | Rack Mount Ears for ATX or EXP  | ATX-E    | \$<br>54.00     | \$ | 48.60     | \$-          |  |
| SC4   | Kit   | USDD | 0   | Base Plate for ATX or EXP   | ATX-P    | \$<br>54.00     | \$ | 48.60     | \$-          |  |
| SC5   | Ea    | TBD  | 1   | ATX UPS, Standard   | UPS-STD  | \$<br>923.00    | \$ | 830.70    | \$ 830.70    |  |
| SC6   | Ea    | TBD  | 1   | Shelf/Bracket, Wall-Mount for UPS   | UPS-WMB  | \$<br>57.00     | \$ | 51.30     | \$ 51.30     |  |

| STATI | ON SY | STEM | I PER | IPHERAL COMPONENTS   |          |    |              |    |           |                |  |
|-------|-------|------|-------|--|----------|----|--------------|----|-----------|----------------|--|
| Item  | Unit  | Mfr  | Qty   | Description  | Part No. |    | US List Unit | Q  | UOTE UNIT | QUOTE EXT      |  |
| SP1a  | Ea    | TBD  | 0     | Audio Amplifier, External, Standard  | AMP      | \$ | 987.00       | \$ | 888.30    | \$<br>-        |  |
| SP1b  | Ea    | TBD  | 0     | Shelf, Under Table or Wall Mount, for 1U 1/2 Rack  | AMP-S    | \$ | 66.00        | \$ | 59.40     | \$<br>-        |  |
| SP2   | Ea    | USDD | 0     | G2 COLOR INDICATOR REMOTE Module - Up to 8 unique colors   | CIR      | \$ | 725.00       | \$ | 652.50    | \$<br>-        |  |
| SP3a  | Ea    | USDD | 0     | <b>G2 HDTV REMOTE</b> Module (TV & Electrical Outlet<br>by Others; C.E.C. control subject to TV ability)                   | TVR      | \$ | 975.00       | \$ | 877.50    | \$<br>-        |  |
| SP3b  | Ea    | TBD  | 0     | Flat Panel Monitor / Smart HDTV 40-43" (Electrical<br>Outlet/Provision By Others; C.E.C. control subject<br>to TV ability) | FP-43    | \$ | 1,377.57     | \$ | 1,239.81  | \$<br>-        |  |
| SP3c  | Ea    | TBD  | 0     | Flat Panel / TV Mount- Universal 23"-46" Tilt  | FPM-U    | \$ | 107.86       | \$ | 97.07     | \$<br>-        |  |
| SP4   | Ea    | USDD | 0     | G2 I/O REMOTE Module w/ 8 In & 8 Out   | IOR      | \$ | 1,275.00     | \$ | 1,147.50  | \$<br>-        |  |
| SP5   | Ea    | USDD | 1     | Push Button, Standard (Black)  | PB-B     | \$ | 110.00       | \$ | 99.00     | \$<br>99.00    |  |
| SP6   | Ea    | USDD | 1     | Push Button, Emergency (Red)   | PB-R     | \$ | 110.00       | \$ | 99.00     | \$<br>99.00    |  |
| SP7   | Ea    | USDD | 2     | G2 MESSAGE REMOTE 2 Module (2017 Version 2)  | MR2      | \$ | 1,275.00     | \$ | 1,147.50  | \$<br>2,295.00 |  |
| SP9a  | Ea    | USDD | 0     | G2 MESSAGE SIGN (Digital LED) MINI<br>GammaSign / 12 <u>"</u> Active Screen Width / Turn Out<br>Timing ONLY                | MS-G-M   | \$ | 915.00       | \$ | 823.50    | \$<br>-        |  |
| SP9b  | Ea    | USDD | 1     | G2 MESSAGE SIGN (Digital LED) STANDARD<br>GammaSign / 24" Active Screen Width  | MS-G-S   | \$ | 1,050.00     | \$ | 945.00    | \$<br>945.00   |  |

| SP9c  | Ea | USDD | 0  | G2 MESSAGE SIGN (Digital LED) EXTENDED<br>GammaSign / <u>36"</u> Active Screen Width   | MS-G-E       | \$<br>1,575.00 | \$<br>1,417.50 | \$-         |  |
|-------|----|------|----|--|--------------|----------------|----------------|-------------|--|
| SP9d  | Ea | USDD | 1  | MS-G Adapter Plate, SINGLE. VESA 100, joins (1) MS-<br>G-S (or-E) to any standard mount with VESA 100 hole patterns<br>(mount not included)  | MS-AP-S      | \$<br>38.00    | \$<br>34.20    | \$ 34.20    |  |
| SP9e  | Ea | USDD | 0  | MS-G Adapter Plate, DOUBLE, VESA 100, joins (2) MS-<br><u>G-S(or-E)</u> to any standard mount with VESA 100 hole patterns<br>(mount not included)  | MS-AP-D      | \$<br>49.00    | \$<br>44.10    | \$-         |  |
| SP9f  | Ea | USDD | 0  | MS-G Hanger Kit. Hangs single or double (back-to-back)<br>Message Signs (Gamma Version) from Ceiling. Includes both<br>suspended ceiling T-Bar Scissor Clips and Hard-Pan Flange<br>Mounts.  | MS-HK        | \$<br>73.00    | \$<br>65.70    | \$-         |  |
| SP11  | Ea | TBD  | 1  | MS Mount - Articulating, Long reach  | MS-MNT-ART-L | \$<br>287.00   | \$<br>258.30   | \$ 258.30   |  |
| SP12a | Ea | USDD | 4  | G2 ROOM REMOTE 2 Module / 2017 version 2   | RR2          | \$<br>2,025.00 | \$<br>1,822.50 | \$ 7,290.00 |  |
| SP12c | Ea | USDD | 0  | RR2 Adpater Plate, for Retrofit in RR1 Wall Cavity   | RR2-AP       | \$<br>46.00    | \$<br>41.40    | \$-         |  |
| SP12d | Ea | USDD | 0  | RR2 Surface Mount Box, for SURFACE MOUNT (hard wall) installation. Three (3) 3/4" conduit knock-outs.  | RR2-SMB      | \$<br>175.00   | \$<br>157.50   | \$-         |  |
| SP15  | Ea | USDD | 10 | G2 SPEAKER - LED Illuminated - FLUSH Mount,<br>70v   | SPK-LED-FM   | \$<br>325.00   | \$<br>292.50   | \$ 2,925.00 |  |
| SP16  | Ea | USDD | 0  | G2 SPEAKER - LED Illuminated - SURFACE<br>Mount (Metal Box), 70v   | SPK-LED-SM   | \$<br>325.00   | \$<br>292.50   | \$-         |  |
| SP17a | Ea | USDD | 2  | G2 SPEAKER - OmniAlertStrobe -<br>Omnidirectional Alerting Speaker, optimized for<br>high Vocal Intelligibility in large open indoor areas<br>and with High-Intensity LED Strobe Light Arrays<br>includes Cable Hanging Kit (typically requires MR2<br>for power/signal/control) | SPK-OAS      | \$<br>815.00   | \$<br>733.50   | \$ 1,467.00 |  |
| SP17b | Ea | USDD | 0  | SPK-OAS/OmniStrobe Mounting Bracket / BEAM<br>FLANGE CLIP- for mounting directly onto an<br>exposed (1/8-14") I-Beam   | SPK-OAS-BFC  | \$<br>13.00    | \$<br>11.70    | \$-         |  |
| SP17c | Ea | USDD | 0  | SPK-OAS/OmniStrobe Mounting Bracket /DROP<br>CEILING BRACKET- for mounting directly to T-Bar<br>in Suspended Ceiling   | SPK-OAS-DCB  | \$<br>48.00    | \$<br>43.20    | \$-         |  |
| SP17d | Ea | USDD | 0  | SPK-OAS/OmniStrobe Mounting Bracket /<br>SURFACE MOUNT - for mounting directly to hard<br>ceiling  | SPK-OAS-SMB  | \$<br>42.00    | \$<br>37.80    | \$-         |  |
| SP18a | Ea | USDD | 4  | SPEAKER - STANDARD, FLUSH Mount, 70v   | SPK-STD-FM   | \$<br>85.00    | \$<br>76.50    | \$ 306.00   |  |
| SP18b | Ea | USDD | 0  | SPEAKER - STANDARD, SURFACE Mount (Metal Box), 70v   | SPK-STD-SM   | \$<br>85.00    | \$<br>76.50    | \$-         |  |
| SP19  | Ea | USDD | 1  | SPEAKER - APP BAY/OUTDOOR - Weatherized,<br>Surface Mount, 70v   | SPK-W-SM     | \$<br>310.00   | \$<br>279.00   | \$ 279.00   |  |
| SP21  | Ea | USDD | 1  | G2 Strobe Light / Red LED  | STR          | \$<br>550.00   | \$<br>495.00   | \$ 495.00   |  |
| SP20  | Ea | USDD | 0  | Transformer, 8ohm to 70V, External   | XFMR         | \$<br>53.00    | \$<br>47.70    | \$-         |  |
| SP22  | Ea | USDD | 0  | VIDEO DOOR STATION - Doorbell & Camera that<br>ties into G2 FSAS (HDTV Remote) - Includes<br>Power Injector  | VDS          | \$<br>1,700.00 | \$<br>1,530.00 | \$-         |  |

| STATI | STATION SYSTEM SERVICES |      |     |   |          |    |           |    |           |           |          |  |
|-------|-------------------------|------|-----|---|----------|----|-----------|----|-----------|-----------|----------|--|
| Item  | Unit                    | Mfr  | Qty | Description   | Part No. | US | List Unit | Q  | UOTE UNIT | QUOTE EXT |          |  |
| SS1   | Ea                      | USDD | 0   | Station Installation (N/A - Installation is Not<br>Assumed or Included by USDD. Customer to<br>contract directly with a Certified G2 Installer.)                  | ST-INST  | \$ | -         | \$ | -         | \$        | -        |  |
| SS2   | Ea                      | USDD | 0   | Station Remediation (Removal and Disposal of<br>Legacy Equipment Not currently Assumed or<br>Included, nor is any related Remediation to Paint,<br>Drywall, etc.) | ST-INST  | \$ | -         | \$ | -         | \$        | -        |  |
| SS3   | Ea                      | USDD | 1   | Station Configuration & Start-Up  | ST-SU    | \$ | 2,230.51  | \$ | 2,007.45  | \$        | 2,007.45 |  |
| SS4   | Ea                      | USDD | 1   | Station Project Management  | ST-PM    | \$ | 1,115.25  | \$ | 1,003.73  | \$        | 1,003.73 |  |
| SS5   | Ea                      | USDD | 1   | Station Engineering / Design Services   | ST-ES    | \$ | 395.60    | \$ | 356.04    | \$        | 356.04   |  |
| SS6   | Ea                      | USDD | 1   | Station Documentation   | ST-DM    | \$ | 58.92     | \$ | 53.03     | \$        | 53.03    |  |

| SS7a | Ea | USDD | 0 | Station Training - Configuration and Equipment.<br>On-Site @ Station. 4 Hours, 1 Visit. (for Technical<br>Services Staff)  | TRA-UT-O  | \$<br>4,025.00 | \$<br>3,622.50 | \$- |  |
|------|----|------|---|--|-----------|----------------|----------------|-----|--|
| SS7b | Ea | USDD |   | Station Training - User/Technician / Remote<br>Refresh (2 Hours)   | TRA-UT-R  | \$<br>600.00   | \$<br>540.00   | \$- |  |
| SS8a | Ea | USDD |   | Training - Installation Contractor - On-Site /<br>USDD G2 Certification / 8 Hours (TBD - only<br>needed if requied to use non-certified contractor)                        | TRA-IC-O  | \$<br>5,325.00 | \$<br>4,792.50 | \$- |  |
| SS8b | Ea | USDD |   | Training - Installation Contractor - At Arizona<br>Training Center / USDD G2 Certification / 8 Hours<br>(TBD - only needed if required to use non-certified<br>contractor) | TRA-IC-AZ | \$<br>2,725.00 | \$<br>2,452.50 | \$- |  |
| SS9  | Ea | USDD | 0 | Miscellaneous/TBD  | MISC      | \$<br>-        | \$<br>-        | \$- |  |

| STATI | STATION SYSTEM WARRANTY & OPTIONAL RECURRING ANNUAL SUPPORT |      |     |   |            |              |             |   |  |  |
|-------|---|------|-----|---|------------|--------------|-------------|---|--|--|
| Item  | Unit  | Mfr  | Qty | Description   | Part No.   | US List Unit | QUOTE UNIT  | QUOTE EXT   |  |  |
| SW1   | YR  | USDD | 1.5 | [STANDARD] 1st YEAR WARRANTY &<br>SUPPORT FOR THIS STATION SYSTEM (or<br>component): Telephone / Remote Access Support<br>(8:00 AM - 5:00 PM MST) PLEASE NOTE: An<br>additional 6 months (for total of 18 months/1.5<br>years) of initial warranty has been offered by USDD<br>for no additional cost so all stations can be installed<br>and enjoy same warranty/support start/stop dates) | RS-1YR-STD | \$ 3,787.65  | \$ 3,408.89 | 5113.3275 but No<br>Charge For Initial<br>Warranty Period /<br>Not Included in<br>Subtotals |  |  |
| SW2   | YR  | USDD |     | [STANDARD] EACH ADDITIONAL YEAR (12-<br>Months) WARRANTY & SUPPORT FOR THIS<br>STATION SYSTEM (or Component): Telephone /<br>Remote Access Support (8:00 AM - 5:00 PM MST)  | RS-AYR-STD | \$ 3,787.65  | \$ 3,408.89 | \$ 11,931.10  |  |  |

| STATION 07 | System:                       | \$<br>41,296.75 |
|------------|-------------------------------|-----------------|
| -          | Shipping:                     | \$<br>851.00    |
|            | Warranty & Support:           | \$<br>11,931.10 |
|            | Miscellaneous (if applicable) | \$<br>-         |
|            | STATION SUBTOTAL:             | \$<br>54,078.85 |

Customer must elect to choose any coverage they require beyond initial warranty period, or USDD will not be authorized to provide any service or support. Mobile Smart Phone Alerting App and Mapping Services only available to customer while under warranty or elected recurring annual support. Support Agreements subject to change if system design is modified. For additional details, please review current USDD Warranty Statement and Service Agreement. USDD cannot warrant nor support any system configuration that deviates from this specific proposal's documented station system design file number. USDD cannot warrant nor support any system not using USDD-approved UPS Battery Backup. USDD cannot warrant nor support any system not installed by G2 Trained & Certified Installation technician (installer). If customer intends to tie this system into any 3rd-party system or devices, USDD will be unable to warrant or support the sytem until we've had a chance to review documented engineering assumptions and approve system integrity, performance and reliability expectations.

For FSAaaS Program: The cost of service and support beyond initial warranty period is included in the FSASaaS Program for a total of 5 years. The service and support includes Mobile Smart Phone Alerting App and Mapping Services. Please see the FSASaaS Subscription Agreement for more information concerning the service and support provided by USDD. USDD cannot warrant nor support any system not using USDD-approved UPS Battery Backup. USDD cannot warrant nor support any system not installed by G2 Trained & Certified Installation technician (installer). If customer intends to tie this system into any 3rd-party system or devices, USDD will be unable to warrant or support the sytem until we've had a chance to review documented engineering assumptions and approve system integrity, performance and reliability expectations.

#### Station System Installation Notes:

01 - Unless specifically detailed in this proposal, no installation by USDD or it's subcontractors is assumed or provided.

02 - Because these are mission-critical systems, USDD can only warrant and support systems installed by G2 Trained and Certified Contractors.

03 - USDD can source, qualify, train and certify Local Licensed Regional Subcontrators where needed.

04 - Installation warranted by installation contractor - G2 FSAS warranted, serviced and supported by USDD.

05 - Unless specifically detailed in this proposal, installation to be performed during normal working hours.

06 - Unless specifically detailed in this proposal, no permit fees or material charges have been included.

07 - Unless specifically detailed in this proposal, no removal or remediation has been assumed or included.

08 - Unless specifically detailed in this proposal, no bonds of any type (performance, bid) have been assumed included or budgeted for in this proposal.

09 - USDD FSAS Equipment to be made available by owner to Installation Contractor prior to on-site arrival.

10 - Structural backing for system devices and other millwork (not specifically detailed) by others.

11 - If applicable, Gas Control Shutoff Valve Addendum (to USDD and installation contractor) must be signed prior to installation.

12 - All electrical power, including (but not limited to) raceway, conduit, backboxes, service panels, high-voltage wiring and fixtures by others.

13 - All communications pathway infrastructure (network, radio, etc.) by others unless specifically detailed in this proposal.

14 - USDD cannot warrant nor support any owner-furbished (3rd-Party) system or component we are required to integrate with. USDD cannot warrant nor support any system or component it has not proofed engineering for and has not specifically authorized for use within public safety environments.

# US DIGITAL DESIGNS

**STATION-LEVEL** 



 1835 E. Sixth St. Suite #27

 Tempe, Arizona 85281

 877-551-8733 tel
 480-290-7892 fax

### <u>Quote SUBMITTED TO:</u> The City of Reno, Nevada Public Safety Dispatch

## REF PROPOSAL

### NV\_RENO007 v1

# STATION 08

Based from USDD G2 Fire Station Alerting System Design Drawing # USDD.NV\_RENO.ALL STATIONS.FSA.2020.12.29.pdf

| STATI | ON SY | STEM | LICE | INSES   |            |    |              |     |          |                |  |
|-------|-------|------|------|---|------------|----|--------------|-----|----------|----------------|--|
| Item  | Unit  | Mfr  | Qty  | Description   | Part No.   | l  | JS List Unit | QUC | DTE UNIT | QUOTE EXT      |  |
| SL1   | Ea    | USDD | 1    | G2 VOICEALERT - Single Station License.   | VA         | \$ | 1,030.00     | \$  | 927.00   | \$ 927.00      |  |
| SL2   | Ea/Yr | USDD | 24   | G2 MOBILE FSAS APP - Single Device License. Up<br>to 24 Licenses-Per-ATX are offered at \$0.00 cost each<br>as long as system is currently under warranty or elected<br>recurring annual support coverage. See 'Mobile' Section<br>for more detail. | G2-APP-DLI | \$ | 108.00       | \$  | 97.20    | N/A - Included |  |

| STATI | ON SY | STEM | CON | ITROLLER  |          |                 |    |           |              |  |
|-------|-------|------|-----|---|----------|-----------------|----|-----------|--------------|--|
| Item  | Unit  | Mfr  | Qty | Description   | Part No. | US List Unit    | G  | UOTE UNIT | QUOTE EXT    |  |
| SC1   | Kit   | USDD |     | <b>G2 ATX STATION CONTROLLER -</b><br>Power/Signal/Control up to 8 peripheral Remote<br>Options. 4 Unique Amps/Zones available. | ΑΤΧ      | \$<br>21,750.00 | \$ | 19,575.00 | \$ 19,575.00 |  |
| SC2   | Kit   | USDD | 0   | <b>G2 EXPANSION KIT</b> - Allows ability to<br>Power/Signal/Control up to 12 more peripheral<br>Remote options per EXP.         | EXP      | \$<br>7,325.00  | \$ | 6,592.50  | \$-          |  |
| SC3   | Kit   | USDD | 0   | Rack Mount Ears for ATX or EXP  | ATX-E    | \$<br>54.00     | \$ | 48.60     | \$-          |  |
| SC4   | Kit   | USDD | 0   | Base Plate for ATX or EXP   | ATX-P    | \$<br>54.00     | \$ | 48.60     | \$-          |  |
| SC5   | Ea    | TBD  | 1   | ATX UPS, Standard   | UPS-STD  | \$<br>923.00    | \$ | 830.70    | \$ 830.70    |  |
| SC6   | Ea    | TBD  | 1   | Shelf/Bracket, Wall-Mount for UPS   | UPS-WMB  | \$<br>57.00     | \$ | 51.30     | \$ 51.30     |  |

| STATI | ON SY | STEM | I PER | IPHERAL COMPONENTS   |          |    |              |    |           |                |  |
|-------|-------|------|-------|--|----------|----|--------------|----|-----------|----------------|--|
| Item  | Unit  | Mfr  | Qty   | Description  | Part No. |    | US List Unit | Q  | UOTE UNIT | QUOTE EXT      |  |
| SP1a  | Ea    | TBD  | 0     | Audio Amplifier, External, Standard  | AMP      | \$ | 987.00       | \$ | 888.30    | \$<br>-        |  |
| SP1b  | Ea    | TBD  | 0     | Shelf, Under Table or Wall Mount, for 1U 1/2 Rack  | AMP-S    | \$ | 66.00        | \$ | 59.40     | \$<br>-        |  |
| SP2   | Ea    | USDD | 0     | G2 COLOR INDICATOR REMOTE Module - Up to 8 unique colors   | CIR      | \$ | 725.00       | \$ | 652.50    | \$<br>-        |  |
| SP3a  | Ea    | USDD | 0     | <b>G2 HDTV REMOTE</b> Module (TV & Electrical Outlet<br>by Others; C.E.C. control subject to TV ability)                   | TVR      | \$ | 975.00       | \$ | 877.50    | \$<br>-        |  |
| SP3b  | Ea    | TBD  | 0     | Flat Panel Monitor / Smart HDTV 40-43" (Electrical<br>Outlet/Provision By Others; C.E.C. control subject<br>to TV ability) | FP-43    | \$ | 1,377.57     | \$ | 1,239.81  | \$<br>-        |  |
| SP3c  | Ea    | TBD  | 0     | Flat Panel / TV Mount- Universal 23"-46" Tilt  | FPM-U    | \$ | 107.86       | \$ | 97.07     | \$<br>-        |  |
| SP4   | Ea    | USDD | 0     | G2 I/O REMOTE Module w/ 8 In & 8 Out   | IOR      | \$ | 1,275.00     | \$ | 1,147.50  | \$<br>-        |  |
| SP5   | Ea    | USDD | 1     | Push Button, Standard (Black)  | PB-B     | \$ | 110.00       | \$ | 99.00     | \$<br>99.00    |  |
| SP6   | Ea    | USDD | 1     | Push Button, Emergency (Red)   | PB-R     | \$ | 110.00       | \$ | 99.00     | \$<br>99.00    |  |
| SP7   | Ea    | USDD | 2     | G2 MESSAGE REMOTE 2 Module (2017 Version 2)  | MR2      | \$ | 1,275.00     | \$ | 1,147.50  | \$<br>2,295.00 |  |
| SP9a  | Ea    | USDD | 0     | G2 MESSAGE SIGN (Digital LED) MINI<br>GammaSign / 12 <u>"</u> Active Screen Width / Turn Out<br>Timing ONLY                | MS-G-M   | \$ | 915.00       | \$ | 823.50    | \$<br>-        |  |
| SP9b  | Ea    | USDD | 1     | G2 MESSAGE SIGN (Digital LED) STANDARD<br>GammaSign / 24" Active Screen Width  | MS-G-S   | \$ | 1,050.00     | \$ | 945.00    | \$<br>945.00   |  |

DATE: Expires: 1/7/2021 4/7/2021

| SP9c  | Ea | USDD | 0 | G2 MESSAGE SIGN (Digital LED) EXTENDED<br>GammaSign / <u>36"</u> Active Screen Width   | MS-G-E       | \$<br>1,575.00 | \$<br>1,417.50 | \$-         |  |
|-------|----|------|---|--|--------------|----------------|----------------|-------------|--|
| SP9d  | Ea | USDD | 1 | MS-G Adapter Plate, SINGLE. VESA 100, joins (1) MS-<br>G-S (or-E) to any standard mount with VESA 100 hole patterns<br>(mount not included)  | MS-AP-S      | \$<br>38.00    | \$<br>34.20    | \$ 34.20    |  |
| SP9e  | Ea | USDD | 0 | MS-G Adapter Plate, DOUBLE, VESA 100, joins (2) MS-<br><u>G-S(or-E)</u> to any standard mount with VESA 100 hole patterns<br>(mount not included)  | MS-AP-D      | \$<br>49.00    | \$<br>44.10    | \$-         |  |
| SP9f  | Ea | USDD | 0 | MS-G Hanger Kit. Hangs single or double (back-to-back)<br>Message Signs (Gamma Version) from Ceiling. Includes both<br>suspended ceiling T-Bar Scissor Clips and Hard-Pan Flange<br>Mounts.  | MS-HK        | \$<br>73.00    | \$<br>65.70    | \$-         |  |
| SP11  | Ea | TBD  | 1 | MS Mount - Articulating, Long reach  | MS-MNT-ART-L | \$<br>287.00   | \$<br>258.30   | \$ 258.30   |  |
| SP12a | Ea | USDD | 4 | G2 ROOM REMOTE 2 Module / 2017 version 2   | RR2          | \$<br>2,025.00 | \$<br>1,822.50 | \$ 7,290.00 |  |
| SP12c | Ea | USDD | 0 | RR2 Adpater Plate, for Retrofit in RR1 Wall Cavity   | RR2-AP       | \$<br>46.00    | \$<br>41.40    | \$-         |  |
| SP12d | Ea | USDD | 0 | RR2 Surface Mount Box, for SURFACE MOUNT<br>(hard wall) installation. Three (3) 3/4" conduit<br>knock-outs.  | RR2-SMB      | \$<br>175.00   | \$<br>157.50   | \$-         |  |
| SP15  | Ea | USDD | 6 | G2 SPEAKER - LED Illuminated - FLUSH Mount,<br>70v   | SPK-LED-FM   | \$<br>325.00   | \$<br>292.50   | \$ 1,755.00 |  |
| SP16  | Ea | USDD | 0 | G2 SPEAKER - LED Illuminated - SURFACE<br>Mount (Metal Box), 70v   | SPK-LED-SM   | \$<br>325.00   | \$<br>292.50   | \$-         |  |
| SP17a | Ea | USDD | 2 | G2 SPEAKER - OmniAlertStrobe -<br>Omnidirectional Alerting Speaker, optimized for<br>high Vocal Intelligibility in large open indoor areas<br>and with High-Intensity LED Strobe Light Arrays<br>includes Cable Hanging Kit (typically requires MR2<br>for power/signal/control) | SPK-OAS      | \$<br>815.00   | \$<br>733.50   | \$ 1,467.00 |  |
| SP17b | Ea | USDD | 0 | SPK-OAS/OmniStrobe Mounting Bracket / BEAM<br>FLANGE CLIP- for mounting directly onto an<br>exposed (1/8-14") I-Beam   | SPK-OAS-BFC  | \$<br>13.00    | \$<br>11.70    | \$ -        |  |
| SP17c | Ea | USDD | 0 | SPK-OAS/OmniStrobe Mounting Bracket /DROP<br>CEILING BRACKET- for mounting directly to T-Bar<br>in Suspended Ceiling   | SPK-OAS-DCB  | \$<br>48.00    | \$<br>43.20    | \$ -        |  |
| SP17d | Ea | USDD | 0 | SPK-OAS/OmniStrobe Mounting Bracket /<br>SURFACE MOUNT - for mounting directly to hard<br>ceiling  | SPK-OAS-SMB  | \$<br>42.00    | \$<br>37.80    | \$ -        |  |
| SP18a | Ea | USDD | 7 | SPEAKER - STANDARD, FLUSH Mount, 70v   | SPK-STD-FM   | \$<br>85.00    | \$<br>76.50    | \$ 535.50   |  |
| SP18b | Ea | USDD | 0 | SPEAKER - STANDARD, SURFACE Mount (Metal<br>Box), 70v  | SPK-STD-SM   | \$<br>85.00    | \$<br>76.50    | \$-         |  |
| SP19  | Ea | USDD | 1 | SPEAKER - APP BAY/OUTDOOR - Weatherized,<br>Surface Mount, 70v   | SPK-W-SM     | \$<br>310.00   | \$<br>279.00   | \$ 279.00   |  |
| SP21  | Ea | USDD | 2 | G2 Strobe Light / Red LED  | STR          | \$<br>550.00   | \$<br>495.00   | \$ 990.00   |  |
| SP20  | Ea | USDD | 0 | Transformer, 8ohm to 70V, External   | XFMR         | \$<br>53.00    | \$<br>47.70    | \$-         |  |
| SP22  | Ea | USDD | 0 | VIDEO DOOR STATION - Doorbell & Camera that<br>ties into G2 FSAS (HDTV Remote) - Includes<br>Power Injector  | VDS          | \$<br>1,700.00 | \$<br>1,530.00 | \$-         |  |

| STATI | ON SY | STEM | SER | VICES   |          |      |          |    |           |             |  |
|-------|-------|------|-----|---|----------|------|----------|----|-----------|-------------|--|
| Item  | Unit  | Mfr  | Qty | Description   | Part No. | US L | ist Unit | QI | JOTE UNIT | QUOTE EXT   |  |
| SS1   | Ea    | USDD | 0   | Station Installation (N/A - Installation is Not<br>Assumed or Included by USDD. Customer to<br>contract directly with a Certified G2 Installer.)                  | ST-INST  | \$   | -        | \$ | -         | \$-         |  |
| SS2   | Ea    | USDD | 0   | Station Remediation (Removal and Disposal of<br>Legacy Equipment Not currently Assumed or<br>Included, nor is any related Remediation to Paint,<br>Drywall, etc.) | ST-INST  | \$   | -        | \$ | -         | \$-         |  |
| SS3   | Ea    | USDD | 1   | Station Configuration & Start-Up  | ST-SU    | \$   | 2,233.38 | \$ | 2,010.04  | \$ 2,010.04 |  |
| SS4   | Ea    | USDD | 1   | Station Project Management  | ST-PM    | \$   | 1,118.77 | \$ | 1,006.89  | \$ 1,006.89 |  |
| SS5   | Ea    | USDD | 1   | Station Engineering / Design Services   | ST-ES    | \$   | 395.11   | \$ | 355.59    | \$ 355.59   |  |
| SS6   | Ea    | USDD | 1   | Station Documentation   | ST-DM    | \$   | 58.23    | \$ | 52.40     | \$ 52.40    |  |

| SS7a | Ea | USDD | 0 | Station Training - Configuration and Equipment.<br>On-Site @ Station. 4 Hours, 1 Visit. (for Technical<br>Services Staff)  | TRA-UT-O  | \$<br>4,025.00 | \$<br>3,622.50 | \$- |  |
|------|----|------|---|--|-----------|----------------|----------------|-----|--|
| SS7b | Ea | USDD |   | Station Training - User/Technician / Remote<br>Refresh (2 Hours)   | TRA-UT-R  | \$<br>600.00   | \$<br>540.00   | \$- |  |
| SS8a | Ea | USDD |   | Training - Installation Contractor - On-Site /<br>USDD G2 Certification / 8 Hours (TBD - only<br>needed if requied to use non-certified contractor)                        | TRA-IC-O  | \$<br>5,325.00 | \$<br>4,792.50 | \$- |  |
| SS8b | Ea | USDD |   | Training - Installation Contractor - At Arizona<br>Training Center / USDD G2 Certification / 8 Hours<br>(TBD - only needed if required to use non-certified<br>contractor) | TRA-IC-AZ | \$<br>2,725.00 | \$<br>2,452.50 | \$- |  |
| SS9  | Ea | USDD | 0 | Miscellaneous/TBD  | MISC      | \$<br>-        | \$<br>-        | \$- |  |

| STATI | ON SY | STEM | I WAF | RRANTY & OPTIONAL RECURRING ANNU  | IAL SUPPORT |              |             |  |  |
|-------|-------|------|-------|---|-------------|--------------|-------------|--|--|
| Item  | Unit  | Mfr  | Qty   | Description   | Part No.    | US List Unit | QUOTE UNIT  | QUOTE EXT  |  |
| SW1   | YR    | USDD | 1.5   | [STANDARD] 1st YEAR WARRANTY &<br>SUPPORT FOR THIS STATION SYSTEM (or<br>component): Telephone / Remote Access Support<br>(8:00 AM - 5:00 PM MST) PLEASE NOTE: An<br>additional 6 months (for total of 18 months/1.5<br>years) of initial warranty has been offered by USDD<br>for no additional cost so all stations can be installed<br>and enjoy same warranty/support start/stop dates) | RS-1YR-STD  | \$ 3,743.10  | \$ 3,368.79 | 5053.185 but No<br>Charge For Initial<br>Warranty Period /<br>Not Included in<br>Subtotals |  |
| SW2   | YR    | USDD | 3.5   | [STANDARD] EACH ADDITIONAL YEAR (12-<br>Months) WARRANTY & SUPPORT FOR THIS<br>STATION SYSTEM (or Component): Telephone /<br>Remote Access Support (8:00 AM - 5:00 PM MST)  | RS-AYR-STD  | \$ 3,743.10  | \$ 3,368.79 | \$ 11,790.77   |  |

| STATION 08 | System:                       | \$<br>40,855.94 |
|------------|-------------------------------|-----------------|
|            | Shipping:                     | \$<br>847.00    |
|            | Warranty & Support:           | \$<br>11,790.77 |
|            | Miscellaneous (if applicable) | \$<br>-         |
|            | STATION SUBTOTAL:             | \$<br>53,493.70 |

Customer must elect to choose any coverage they require beyond initial warranty period, or USDD will not be authorized to provide any service or support. Mobile Smart Phone Alerting App and Mapping Services only available to customer while under warranty or elected recurring annual support. Support Agreements subject to change if system design is modified. For additional details, please review current USDD Warranty Statement and Service Agreement. USDD cannot warrant nor support any system configuration that deviates from this specific proposal's documented station system design file number. USDD cannot warrant nor support any system not using USDD-approved UPS Battery Backup. USDD cannot warrant nor support any system not installed by G2 Trained & Certified Installation technician (installer). If customer intends to tie this system into any 3rd-party system or devices, USDD will be unable to warrant or support the sytem until we've had a chance to review documented engineering assumptions and approve system integrity, performance and reliability expectations.

For FSAaaS Program: The cost of service and support beyond initial warranty period is included in the FSASaaS Program for a total of 5 years. The service and support includes Mobile Smart Phone Alerting App and Mapping Services. Please see the FSASaaS Subscription Agreement for more information concerning the service and support provided by USDD. USDD cannot warrant nor support any system not using USDD-approved UPS Battery Backup. USDD cannot warrant nor support any system not installed by G2 Trained & Certified Installation technician (installer). If customer intends to tie this system into any 3rd-party system or devices, USDD will be unable to warrant or support the sytem until we've had a chance to review documented engineering assumptions and approve system integrity, performance and reliability expectations.

#### Station System Installation Notes:

01 - Unless specifically detailed in this proposal, no installation by USDD or it's subcontractors is assumed or provided.

02 - Because these are mission-critical systems, USDD can only warrant and support systems installed by G2 Trained and Certified Contractors.

03 - USDD can source, qualify, train and certify Local Licensed Regional Subcontrators where needed.

04 - Installation warranted by installation contractor - G2 FSAS warranted, serviced and supported by USDD.

05 - Unless specifically detailed in this proposal, installation to be performed during normal working hours.

06 - Unless specifically detailed in this proposal, no permit fees or material charges have been included.

07 - Unless specifically detailed in this proposal, no removal or remediation has been assumed or included.

08 - Unless specifically detailed in this proposal, no bonds of any type (performance, bid) have been assumed included or budgeted for in this proposal.

09 - USDD FSAS Equipment to be made available by owner to Installation Contractor prior to on-site arrival.

10 - Structural backing for system devices and other millwork (not specifically detailed) by others.

11 - If applicable, Gas Control Shutoff Valve Addendum (to USDD and installation contractor) must be signed prior to installation.

12 - All electrical power, including (but not limited to) raceway, conduit, backboxes, service panels, high-voltage wiring and fixtures by others.

13 - All communications pathway infrastructure (network, radio, etc.) by others unless specifically detailed in this proposal.

14 - USDD cannot warrant nor support any owner-furbished (3rd-Party) system or component we are required to integrate with. USDD cannot warrant nor support any system or component it has not proofed engineering for and has not specifically authorized for use within public safety environments.

Expires:

# US DIGITAL DESIGNS



1/7/2021

4/7/2021

 1835 E. Sixth St. Suite #27

 Tempe, Arizona 85281

 877-551-8733 tel
 480-290-7892 fax

<u>Quote SUBMITTED TO:</u> The City of Reno, Nevada Public Safety Dispatch

### REF PROPOSAL NV\_RENO007 v1 STATION-LEVEL

# **STATION 09**

| STATI | ON SY | STEM | LICE | INSES   |            |    |              |     |          |                |  |
|-------|-------|------|------|---|------------|----|--------------|-----|----------|----------------|--|
| Item  | Unit  | Mfr  | Qty  | Description   | Part No.   | ι  | JS List Unit | QUC | DTE UNIT | QUOTE EXT      |  |
| SL1   | Ea    | USDD | 1    | G2 VOICEALERT - Single Station License.   | VA         | \$ | 1,030.00     | \$  | 927.00   | \$ 927.00      |  |
| SL2   | Ea/Yr | USDD | 24   | G2 MOBILE FSAS APP - Single Device License. Up<br>to 24 Licenses-Per-ATX are offered at \$0.00 cost each<br>as long as system is currently under warranty or elected<br>recurring annual support coverage. See 'Mobile' Section<br>for more detail. | G2-APP-DLI | \$ | 108.00       | \$  | 97.20    | N/A - Included |  |

| STATI | ON SY | STEM | CON | ITROLLER  |          |                 |    |           |              |  |
|-------|-------|------|-----|---|----------|-----------------|----|-----------|--------------|--|
| Item  | Unit  | Mfr  | Qty | Description   | Part No. | US List Unit    | G  | UOTE UNIT | QUOTE EXT    |  |
| SC1   | Kit   | USDD |     | <b>G2 ATX STATION CONTROLLER -</b><br>Power/Signal/Control up to 8 peripheral Remote<br>Options. 4 Unique Amps/Zones available. | ΑΤΧ      | \$<br>21,750.00 | \$ | 19,575.00 | \$ 19,575.00 |  |
| SC2   | Kit   | USDD | 0   | <b>G2 EXPANSION KIT</b> - Allows ability to<br>Power/Signal/Control up to 12 more peripheral<br>Remote options per EXP.         | EXP      | \$<br>7,325.00  | \$ | 6,592.50  | \$-          |  |
| SC3   | Kit   | USDD | 0   | Rack Mount Ears for ATX or EXP  | ATX-E    | \$<br>54.00     | \$ | 48.60     | \$-          |  |
| SC4   | Kit   | USDD | 0   | Base Plate for ATX or EXP   | ATX-P    | \$<br>54.00     | \$ | 48.60     | \$-          |  |
| SC5   | Ea    | TBD  | 1   | ATX UPS, Standard   | UPS-STD  | \$<br>923.00    | \$ | 830.70    | \$ 830.70    |  |
| SC6   | Ea    | TBD  | 1   | Shelf/Bracket, Wall-Mount for UPS   | UPS-WMB  | \$<br>57.00     | \$ | 51.30     | \$ 51.30     |  |

| STATI | ON SY | STEM | I PER | IPHERAL COMPONENTS   |          |    |              |    |           |                |  |
|-------|-------|------|-------|--|----------|----|--------------|----|-----------|----------------|--|
| Item  | Unit  | Mfr  | Qty   | Description  | Part No. |    | US List Unit | Q  | UOTE UNIT | QUOTE EXT      |  |
| SP1a  | Ea    | TBD  | 0     | Audio Amplifier, External, Standard  | AMP      | \$ | 987.00       | \$ | 888.30    | \$<br>-        |  |
| SP1b  | Ea    | TBD  | 0     | Shelf, Under Table or Wall Mount, for 1U 1/2 Rack  | AMP-S    | \$ | 66.00        | \$ | 59.40     | \$<br>-        |  |
| SP2   | Ea    | USDD | 0     | G2 COLOR INDICATOR REMOTE Module - Up to 8 unique colors   | CIR      | \$ | 725.00       | \$ | 652.50    | \$<br>-        |  |
| SP3a  | Ea    | USDD | 0     | <b>G2 HDTV REMOTE</b> Module (TV & Electrical Outlet<br>by Others; C.E.C. control subject to TV ability)                   | TVR      | \$ | 975.00       | \$ | 877.50    | \$<br>-        |  |
| SP3b  | Ea    | TBD  | 0     | Flat Panel Monitor / Smart HDTV 40-43" (Electrical<br>Outlet/Provision By Others; C.E.C. control subject<br>to TV ability) | FP-43    | \$ | 1,377.57     | \$ | 1,239.81  | \$<br>-        |  |
| SP3c  | Ea    | TBD  | 0     | Flat Panel / TV Mount- Universal 23"-46" Tilt  | FPM-U    | \$ | 107.86       | \$ | 97.07     | \$<br>-        |  |
| SP4   | Ea    | USDD | 0     | G2 I/O REMOTE Module w/ 8 In & 8 Out   | IOR      | \$ | 1,275.00     | \$ | 1,147.50  | \$<br>-        |  |
| SP5   | Ea    | USDD | 1     | Push Button, Standard (Black)  | PB-B     | \$ | 110.00       | \$ | 99.00     | \$<br>99.00    |  |
| SP6   | Ea    | USDD | 1     | Push Button, Emergency (Red)   | PB-R     | \$ | 110.00       | \$ | 99.00     | \$<br>99.00    |  |
| SP7   | Ea    | USDD | 2     | G2 MESSAGE REMOTE 2 Module (2017 Version 2)  | MR2      | \$ | 1,275.00     | \$ | 1,147.50  | \$<br>2,295.00 |  |
| SP9a  | Ea    | USDD | 0     | G2 MESSAGE SIGN (Digital LED) MINI<br>GammaSign / 12 <u>"</u> Active Screen Width / Turn Out<br>Timing ONLY                | MS-G-M   | \$ | 915.00       | \$ | 823.50    | \$<br>-        |  |
| SP9b  | Ea    | USDD | 1     | G2 MESSAGE SIGN (Digital LED) STANDARD<br>GammaSign / 24" Active Screen Width  | MS-G-S   | \$ | 1,050.00     | \$ | 945.00    | \$<br>945.00   |  |

| SP9c  | Ea | USDD | 0  | G2 MESSAGE SIGN (Digital LED) EXTENDED<br>GammaSign / <u>36"</u> Active Screen Width   | MS-G-E       | \$<br>1,575.00 | \$<br>1,417.50 | \$-         |  |
|-------|----|------|----|--|--------------|----------------|----------------|-------------|--|
| SP9d  | Ea | USDD | 1  | MS-G Adapter Plate, SINGLE. VESA 100, joins (1) MS-<br>G-S (or-E) to any standard mount with VESA 100 hole patterns<br>(mount not included)  | MS-AP-S      | \$<br>38.00    | \$<br>34.20    | \$ 34.20    |  |
| SP9e  | Ea | USDD | 0  | MS-G Adapter Plate, DOUBLE, VESA 100, joins (2) MS-<br>G-S(or-E) to any standard mount with VESA 100 hole patterns<br>(mount not included)   | MS-AP-D      | \$<br>49.00    | \$<br>44.10    | \$-         |  |
| SP9f  | Ea | USDD | 0  | MS-G Hanger Kit. Hangs single or double (back-to-back)<br>Message Signs (Gamma Version) from Ceiling. Includes both<br>suspended ceiling T-Bar Scissor Clips and Hard-Pan Flange<br>Mounts.  | MS-HK        | \$<br>73.00    | \$<br>65.70    | \$-         |  |
| SP11  | Ea | TBD  | 1  | MS Mount - Articulating, Long reach  | MS-MNT-ART-L | \$<br>287.00   | \$<br>258.30   | \$ 258.30   |  |
| SP12a | Ea | USDD | 5  | G2 ROOM REMOTE 2 Module / 2017 version 2   | RR2          | \$<br>2,025.00 | \$<br>1,822.50 | \$ 9,112.50 |  |
| SP12c | Ea | USDD | 0  | RR2 Adpater Plate, for Retrofit in RR1 Wall Cavity   | RR2-AP       | \$<br>46.00    | \$<br>41.40    | \$-         |  |
| SP12d | Ea | USDD | 0  | RR2 Surface Mount Box, for SURFACE MOUNT<br>(hard wall) installation. Three (3) 3/4" conduit<br>knock-outs.  | RR2-SMB      | \$<br>175.00   | \$<br>157.50   | \$-         |  |
| SP15  | Ea | USDD | 10 | G2 SPEAKER - LED Illuminated - FLUSH Mount,<br>70v   | SPK-LED-FM   | \$<br>325.00   | \$<br>292.50   | \$ 2,925.00 |  |
| SP16  | Ea | USDD | 0  | G2 SPEAKER - LED Illuminated - SURFACE<br>Mount (Metal Box), 70v   | SPK-LED-SM   | \$<br>325.00   | \$<br>292.50   | \$-         |  |
| SP17a | Ea | USDD | 2  | G2 SPEAKER - OmniAlertStrobe -<br>Omnidirectional Alerting Speaker, optimized for<br>high Vocal Intelligibility in large open indoor areas<br>and with High-Intensity LED Strobe Light Arrays<br>includes Cable Hanging Kit (typically requires MR2<br>for power/signal/control) | SPK-OAS      | \$<br>815.00   | \$<br>733.50   | \$ 1,467.00 |  |
| SP17b | Ea | USDD | 0  | SPK-OAS/OmniStrobe Mounting Bracket / BEAM<br>FLANGE CLIP- for mounting directly onto an<br>exposed (1/8-14") I-Beam   | SPK-OAS-BFC  | \$<br>13.00    | \$<br>11.70    | \$-         |  |
| SP17c | Ea | USDD | 0  | SPK-OAS/OmniStrobe Mounting Bracket /DROP<br>CEILING BRACKET- for mounting directly to T-Bar<br>in Suspended Ceiling   | SPK-OAS-DCB  | \$<br>48.00    | \$<br>43.20    | \$-         |  |
| SP17d | Ea | USDD | 0  | SPK-OAS/OmniStrobe Mounting Bracket /<br>SURFACE MOUNT - for mounting directly to hard<br>ceiling  | SPK-OAS-SMB  | \$<br>42.00    | \$<br>37.80    | \$-         |  |
| SP18a | Ea | USDD | 5  | SPEAKER - STANDARD, FLUSH Mount, 70v   | SPK-STD-FM   | \$<br>85.00    | \$<br>76.50    | \$ 382.50   |  |
| SP18b | Ea | USDD | 0  | SPEAKER - STANDARD, SURFACE Mount (Metal<br>Box), 70v  | SPK-STD-SM   | \$<br>85.00    | \$<br>76.50    | \$-         |  |
| SP19  | Ea | USDD | 1  | SPEAKER - APP BAY/OUTDOOR - Weatherized,<br>Surface Mount, 70v   | SPK-W-SM     | \$<br>310.00   | \$<br>279.00   | \$ 279.00   |  |
| SP21  | Ea | USDD | 1  | G2 Strobe Light / Red LED  | STR          | \$<br>550.00   | \$<br>495.00   | \$ 495.00   |  |
| SP20  | Ea | USDD | 0  | Transformer, 8ohm to 70V, External   | XFMR         | \$<br>53.00    | \$<br>47.70    | \$-         |  |
| SP22  | Ea | USDD | 0  | VIDEO DOOR STATION - Doorbell & Camera that<br>ties into G2 FSAS (HDTV Remote) - Includes<br>Power Injector  | VDS          | \$<br>1,700.00 | \$<br>1,530.00 | \$-         |  |

| STATI | ON SY | STEM | SER | VICES   |          |                       |          |    |          |          |       |  |
|-------|-------|------|-----|---|----------|-----------------------|----------|----|----------|----------|-------|--|
| Item  | Unit  | Mfr  | Qty | Description   | Part No. | US List Unit QUOTE UN |          |    |          | QUOTE EX |       |  |
| SS1   | Ea    | USDD | 0   | Station Installation (N/A - Installation is Not<br>Assumed or Included by USDD. Customer to<br>contract directly with a Certified G2 Installer.)                  | ST-INST  | \$                    | -        | \$ | -        | \$       | -     |  |
| SS2   | Ea    | USDD | 0   | Station Remediation (Removal and Disposal of<br>Legacy Equipment Not currently Assumed or<br>Included, nor is any related Remediation to Paint,<br>Drywall, etc.) | ST-INST  | \$                    | -        | \$ | -        | \$       | -     |  |
| SS3   | Ea    | USDD | 1   | Station Configuration & Start-Up  | ST-SU    | \$                    | 2,231.85 | \$ | 2,008.66 | \$ 2,0   | 08.66 |  |
| SS4   | Ea    | USDD | 1   | Station Project Management  | ST-PM    | \$                    | 1,118.13 | \$ | 1,006.32 | \$ 1,0   | 06.32 |  |
| SS5   | Ea    | USDD | 1   | Station Engineering / Design Services   | ST-ES    | \$                    | 393.78   | \$ | 354.40   | \$ 3     | 54.40 |  |
| SS6   | Ea    | USDD | 1   | Station Documentation   | ST-DM    | \$                    | 57.45    | \$ | 51.71    | \$       | 51.71 |  |

| SS7a | Ea | USDD | 0 | Station Training - Configuration and Equipment.<br>On-Site @ Station. 4 Hours, 1 Visit. (for Technical<br>Services Staff)  | TRA-UT-O  | \$<br>4,025.00 | \$<br>3,622.50 | \$- |  |
|------|----|------|---|--|-----------|----------------|----------------|-----|--|
| SS7b | Ea | USDD |   | Station Training - User/Technician / Remote<br>Refresh (2 Hours)   | TRA-UT-R  | \$<br>600.00   | \$<br>540.00   | \$- |  |
| SS8a | Ea | USDD |   | Training - Installation Contractor - On-Site /<br>USDD G2 Certification / 8 Hours (TBD - only<br>needed if requied to use non-certified contractor)                        | TRA-IC-O  | \$<br>5,325.00 | \$<br>4,792.50 | \$- |  |
| SS8b | Ea | USDD |   | Training - Installation Contractor - At Arizona<br>Training Center / USDD G2 Certification / 8 Hours<br>(TBD - only needed if required to use non-certified<br>contractor) | TRA-IC-AZ | \$<br>2,725.00 | \$<br>2,452.50 | \$- |  |
| SS9  | Ea | USDD | 0 | Miscellaneous/TBD  | MISC      | \$<br>-        | \$<br>-        | \$- |  |

| STATI | STATION SYSTEM WARRANTY & OPTIONAL RECURRING ANNUAL SUPPORT |      |     |   |            |              |             |   |  |  |  |  |
|-------|---|------|-----|---|------------|--------------|-------------|---|--|--|--|--|
| Item  | Unit  | Mfr  | Qty | Description   | Part No.   | US List Unit | QUOTE UNIT  | QUOTE EXT   |  |  |  |  |
| SW1   | YR  | USDD | 1.5 | [STANDARD] 1st YEAR WARRANTY &<br>SUPPORT FOR THIS STATION SYSTEM (or<br>component): Telephone / Remote Access Support<br>(8:00 AM - 5:00 PM MST) PLEASE NOTE: An<br>additional 6 months (for total of 18 months/1.5<br>years) of initial warranty has been offered by USDD<br>for no additional cost so all stations can be installed<br>and enjoy same warranty/support start/stop dates) | RS-1YR-STD | \$ 3,977.55  | \$ 3,579.80 | 5369.6925 but No<br>Charge For Initial<br>Warranty Period /<br>Not Included in<br>Subtotals |  |  |  |  |
| SW2   | YR  | USDD | •.• | [STANDARD] EACH ADDITIONAL YEAR (12-<br>Months) WARRANTY & SUPPORT FOR THIS<br>STATION SYSTEM (or Component): Telephone /<br>Remote Access Support (8:00 AM - 5:00 PM MST)  | RS-AYR-STD | \$ 3,977.55  | \$ 3,579.80 | \$ 12,529.28  |  |  |  |  |

| STATION 09 | System:                       | \$<br>43,196.59 |
|------------|-------------------------------|-----------------|
|            | Shipping:                     | \$<br>887.00    |
|            | Warranty & Support:           | \$<br>12,529.28 |
|            | Miscellaneous (if applicable) | \$<br>-         |
|            | STATION SUBTOTAL:             | \$<br>56,612.87 |

Customer must elect to choose any coverage they require beyond initial warranty period, or USDD will not be authorized to provide any service or support. Mobile Smart Phone Alerting App and Mapping Services only available to customer while under warranty or elected recurring annual support. Support Agreements subject to change if system design is modified. For additional details, please review current USDD Warranty Statement and Service Agreement. USDD cannot warrant nor support any system configuration that deviates from this specific proposal's documented station system design file number. USDD cannot warrant nor support any system not using USDD-approved UPS Battery Backup. USDD cannot warrant nor support any system not installed by G2 Trained & Certified Installation technician (installer). If customer intends to tie this system into any 3rd-party system or devices, USDD will be unable to warrant or support the sytem until we've had a chance to review documented engineering assumptions and approve system integrity, performance and reliability expectations.

For FSAaaS Program: The cost of service and support beyond initial warranty period is included in the FSASaaS Program for a total of 5 years. The service and support includes Mobile Smart Phone Alerting App and Mapping Services. Please see the FSASaaS Subscription Agreement for more information concerning the service and support provided by USDD. USDD cannot warrant nor support any system not using USDD-approved UPS Battery Backup. USDD cannot warrant nor support any system not installed by G2 Trained & Certified Installation technician (installer). If customer intends to tie this system into any 3rd-party system or devices, USDD will be unable to warrant or support the sytem until we've had a chance to review documented engineering assumptions and approve system integrity, performance and reliability expectations.

#### Station System Installation Notes:

01 - Unless specifically detailed in this proposal, no installation by USDD or it's subcontractors is assumed or provided.

02 - Because these are mission-critical systems, USDD can only warrant and support systems installed by G2 Trained and Certified Contractors.

03 - USDD can source, qualify, train and certify Local Licensed Regional Subcontrators where needed.

04 - Installation warranted by installation contractor - G2 FSAS warranted, serviced and supported by USDD.

05 - Unless specifically detailed in this proposal, installation to be performed during normal working hours.

06 - Unless specifically detailed in this proposal, no permit fees or material charges have been included.

07 - Unless specifically detailed in this proposal, no removal or remediation has been assumed or included.

08 - Unless specifically detailed in this proposal, no bonds of any type (performance, bid) have been assumed included or budgeted for in this proposal.

09 - USDD FSAS Equipment to be made available by owner to Installation Contractor prior to on-site arrival.

10 - Structural backing for system devices and other millwork (not specifically detailed) by others.

11 - If applicable, Gas Control Shutoff Valve Addendum (to USDD and installation contractor) must be signed prior to installation.

12 - All electrical power, including (but not limited to) raceway, conduit, backboxes, service panels, high-voltage wiring and fixtures by others.

13 - All communications pathway infrastructure (network, radio, etc.) by others unless specifically detailed in this proposal.

14 - USDD cannot warrant nor support any owner-furbished (3rd-Party) system or component we are required to integrate with. USDD cannot warrant nor support any system or component it has not proofed engineering for and has not specifically authorized for use within public safety environments.

Expires:

# US DIGITAL DESIGNS

**STATION-LEVEL** 



1/7/2021

4/7/2021

 1835 E. Sixth St. Suite #27

 Tempe, Arizona 85281

 877-551-8733 tel
 480-290-7892 fax

### <u>Quote SUBMITTED TO:</u> The City of Reno, Nevada Public Safety Dispatch

## 

### NV\_RENO007 v1

# **STATION 10**

| STATI | STATION SYSTEM LICENSES |      |     |   |            |    |              |     |         |                |  |
|-------|-------------------------|------|-----|---|------------|----|--------------|-----|---------|----------------|--|
| Item  | Unit                    | Mfr  | Qty | Description   | Part No.   | ι  | JS List Unit | QUO | TE UNIT | QUOTE EXT      |  |
| SL1   | Ea                      | USDD | 1   | G2 VOICEALERT - Single Station License.   | VA         | \$ | 1,030.00     | \$  | 927.00  | \$ 927.00      |  |
| SL2   | Ea/Yr                   | USDD | 24  | G2 MOBILE FSAS APP - Single Device License. Up<br>to 24 Licenses-Per-ATX are offered at \$0.00 cost each<br>as long as system is currently under warranty or elected<br>recurring annual support coverage. See 'Mobile' Section<br>for more detail. | G2-APP-DLI | \$ | 108.00       | \$  | 97.20   | N/A - Included |  |

| STATI | ON SY | STEM | CON | ITROLLER  |          |                 |    |           |              |  |
|-------|-------|------|-----|---|----------|-----------------|----|-----------|--------------|--|
| Item  | Unit  | Mfr  | Qty | Description   | Part No. | US List Unit    | G  | UOTE UNIT | QUOTE EXT    |  |
| SC1   | Kit   | USDD |     | <b>G2 ATX STATION CONTROLLER -</b><br>Power/Signal/Control up to 8 peripheral Remote<br>Options. 4 Unique Amps/Zones available. | ΑΤΧ      | \$<br>21,750.00 | \$ | 19,575.00 | \$ 19,575.00 |  |
| SC2   | Kit   | USDD | 0   | <b>G2 EXPANSION KIT</b> - Allows ability to<br>Power/Signal/Control up to 12 more peripheral<br>Remote options per EXP.         | EXP      | \$<br>7,325.00  | \$ | 6,592.50  | \$-          |  |
| SC3   | Kit   | USDD | 0   | Rack Mount Ears for ATX or EXP  | ATX-E    | \$<br>54.00     | \$ | 48.60     | \$-          |  |
| SC4   | Kit   | USDD | 0   | Base Plate for ATX or EXP   | ATX-P    | \$<br>54.00     | \$ | 48.60     | \$-          |  |
| SC5   | Ea    | TBD  | 1   | ATX UPS, Standard   | UPS-STD  | \$<br>923.00    | \$ | 830.70    | \$ 830.70    |  |
| SC6   | Ea    | TBD  | 1   | Shelf/Bracket, Wall-Mount for UPS   | UPS-WMB  | \$<br>57.00     | \$ | 51.30     | \$ 51.30     |  |

| STATI | TATION SYSTEM PERIPHERAL COMPONENTS |      |     |  |          |    |              |    |           |    |           |  |  |
|-------|-------------------------------------|------|-----|--|----------|----|--------------|----|-----------|----|-----------|--|--|
| Item  | Unit                                | Mfr  | Qty | Description  | Part No. |    | US List Unit | Q  | UOTE UNIT |    | QUOTE EXT |  |  |
| SP1a  | Ea                                  | TBD  | 0   | Audio Amplifier, External, Standard  | AMP      | \$ | 987.00       | \$ | 888.30    | \$ | -         |  |  |
| SP1b  | Ea                                  | TBD  | 0   | Shelf, Under Table or Wall Mount, for 1U 1/2 Rack  | AMP-S    | \$ | 66.00        | \$ | 59.40     | \$ | -         |  |  |
| SP2   | Ea                                  | USDD | 0   | G2 COLOR INDICATOR REMOTE Module - Up to 8 unique colors   | CIR      | \$ | 725.00       | \$ | 652.50    | \$ | -         |  |  |
| SP3a  | Ea                                  | USDD | 0   | <b>G2 HDTV REMOTE</b> Module (TV & Electrical Outlet<br>by Others; C.E.C. control subject to TV ability)                   | TVR      | \$ | 975.00       | \$ | 877.50    | \$ | -         |  |  |
| SP3b  | Ea                                  | TBD  | 0   | Flat Panel Monitor / Smart HDTV 40-43" (Electrical<br>Outlet/Provision By Others; C.E.C. control subject<br>to TV ability) | FP-43    | \$ | 1,377.57     | \$ | 1,239.81  | \$ | -         |  |  |
| SP3c  | Ea                                  | TBD  | 0   | Flat Panel / TV Mount- Universal 23"-46" Tilt  | FPM-U    | \$ | 107.86       | \$ | 97.07     | \$ | -         |  |  |
| SP4   | Ea                                  | USDD | 0   | G2 I/O REMOTE Module w/ 8 In & 8 Out   | IOR      | \$ | 1,275.00     | \$ | 1,147.50  | \$ | -         |  |  |
| SP5   | Ea                                  | USDD | 1   | Push Button, Standard (Black)  | PB-B     | \$ | 110.00       | \$ | 99.00     | \$ | 99.00     |  |  |
| SP6   | Ea                                  | USDD | 1   | Push Button, Emergency (Red)   | PB-R     | \$ | 110.00       | \$ | 99.00     | \$ | 99.00     |  |  |
| SP7   | Ea                                  | USDD | 2   | G2 MESSAGE REMOTE 2 Module (2017 Version 2)  | MR2      | \$ | 1,275.00     | \$ | 1,147.50  | \$ | 2,295.00  |  |  |
| SP9a  | Ea                                  | USDD | 0   | G2 MESSAGE SIGN (Digital LED) MINI<br>GammaSign / 12 <u>"</u> Active Screen Width / Turn Out<br>Timing ONLY                | MS-G-M   | \$ | 915.00       | \$ | 823.50    | \$ | -         |  |  |
| SP9b  | Ea                                  | USDD | 1   | G2 MESSAGE SIGN (Digital LED) STANDARD<br>GammaSign / 24" Active Screen Width  | MS-G-S   | \$ | 1,050.00     | \$ | 945.00    | \$ | 945.00    |  |  |

| SP9c  | Ea | USDD | 0  | G2 MESSAGE SIGN (Digital LED) EXTENDED<br>GammaSign / <u>36"</u> Active Screen Width   | MS-G-E       | \$<br>1,575.00 | \$<br>1,417.50 | \$-          |  |
|-------|----|------|----|--|--------------|----------------|----------------|--------------|--|
| SP9d  | Ea | USDD | 1  | MS-G Adapter Plate, SINGLE. VESA 100, joins (1) MS-<br>G-S (or-E) to any standard mount with VESA 100 hole patterns<br>(mount not included)  | MS-AP-S      | \$<br>38.00    | \$<br>34.20    | \$ 34.20     |  |
| SP9e  | Ea | USDD | 0  | MS-G Adapter Plate, DOUBLE, VESA 100, joins (2) MS-<br><u>G-S(or-E)</u> to any standard mount with VESA 100 hole patterns<br>(mount not included)  | MS-AP-D      | \$<br>49.00    | \$<br>44.10    | \$-          |  |
| SP9f  | Ea | USDD | 0  | MS-G Hanger Kit. Hangs single or double (back-to-back)<br>Message Signs (Gamma Version) from Ceiling. Includes both<br>suspended ceiling T-Bar Scissor Clips and Hard-Pan Flange<br>Mounts.  | MS-HK        | \$<br>73.00    | \$<br>65.70    | \$-          |  |
| SP11  | Ea | TBD  | 1  | MS Mount - Articulating, Long reach  | MS-MNT-ART-L | \$<br>287.00   | \$<br>258.30   | \$ 258.30    |  |
| SP12a | Ea | USDD | 8  | G2 ROOM REMOTE 2 Module / 2017 version 2   | RR2          | \$<br>2,025.00 | \$<br>1,822.50 | \$ 14,580.00 |  |
| SP12c | Ea | USDD | 0  | RR2 Adpater Plate, for Retrofit in RR1 Wall Cavity   | RR2-AP       | \$<br>46.00    | \$<br>41.40    | \$-          |  |
| SP12d | Ea | USDD | 0  | RR2 Surface Mount Box, for SURFACE MOUNT (hard wall) installation. Three (3) 3/4" conduit knock-outs.  | RR2-SMB      | \$<br>175.00   | \$<br>157.50   | \$-          |  |
| SP15  | Ea | USDD | 14 | G2 SPEAKER - LED Illuminated - FLUSH Mount,<br>70v   | SPK-LED-FM   | \$<br>325.00   | \$<br>292.50   | \$ 4,095.00  |  |
| SP16  | Ea | USDD | 0  | G2 SPEAKER - LED Illuminated - SURFACE<br>Mount (Metal Box), 70v   | SPK-LED-SM   | \$<br>325.00   | \$<br>292.50   | \$-          |  |
| SP17a | Ea | USDD | 2  | G2 SPEAKER - OmniAlertStrobe -<br>Omnidirectional Alerting Speaker, optimized for<br>high Vocal Intelligibility in large open indoor areas<br>and with High-Intensity LED Strobe Light Arrays<br>includes Cable Hanging Kit (typically requires MR2<br>for power/signal/control) | SPK-OAS      | \$<br>815.00   | \$<br>733.50   | \$ 1,467.00  |  |
| SP17b | Ea | USDD | 0  | SPK-OAS/OmniStrobe Mounting Bracket / BEAM<br>FLANGE CLIP- for mounting directly onto an<br>exposed (1/8-14") I-Beam   | SPK-OAS-BFC  | \$<br>13.00    | \$<br>11.70    | \$ -         |  |
| SP17c | Ea | USDD | 0  | SPK-OAS/OmniStrobe Mounting Bracket /DROP<br>CEILING BRACKET- for mounting directly to T-Bar<br>in Suspended Ceiling   | SPK-OAS-DCB  | \$<br>48.00    | \$<br>43.20    | \$ -         |  |
| SP17d | Ea | USDD | 0  | SPK-OAS/OmniStrobe Mounting Bracket /<br>SURFACE MOUNT - for mounting directly to hard<br>ceiling  | SPK-OAS-SMB  | \$<br>42.00    | \$<br>37.80    | \$ -         |  |
| SP18a | Ea | USDD | 5  | SPEAKER - STANDARD, FLUSH Mount, 70v   | SPK-STD-FM   | \$<br>85.00    | \$<br>76.50    | \$ 382.50    |  |
| SP18b | Ea | USDD | 0  | SPEAKER - STANDARD, SURFACE Mount (Metal<br>Box), 70v  | SPK-STD-SM   | \$<br>85.00    | \$<br>76.50    | \$-          |  |
| SP19  | Ea | USDD | 1  | SPEAKER - APP BAY/OUTDOOR - Weatherized,<br>Surface Mount, 70v   | SPK-W-SM     | \$<br>310.00   | \$<br>279.00   | \$ 279.00    |  |
| SP21  | Ea | USDD | 0  | G2 Strobe Light / Red LED  | STR          | \$<br>550.00   | \$<br>495.00   | \$-          |  |
| SP20  | Ea | USDD | 0  | Transformer, 8ohm to 70V, External   | XFMR         | \$<br>53.00    | \$<br>47.70    | \$-          |  |
| SP22  | Ea | USDD | 0  | VIDEO DOOR STATION - Doorbell & Camera that<br>ties into G2 FSAS (HDTV Remote) - Includes<br>Power Injector  | VDS          | \$<br>1,700.00 | \$<br>1,530.00 | \$-          |  |

| STATI | ON SY | STEM | SER | VICES   |          |    |           |    |           |             |  |
|-------|-------|------|-----|---|----------|----|-----------|----|-----------|-------------|--|
| Item  | Unit  | Mfr  | Qty | Description   | Part No. | US | List Unit | Q  | JOTE UNIT | QUOTE EXT   |  |
| SS1   | Ea    | USDD | 0   | Station Installation (N/A - Installation is Not<br>Assumed or Included by USDD. Customer to<br>contract directly with a Certified G2 Installer.)                  | ST-INST  | \$ | -         | \$ | -         | \$-         |  |
| SS2   | Ea    | USDD | 0   | Station Remediation (Removal and Disposal of<br>Legacy Equipment Not currently Assumed or<br>Included, nor is any related Remediation to Paint,<br>Drywall, etc.) | ST-INST  | \$ | -         | \$ | -         | \$-         |  |
| SS3   | Ea    | USDD | 1   | Station Configuration & Start-Up  | ST-SU    | \$ | 2,234.68  | \$ | 2,011.21  | \$ 2,011.21 |  |
| SS4   | Ea    | USDD | 1   | Station Project Management  | ST-PM    | \$ | 1,122.44  | \$ | 1,010.20  | \$ 1,010.20 |  |
| SS5   | Ea    | USDD | 1   | Station Engineering / Design Services   | ST-ES    | \$ | 395.41    | \$ | 355.86    | \$ 355.86   |  |
| SS6   | Ea    | USDD | 1   | Station Documentation   | ST-DM    | \$ | 57.14     | \$ | 51.43     | \$ 51.43    |  |

| SS7a | Ea | USDD | 0 | Station Training - Configuration and Equipment.<br>On-Site @ Station. 4 Hours, 1 Visit. (for Technical<br>Services Staff)  | TRA-UT-O  | \$<br>4,025.00 | \$<br>3,622.50 | \$- |  |
|------|----|------|---|--|-----------|----------------|----------------|-----|--|
| SS7b | Ea | USDD |   | Station Training - User/Technician / Remote<br>Refresh (2 Hours)   | TRA-UT-R  | \$<br>600.00   | \$<br>540.00   | \$- |  |
| SS8a | Ea | USDD |   | Training - Installation Contractor - On-Site /<br>USDD G2 Certification / 8 Hours (TBD - only<br>needed if requied to use non-certified contractor)                        | TRA-IC-O  | \$<br>5,325.00 | \$<br>4,792.50 | \$- |  |
| SS8b | Ea | USDD |   | Training - Installation Contractor - At Arizona<br>Training Center / USDD G2 Certification / 8 Hours<br>(TBD - only needed if required to use non-certified<br>contractor) | TRA-IC-AZ | \$<br>2,725.00 | \$<br>2,452.50 | \$- |  |
| SS9  | Ea | USDD | 0 | Miscellaneous/TBD  | MISC      | \$<br>-        | \$<br>-        | \$- |  |

| STATI | STATION SYSTEM WARRANTY & OPTIONAL RECURRING ANNUAL SUPPORT |      |     |   |            |              |             |   |  |  |  |  |
|-------|---|------|-----|---|------------|--------------|-------------|---|--|--|--|--|
| Item  | Unit  | Mfr  | Qty | Description   | Part No.   | US List Unit | QUOTE UNIT  | QUOTE EXT   |  |  |  |  |
| SW1   | YR  | USDD | 1.5 | [STANDARD] 1st YEAR WARRANTY &<br>SUPPORT FOR THIS STATION SYSTEM (or<br>component): Telephone / Remote Access Support<br>(8:00 AM - 5:00 PM MST) PLEASE NOTE: An<br>additional 6 months (for total of 18 months/1.5<br>years) of initial warranty has been offered by USDD<br>for no additional cost so all stations can be installed<br>and enjoy same warranty/support start/stop dates) | RS-1YR-STD | \$ 4,591.80  | \$ 4,132.62 | 6198.93 but No<br>Charge For Initial<br>Warranty Period /<br>Not Included in<br>Subtotals |  |  |  |  |
| SW2   | YR  | USDD | •.• | [STANDARD] EACH ADDITIONAL YEAR (12-<br>Months) WARRANTY & SUPPORT FOR THIS<br>STATION SYSTEM (or Component): Telephone /<br>Remote Access Support (8:00 AM - 5:00 PM MST)  | RS-AYR-STD | \$ 4,591.80  | \$ 4,132.62 | \$ 14,464.17  |  |  |  |  |

| STATION 10 | System:                       | \$<br>49,346.70 |
|------------|-------------------------------|-----------------|
|            | Shipping:                     | \$<br>999.00    |
|            | Warranty & Support:           | \$<br>14,464.17 |
|            | Miscellaneous (if applicable) | \$<br>-         |
|            | STATION SUBTOTAL:             | \$<br>64,809.87 |

Customer must elect to choose any coverage they require beyond initial warranty period, or USDD will not be authorized to provide any service or support. Mobile Smart Phone Alerting App and Mapping Services only available to customer while under warranty or elected recurring annual support. Support Agreements subject to change if system design is modified. For additional details, please review current USDD Warranty Statement and Service Agreement. USDD cannot warrant nor support any system configuration that deviates from this specific proposal's documented station system design file number. USDD cannot warrant nor support any system not using USDD-approved UPS Battery Backup. USDD cannot warrant nor support any system not installed by G2 Trained & Certified Installation technician (installer). If customer intends to tie this system into any 3rd-party system or devices, USDD will be unable to warrant or support the sytem until we've had a chance to review documented engineering assumptions and approve system integrity, performance and reliability expectations.

For FSAaaS Program: The cost of service and support beyond initial warranty period is included in the FSASaaS Program for a total of 5 years. The service and support includes Mobile Smart Phone Alerting App and Mapping Services. Please see the FSASaaS Subscription Agreement for more information concerning the service and support provided by USDD. USDD cannot warrant nor support any system not using USDD-approved UPS Battery Backup. USDD cannot warrant nor support any system not installed by G2 Trained & Certified Installation technician (installer). If customer intends to tie this system into any 3rd-party system or devices, USDD will be unable to warrant or support the sytem until we've had a chance to review documented engineering assumptions and approve system integrity, performance and reliability expectations.

#### Station System Installation Notes:

01 - Unless specifically detailed in this proposal, no installation by USDD or it's subcontractors is assumed or provided.

02 - Because these are mission-critical systems, USDD can only warrant and support systems installed by G2 Trained and Certified Contractors.

03 - USDD can source, qualify, train and certify Local Licensed Regional Subcontrators where needed.

04 - Installation warranted by installation contractor - G2 FSAS warranted, serviced and supported by USDD.

05 - Unless specifically detailed in this proposal, installation to be performed during normal working hours.

06 - Unless specifically detailed in this proposal, no permit fees or material charges have been included.

07 - Unless specifically detailed in this proposal, no removal or remediation has been assumed or included.

08 - Unless specifically detailed in this proposal, no bonds of any type (performance, bid) have been assumed included or budgeted for in this proposal.

09 - USDD FSAS Equipment to be made available by owner to Installation Contractor prior to on-site arrival.

10 - Structural backing for system devices and other millwork (not specifically detailed) by others.

11 - If applicable, Gas Control Shutoff Valve Addendum (to USDD and installation contractor) must be signed prior to installation.

12 - All electrical power, including (but not limited to) raceway, conduit, backboxes, service panels, high-voltage wiring and fixtures by others.

13 - All communications pathway infrastructure (network, radio, etc.) by others unless specifically detailed in this proposal.

14 - USDD cannot warrant nor support any owner-furbished (3rd-Party) system or component we are required to integrate with. USDD cannot warrant nor support any system or component it has not proofed engineering for and has not specifically authorized for use within public safety environments.

Expires:

# US DIGITAL DESIGNS

**STATION-LEVEL** 



1/7/2021

4/7/2021

 1835 E. Sixth St. Suite #27

 Tempe, Arizona 85281

 877-551-8733 tel
 480-290-7892 fax

### <u>Quote SUBMITTED TO:</u> The City of Reno, Nevada Public Safety Dispatch

## REF PROPOSAL

NV\_RENO007 v1

# **STATION 11**

| STATI | ON SY | STEM | LICE | INSES   |            |    |              |     |          |                |  |
|-------|-------|------|------|---|------------|----|--------------|-----|----------|----------------|--|
| Item  | Unit  | Mfr  | Qty  | Description   | Part No.   | ι  | JS List Unit | QUC | DTE UNIT | QUOTE EXT      |  |
| SL1   | Ea    | USDD | 1    | G2 VOICEALERT - Single Station License.   | VA         | \$ | 1,030.00     | \$  | 927.00   | \$ 927.00      |  |
| SL2   | Ea/Yr | USDD | 24   | G2 MOBILE FSAS APP - Single Device License. Up<br>to 24 Licenses-Per-ATX are offered at \$0.00 cost each<br>as long as system is currently under warranty or elected<br>recurring annual support coverage. See 'Mobile' Section<br>for more detail. | G2-APP-DLI | \$ | 108.00       | \$  | 97.20    | N/A - Included |  |

| STATI | ON SY | STEM | CON | ITROLLER  |          |                 |    |           |              |   |
|-------|-------|------|-----|---|----------|-----------------|----|-----------|--------------|---|
| Item  | Unit  | Mfr  | Qty | Description   | Part No. | US List Unit    | 0  | UOTE UNIT | QUOTE EXT    |   |
| SC1   | Kit   | USDD |     | <b>G2 ATX STATION CONTROLLER -</b><br>Power/Signal/Control up to 8 peripheral Remote<br>Options. 4 Unique Amps/Zones available. | ΑΤΧ      | \$<br>21,750.00 | \$ | 19,575.00 | \$ 19,575.00 |   |
| SC2   | Kit   | USDD | 1   | <b>G2 EXPANSION KIT</b> - Allows ability to<br>Power/Signal/Control up to 12 more peripheral<br>Remote options per EXP.         | EXP      | \$<br>7,325.00  | \$ | 6,592.50  | \$ 6,592.50  |   |
| SC3   | Kit   | USDD | 0   | Rack Mount Ears for ATX or EXP  | ATX-E    | \$<br>54.00     | \$ | 48.60     | \$-          |   |
| SC4   | Kit   | USDD | 0   | Base Plate for ATX or EXP   | ATX-P    | \$<br>54.00     | \$ | 48.60     | \$-          |   |
| SC5   | Ea    | TBD  | 2   | ATX UPS, Standard   | UPS-STD  | \$<br>923.00    | \$ | 830.70    | \$ 1,661.40  | ) |
| SC6   | Ea    | TBD  | 2   | Shelf/Bracket, Wall-Mount for UPS   | UPS-WMB  | \$<br>57.00     | \$ | 51.30     | \$ 102.60    |   |

| STATI | ON SY | STEM | I PER | IPHERAL COMPONENTS   |          |    |              |    |           |                |  |
|-------|-------|------|-------|--|----------|----|--------------|----|-----------|----------------|--|
| Item  | Unit  | Mfr  | Qty   | Description  | Part No. |    | US List Unit | Q  | UOTE UNIT | QUOTE EXT      |  |
| SP1a  | Ea    | TBD  | 0     | Audio Amplifier, External, Standard  | AMP      | \$ | 987.00       | \$ | 888.30    | \$<br>-        |  |
| SP1b  | Ea    | TBD  | 0     | Shelf, Under Table or Wall Mount, for 1U 1/2 Rack  | AMP-S    | \$ | 66.00        | \$ | 59.40     | \$<br>-        |  |
| SP2   | Ea    | USDD | 0     | G2 COLOR INDICATOR REMOTE Module - Up to 8 unique colors   | CIR      | \$ | 725.00       | \$ | 652.50    | \$<br>-        |  |
| SP3a  | Ea    | USDD | 0     | <b>G2 HDTV REMOTE</b> Module (TV & Electrical Outlet<br>by Others; C.E.C. control subject to TV ability)                   | TVR      | \$ | 975.00       | \$ | 877.50    | \$<br>-        |  |
| SP3b  | Ea    | TBD  | 0     | Flat Panel Monitor / Smart HDTV 40-43" (Electrical<br>Outlet/Provision By Others; C.E.C. control subject<br>to TV ability) | FP-43    | \$ | 1,377.57     | \$ | 1,239.81  | \$<br>-        |  |
| SP3c  | Ea    | TBD  | 0     | Flat Panel / TV Mount- Universal 23"-46" Tilt  | FPM-U    | \$ | 107.86       | \$ | 97.07     | \$<br>-        |  |
| SP4   | Ea    | USDD | 0     | G2 I/O REMOTE Module w/ 8 In & 8 Out   | IOR      | \$ | 1,275.00     | \$ | 1,147.50  | \$<br>-        |  |
| SP5   | Ea    | USDD | 1     | Push Button, Standard (Black)  | PB-B     | \$ | 110.00       | \$ | 99.00     | \$<br>99.00    |  |
| SP6   | Ea    | USDD | 1     | Push Button, Emergency (Red)   | PB-R     | \$ | 110.00       | \$ | 99.00     | \$<br>99.00    |  |
| SP7   | Ea    | USDD | 2     | G2 MESSAGE REMOTE 2 Module (2017 Version 2)  | MR2      | \$ | 1,275.00     | \$ | 1,147.50  | \$<br>2,295.00 |  |
| SP9a  | Ea    | USDD | 0     | G2 MESSAGE SIGN (Digital LED) MINI<br>GammaSign / 12 <u>"</u> Active Screen Width / Turn Out<br>Timing ONLY                | MS-G-M   | \$ | 915.00       | \$ | 823.50    | \$<br>-        |  |
| SP9b  | Ea    | USDD | 2     | G2 MESSAGE SIGN (Digital LED) STANDARD<br>GammaSign / 24" Active Screen Width  | MS-G-S   | \$ | 1,050.00     | \$ | 945.00    | \$<br>1,890.00 |  |

| SP9c  | Ea | USDD | 0  | G2 MESSAGE SIGN (Digital LED) EXTENDED<br>GammaSign / <u>36"</u> Active Screen Width   | MS-G-E       | \$<br>1,575.00 | \$<br>1,417.50 | \$<br>-         |  |
|-------|----|------|----|--|--------------|----------------|----------------|-----------------|--|
| SP9d  | Ea | USDD | 2  | MS-G Adapter Plate, SINGLE. VESA 100, joins (1) MS-<br>G-S (or-E) to any standard mount with VESA 100 hole patterns<br>(mount not included)  | MS-AP-S      | \$<br>38.00    | \$<br>34.20    | \$<br>68.40     |  |
| SP9e  | Ea | USDD | 0  | MS-G Adapter Plate, DOUBLE, VESA 100, joins (2) MS-<br>G-S(or-E) to any standard mount with VESA 100 hole patterns<br>(mount not included)   | MS-AP-D      | \$<br>49.00    | \$<br>44.10    | \$<br>-         |  |
| SP9f  | Ea | USDD | 0  | MS-G Hanger Kit. Hangs single or double (back-to-back)<br>Message Signs (Gamma Version) from Ceiling. Includes both<br>suspended ceiling T-Bar Scissor Clips and Hard-Pan Flange<br>Mounts.  | MS-HK        | \$<br>73.00    | \$<br>65.70    | \$<br>-         |  |
| SP11  | Ea | TBD  | 2  | MS Mount - Articulating, Long reach  | MS-MNT-ART-L | \$<br>287.00   | \$<br>258.30   | \$<br>516.60    |  |
| SP12a | Ea | USDD | 10 | G2 ROOM REMOTE 2 Module / 2017 version 2   | RR2          | \$<br>2,025.00 | \$<br>1,822.50 | \$<br>18,225.00 |  |
| SP12c | Ea | USDD | 0  | RR2 Adpater Plate, for Retrofit in RR1 Wall Cavity   | RR2-AP       | \$<br>46.00    | \$<br>41.40    | \$<br>-         |  |
| SP12d | Ea | USDD | 0  | RR2 Surface Mount Box, for SURFACE MOUNT (hard wall) installation. Three (3) 3/4" conduit knock-outs.  | RR2-SMB      | \$<br>175.00   | \$<br>157.50   | \$<br>-         |  |
| SP15  | Ea | USDD | 19 | G2 SPEAKER - LED Illuminated - FLUSH Mount,<br>70v   | SPK-LED-FM   | \$<br>325.00   | \$<br>292.50   | \$<br>5,557.50  |  |
| SP16  | Ea | USDD | 2  | G2 SPEAKER - LED Illuminated - SURFACE<br>Mount (Metal Box), 70v   | SPK-LED-SM   | \$<br>325.00   | \$<br>292.50   | \$<br>585.00    |  |
| SP17a | Ea | USDD | 2  | G2 SPEAKER - OmniAlertStrobe -<br>Omnidirectional Alerting Speaker, optimized for<br>high Vocal Intelligibility in large open indoor areas<br>and with High-Intensity LED Strobe Light Arrays<br>includes Cable Hanging Kit (typically requires MR2<br>for power/signal/control) | SPK-OAS      | \$<br>815.00   | \$<br>733.50   | \$<br>1,467.00  |  |
| SP17b | Ea | USDD | 0  | SPK-OAS/OmniStrobe Mounting Bracket / BEAM<br>FLANGE CLIP- for mounting directly onto an<br>exposed (1/8-14") I-Beam   | SPK-OAS-BFC  | \$<br>13.00    | \$<br>11.70    | \$<br>-         |  |
| SP17c | Ea | USDD | 0  | SPK-OAS/OmniStrobe Mounting Bracket /DROP<br>CEILING BRACKET- for mounting directly to T-Bar<br>in Suspended Ceiling   | SPK-OAS-DCB  | \$<br>48.00    | \$<br>43.20    | \$<br>-         |  |
| SP17d | Ea | USDD | 0  | SPK-OAS/OmniStrobe Mounting Bracket /<br>SURFACE MOUNT - for mounting directly to hard<br>ceiling  | SPK-OAS-SMB  | \$<br>42.00    | \$<br>37.80    | \$<br>-         |  |
| SP18a | Ea | USDD | 11 | SPEAKER - STANDARD, FLUSH Mount, 70v   | SPK-STD-FM   | \$<br>85.00    | \$<br>76.50    | \$<br>841.50    |  |
| SP18b | Ea | USDD | 1  | SPEAKER - STANDARD, SURFACE Mount (Metal<br>Box), 70v  | SPK-STD-SM   | \$<br>85.00    | \$<br>76.50    | \$<br>76.50     |  |
| SP19  | Ea | USDD | 1  | SPEAKER - APP BAY/OUTDOOR - Weatherized,<br>Surface Mount, 70v   | SPK-W-SM     | \$<br>310.00   | \$<br>279.00   | \$<br>279.00    |  |
| SP21  | Ea | USDD | 1  | G2 Strobe Light / Red LED  | STR          | \$<br>550.00   | \$<br>495.00   | \$<br>495.00    |  |
| SP20  | Ea | USDD | 0  | Transformer, 8ohm to 70V, External   | XFMR         | \$<br>53.00    | \$<br>47.70    | \$              |  |
| SP22  | Ea | USDD | 0  | VIDEO DOOR STATION - Doorbell & Camera that<br>ties into G2 FSAS (HDTV Remote) - Includes<br>Power Injector  | VDS          | \$<br>1,700.00 | \$<br>1,530.00 | \$<br>-         |  |

| STATI | ON SY | STEM | SER | VICES   |          |        |          |    |           |             |  |
|-------|-------|------|-----|---|----------|--------|----------|----|-----------|-------------|--|
| Item  | Unit  | Mfr  | Qty | Description   | Part No. | US Lis | st Unit  | QU | JOTE UNIT | QUOTE EXT   |  |
| SS1   | Ea    | USDD | 0   | Station Installation (N/A - Installation is Not<br>Assumed or Included by USDD. Customer to<br>contract directly with a Certified G2 Installer.)                  | ST-INST  | \$     | -        | \$ | -         | \$-         |  |
| SS2   | Ea    | USDD | 0   | Station Remediation (Removal and Disposal of<br>Legacy Equipment Not currently Assumed or<br>Included, nor is any related Remediation to Paint,<br>Drywall, etc.) | ST-INST  | \$     | -        | \$ | -         | \$-         |  |
| SS3   | Ea    | USDD | 1   | Station Configuration & Start-Up  | ST-SU    | \$ 2   | 2,232.57 | \$ | 2,009.31  | \$ 2,009.31 |  |
| SS4   | Ea    | USDD | 1   | Station Project Management  | ST-PM    | \$     | 1,117.99 | \$ | 1,006.19  | \$ 1,006.19 |  |
| SS5   | Ea    | USDD | 1   | Station Engineering / Design Services   | ST-ES    | \$     | 395.39   | \$ | 355.85    | \$ 355.85   |  |
| SS6   | Ea    | USDD | 1   | Station Documentation   | ST-DM    | \$     | 55.90    | \$ | 50.31     | \$ 50.31    |  |

| SS7a | Ea | USDD | 0 | Station Training - Configuration and Equipment.<br>On-Site @ Station. 4 Hours, 1 Visit. (for Technical<br>Services Staff)  | TRA-UT-O  | \$<br>4,025.00 | \$<br>3,622.50 | \$- |  |
|------|----|------|---|--|-----------|----------------|----------------|-----|--|
| SS7b | Ea | USDD |   | Station Training - User/Technician / Remote<br>Refresh (2 Hours)   | TRA-UT-R  | \$<br>600.00   | \$<br>540.00   | \$- |  |
| SS8a | Ea | USDD |   | Training - Installation Contractor - On-Site /<br>USDD G2 Certification / 8 Hours (TBD - only<br>needed if requied to use non-certified contractor)                        | TRA-IC-O  | \$<br>5,325.00 | \$<br>4,792.50 | \$- |  |
| SS8b | Ea | USDD |   | Training - Installation Contractor - At Arizona<br>Training Center / USDD G2 Certification / 8 Hours<br>(TBD - only needed if required to use non-certified<br>contractor) | TRA-IC-AZ | \$<br>2,725.00 | \$<br>2,452.50 | \$- |  |
| SS9  | Ea | USDD | 0 | Miscellaneous/TBD  | MISC      | \$<br>-        | \$<br>-        | \$- |  |

| STATI | ON SY | STEM | WAF | RRANTY & OPTIONAL RECURRING ANNU  | AL SUPPORT |              |             |  |  |
|-------|-------|------|-----|---|------------|--------------|-------------|--|--|
| Item  | Unit  | Mfr  | Qty | Description   | Part No.   | US List Unit | QUOTE UNIT  | QUOTE EXT  |  |
| SW1   | YR    | USDD | 1.5 | [STANDARD] 1st YEAR WARRANTY &<br>SUPPORT FOR THIS STATION SYSTEM (or<br>component): Telephone / Remote Access Support<br>(8:00 AM - 5:00 PM MST) PLEASE NOTE: An<br>additional 6 months (for total of 18 months/1.5<br>years) of initial warranty has been offered by USDD<br>for no additional cost so all stations can be installed<br>and enjoy same warranty/support start/stop dates) | RS-1YR-STD | \$ 6,135.30  | \$ 5,521.77 | 8282.655 but No<br>Charge For Initial<br>Warranty Period /<br>Not Included in<br>Subtotals |  |
| SW2   | YR    | USDD |     | [STANDARD] EACH ADDITIONAL YEAR (12-<br>Months) WARRANTY & SUPPORT FOR THIS<br>STATION SYSTEM (or Component): Telephone /<br>Remote Access Support (8:00 AM - 5:00 PM MST)  | RS-AYR-STD | \$ 6,135.30  | \$ 5,521.77 | \$ 19,326.20   |  |

| STATION 11 | System:                       | \$<br>64,774.66 |
|------------|-------------------------------|-----------------|
|            | Shipping:                     | \$<br>1,593.00  |
|            | Warranty & Support:           | \$<br>19,326.20 |
|            | Miscellaneous (if applicable) | \$<br>-         |
|            | STATION SUBTOTAL:             | \$<br>85,693.85 |

Customer must elect to choose any coverage they require beyond initial warranty period, or USDD will not be authorized to provide any service or support. Mobile Smart Phone Alerting App and Mapping Services only available to customer while under warranty or elected recurring annual support. Support Agreements subject to change if system design is modified. For additional details, please review current USDD Warranty Statement and Service Agreement. USDD cannot warrant nor support any system configuration that deviates from this specific proposal's documented station system design file number. USDD cannot warrant nor support any system not using USDD-approved UPS Battery Backup. USDD cannot warrant nor support any system not installed by G2 Trained & Certified Installation technician (installer). If customer intends to tie this system into any 3rd-party system or devices, USDD will be unable to warrant or support the sytem until we've had a chance to review documented engineering assumptions and approve system integrity, performance and reliability expectations.

For FSAaaS Program: The cost of service and support beyond initial warranty period is included in the FSASaaS Program for a total of 5 years. The service and support includes Mobile Smart Phone Alerting App and Mapping Services. Please see the FSASaaS Subscription Agreement for more information concerning the service and support provided by USDD. USDD cannot warrant nor support any system not using USDD-approved UPS Battery Backup. USDD cannot warrant nor support any system not installed by G2 Trained & Certified Installation technician (installer). If customer intends to tie this system into any 3rd-party system or devices, USDD will be unable to warrant or support the sytem until we've had a chance to review documented engineering assumptions and approve system integrity, performance and reliability expectations.

#### Station System Installation Notes:

01 - Unless specifically detailed in this proposal, no installation by USDD or it's subcontractors is assumed or provided.

02 - Because these are mission-critical systems, USDD can only warrant and support systems installed by G2 Trained and Certified Contractors.

03 - USDD can source, qualify, train and certify Local Licensed Regional Subcontrators where needed.

04 - Installation warranted by installation contractor - G2 FSAS warranted, serviced and supported by USDD.

05 - Unless specifically detailed in this proposal, installation to be performed during normal working hours.

06 - Unless specifically detailed in this proposal, no permit fees or material charges have been included.

07 - Unless specifically detailed in this proposal, no removal or remediation has been assumed or included.

08 - Unless specifically detailed in this proposal, no bonds of any type (performance, bid) have been assumed included or budgeted for in this proposal.

09 - USDD FSAS Equipment to be made available by owner to Installation Contractor prior to on-site arrival.

10 - Structural backing for system devices and other millwork (not specifically detailed) by others.

11 - If applicable, Gas Control Shutoff Valve Addendum (to USDD and installation contractor) must be signed prior to installation.

12 - All electrical power, including (but not limited to) raceway, conduit, backboxes, service panels, high-voltage wiring and fixtures by others.

13 - All communications pathway infrastructure (network, radio, etc.) by others unless specifically detailed in this proposal.

14 - USDD cannot warrant nor support any owner-furbished (3rd-Party) system or component we are required to integrate with. USDD cannot warrant nor support any system or component it has not proofed engineering for and has not specifically authorized for use within public safety environments.

Expires:

# US DIGITAL DESIGNS



1/7/2021 4/7/2021

 1835 E. Sixth St. Suite #27

 Tempe, Arizona 85281

 877-551-8733 tel
 480-290-7892 fax

### Quote SUBMITTED TO: The City of Reno, Nevada Public Safety Dispatch

### REF PROPOSAL NV\_RENO007 v1 STATION-LEVEL

# **STATION 12**

| STATI | ON SY | STEM | LICE | INSES   |            |    |              |     |          |                |  |
|-------|-------|------|------|---|------------|----|--------------|-----|----------|----------------|--|
| Item  | Unit  | Mfr  | Qty  | Description   | Part No.   | ι  | JS List Unit | QUC | DTE UNIT | QUOTE EXT      |  |
| SL1   | Ea    | USDD | 1    | G2 VOICEALERT - Single Station License.   | VA         | \$ | 1,030.00     | \$  | 927.00   | \$ 927.00      |  |
| SL2   | Ea/Yr | USDD | 24   | G2 MOBILE FSAS APP - Single Device License. Up<br>to 24 Licenses-Per-ATX are offered at \$0.00 cost each<br>as long as system is currently under warranty or elected<br>recurring annual support coverage. See 'Mobile' Section<br>for more detail. | G2-APP-DLI | \$ | 108.00       | \$  | 97.20    | N/A - Included |  |

| STATI | ON SY | STEM | CON | ITROLLER  |          |                 |    |           |              |  |
|-------|-------|------|-----|---|----------|-----------------|----|-----------|--------------|--|
| Item  | Unit  | Mfr  | Qty | Description   | Part No. | US List Unit    | C  | UOTE UNIT | QUOTE EXT    |  |
| SC1   | Kit   | USDD |     | <b>G2 ATX STATION CONTROLLER -</b><br>Power/Signal/Control up to 8 peripheral Remote<br>Options. 4 Unique Amps/Zones available. | ΑΤΧ      | \$<br>21,750.00 | \$ | 19,575.00 | \$ 19,575.00 |  |
| SC2   | Kit   | USDD | 0   | <b>G2 EXPANSION KIT</b> - Allows ability to<br>Power/Signal/Control up to 12 more peripheral<br>Remote options per EXP.         | EXP      | \$<br>7,325.00  | \$ | 6,592.50  | \$-          |  |
| SC3   | Kit   | USDD | 0   | Rack Mount Ears for ATX or EXP  | ATX-E    | \$<br>54.00     | \$ | 48.60     | \$-          |  |
| SC4   | Kit   | USDD | 0   | Base Plate for ATX or EXP   | ATX-P    | \$<br>54.00     | \$ | 48.60     | \$-          |  |
| SC5   | Ea    | TBD  | 1   | ATX UPS, Standard   | UPS-STD  | \$<br>923.00    | \$ | 830.70    | \$ 830.70    |  |
| SC6   | Ea    | TBD  | 1   | Shelf/Bracket, Wall-Mount for UPS   | UPS-WMB  | \$<br>57.00     | \$ | 51.30     | \$ 51.30     |  |

| STATI | ON SY | STEM | PER | IPHERAL COMPONENTS   |          |    |              |    |           |                |  |
|-------|-------|------|-----|--|----------|----|--------------|----|-----------|----------------|--|
| Item  | Unit  | Mfr  | Qty | Description  | Part No. | l  | JS List Unit | Q  | UOTE UNIT | QUOTE EXT      |  |
| SP1a  | Ea    | TBD  | 0   | Audio Amplifier, External, Standard  | AMP      | \$ | 987.00       | \$ | 888.30    | \$<br>-        |  |
| SP1b  | Ea    | TBD  | 0   | Shelf, Under Table or Wall Mount, for 1U 1/2 Rack  | AMP-S    | \$ | 66.00        | \$ | 59.40     | \$<br>-        |  |
| SP2   | Ea    | USDD | 0   | G2 COLOR INDICATOR REMOTE Module - Up to 8 unique colors   | CIR      | \$ | 725.00       | \$ | 652.50    | \$<br>-        |  |
| SP3a  | Ea    | USDD | 0   | <b>G2 HDTV REMOTE</b> Module (TV & Electrical Outlet<br>by Others; C.E.C. control subject to TV ability)                   | TVR      | \$ | 975.00       | \$ | 877.50    | \$<br>-        |  |
| SP3b  | Ea    | TBD  | 0   | Flat Panel Monitor / Smart HDTV 40-43" (Electrical<br>Outlet/Provision By Others; C.E.C. control subject<br>to TV ability) | FP-43    | \$ | 1,377.57     | \$ | 1,239.81  | \$<br>-        |  |
| SP3c  | Ea    | TBD  | 0   | Flat Panel / TV Mount- Universal 23"-46" Tilt  | FPM-U    | \$ | 107.86       | \$ | 97.07     | \$<br>-        |  |
| SP4   | Ea    | USDD | 0   | G2 I/O REMOTE Module w/ 8 In & 8 Out   | IOR      | \$ | 1,275.00     | \$ | 1,147.50  | \$<br>-        |  |
| SP5   | Ea    | USDD | 1   | Push Button, Standard (Black)  | PB-B     | \$ | 110.00       | \$ | 99.00     | \$<br>99.00    |  |
| SP6   | Ea    | USDD | 1   | Push Button, Emergency (Red)   | PB-R     | \$ | 110.00       | \$ | 99.00     | \$<br>99.00    |  |
| SP7   | Ea    | USDD | 2   | G2 MESSAGE REMOTE 2 Module (2017 Version 2)  | MR2      | \$ | 1,275.00     | \$ | 1,147.50  | \$<br>2,295.00 |  |
| SP9a  | Ea    | USDD | 0   | G2 MESSAGE SIGN (Digital LED) MINI<br>GammaSign / 12 <u>"</u> Active Screen Width / Turn Out<br>Timing ONLY                | MS-G-M   | \$ | 915.00       | \$ | 823.50    | \$<br>-        |  |
| SP9b  | Ea    | USDD | 1   | G2 MESSAGE SIGN (Digital LED) STANDARD<br>GammaSign / 24" Active Screen Width  | MS-G-S   | \$ | 1,050.00     | \$ | 945.00    | \$<br>945.00   |  |

| SP9c  | Ea | USDD | 0 | G2 MESSAGE SIGN (Digital LED) EXTENDED<br>GammaSign / <u>36"</u> Active Screen Width   | MS-G-E       | \$<br>1,575.00 | \$<br>1,417.50 | \$-         |  |
|-------|----|------|---|--|--------------|----------------|----------------|-------------|--|
| SP9d  | Ea | USDD | 1 | MS-G Adapter Plate, SINGLE. VESA 100, joins (1) MS-<br>G-S (or-E) to any standard mount with VESA 100 hole patterns<br>(mount not included)  | MS-AP-S      | \$<br>38.00    | \$<br>34.20    | \$ 34.20    |  |
| SP9e  | Ea | USDD | 0 | MS-G Adapter Plate, DOUBLE, VESA 100.joins (2) MS-<br>G-S(or-E) to any standard mount with VESA 100 hole patterns<br>(mount not included)  | MS-AP-D      | \$<br>49.00    | \$<br>44.10    | \$-         |  |
| SP9f  | Ea | USDD | 0 | MS-G Hanger Kit. Hangs single or double (back-to-back)<br>Message Signs (Gamma Version) from Ceiling. Includes both<br>suspended ceiling T-Bar Scissor Clips and Hard-Pan Flange<br>Mounts.  | MS-HK        | \$<br>73.00    | \$<br>65.70    | \$-         |  |
| SP11  | Ea | TBD  | 1 | MS Mount - Articulating, Long reach  | MS-MNT-ART-L | \$<br>287.00   | \$<br>258.30   | \$ 258.30   |  |
| SP12a | Ea | USDD | 4 | G2 ROOM REMOTE 2 Module / 2017 version 2   | RR2          | \$<br>2,025.00 | \$<br>1,822.50 | \$ 7,290.00 |  |
| SP12c | Ea | USDD | 0 | RR2 Adpater Plate, for Retrofit in RR1 Wall Cavity   | RR2-AP       | \$<br>46.00    | \$<br>41.40    | \$-         |  |
| SP12d | Ea | USDD | 0 | RR2 Surface Mount Box, for SURFACE MOUNT<br>(hard wall) installation. Three (3) 3/4" conduit<br>knock-outs.  | RR2-SMB      | \$<br>175.00   | \$<br>157.50   | \$-         |  |
| SP15  | Ea | USDD | 9 | G2 SPEAKER - LED Illuminated - FLUSH Mount,<br>70v   | SPK-LED-FM   | \$<br>325.00   | \$<br>292.50   | \$ 2,632.50 |  |
| SP16  | Ea | USDD | 0 | G2 SPEAKER - LED Illuminated - SURFACE<br>Mount (Metal Box), 70v   | SPK-LED-SM   | \$<br>325.00   | \$<br>292.50   | \$-         |  |
| SP17a | Ea | USDD | 2 | G2 SPEAKER - OmniAlertStrobe -<br>Omnidirectional Alerting Speaker, optimized for<br>high Vocal Intelligibility in large open indoor areas<br>and with High-Intensity LED Strobe Light Arrays<br>includes Cable Hanging Kit (typically requires MR2<br>for power/signal/control) | SPK-OAS      | \$<br>815.00   | \$<br>733.50   | \$ 1,467.00 |  |
| SP17b | Ea | USDD | 0 | SPK-OAS/OmniStrobe Mounting Bracket / BEAM<br>FLANGE CLIP- for mounting directly onto an<br>exposed (1/8-14") I-Beam   | SPK-OAS-BFC  | \$<br>13.00    | \$<br>11.70    | \$-         |  |
| SP17c | Ea | USDD | 0 | SPK-OAS/OmniStrobe Mounting Bracket /DROP<br>CEILING BRACKET- for mounting directly to T-Bar<br>in Suspended Ceiling   | SPK-OAS-DCB  | \$<br>48.00    | \$<br>43.20    | \$-         |  |
| SP17d | Ea | USDD | 0 | SPK-OAS/OmniStrobe Mounting Bracket /<br>SURFACE MOUNT - for mounting directly to hard<br>ceiling  | SPK-OAS-SMB  | \$<br>42.00    | \$<br>37.80    | \$-         |  |
| SP18a | Ea | USDD | 4 | SPEAKER - STANDARD, FLUSH Mount, 70v   | SPK-STD-FM   | \$<br>85.00    | \$<br>76.50    | \$ 306.00   |  |
| SP18b | Ea | USDD | 3 | SPEAKER - STANDARD, SURFACE Mount (Metal<br>Box), 70v  | SPK-STD-SM   | \$<br>85.00    | \$<br>76.50    | \$ 229.50   |  |
| SP19  | Ea | USDD | 1 | SPEAKER - APP BAY/OUTDOOR - Weatherized,<br>Surface Mount, 70v   | SPK-W-SM     | \$<br>310.00   | \$<br>279.00   | \$ 279.00   |  |
| SP21  | Ea | USDD | 1 | G2 Strobe Light / Red LED  | STR          | \$<br>550.00   | \$<br>495.00   | \$ 495.00   |  |
| SP20  | Ea | USDD | 0 | Transformer, 8ohm to 70V, External   | XFMR         | \$<br>53.00    | \$<br>47.70    | \$-         |  |
| SP22  | Ea | USDD | 0 | VIDEO DOOR STATION - Doorbell & Camera that<br>ties into G2 FSAS (HDTV Remote) - Includes<br>Power Injector  | VDS          | \$<br>1,700.00 | \$<br>1,530.00 | \$ -        |  |

| STATI | ON SY | <b>STEM</b> | SER | VICES   |          |                       |          |    |          |    |          |  |
|-------|-------|-------------|-----|---|----------|-----------------------|----------|----|----------|----|----------|--|
| Item  | Unit  | Mfr         | Qty | Description   | Part No. | US List Unit QUOTE UN |          |    |          |    |          |  |
| SS1   | Ea    | USDD        | 0   | Station Installation (N/A - Installation is Not<br>Assumed or Included by USDD. Customer to<br>contract directly with a Certified G2 Installer.)                  | ST-INST  | \$                    | -        | \$ | -        | \$ | -        |  |
| SS2   | Ea    | USDD        | 0   | Station Remediation (Removal and Disposal of<br>Legacy Equipment Not currently Assumed or<br>Included, nor is any related Remediation to Paint,<br>Drywall, etc.) | ST-INST  | \$                    | -        | \$ | -        | \$ | -        |  |
| SS3   | Ea    | USDD        | 1   | Station Configuration & Start-Up  | ST-SU    | \$                    | 2,231.00 | \$ | 2,007.90 | \$ | 2,007.90 |  |
| SS4   | Ea    | USDD        | 1   | Station Project Management  | ST-PM    | \$                    | 1,117.60 | \$ | 1,005.84 | \$ | 1,005.84 |  |
| SS5   | Ea    | USDD        | 1   | Station Engineering / Design Services   | ST-ES    | \$                    | 394.94   | \$ | 355.45   | \$ | 355.45   |  |
| SS6   | Ea    | USDD        | 1   | Station Documentation   | ST-DM    | \$                    | 58.82    | \$ | 52.94    | \$ | 52.94    |  |

| SS7a | Ea | USDD |   | Station Training - Configuration and Equipment.<br>On-Site @ Station. 4 Hours, 1 Visit. (for Technical<br>Services Staff)  | TRA-UT-O  | \$<br>4,025.00 | \$<br>3,622.50 | \$- |  |
|------|----|------|---|--|-----------|----------------|----------------|-----|--|
| SS7b | Ea | USDD |   | Station Training - User/Technician / Remote<br>Refresh (2 Hours)   | TRA-UT-R  | \$<br>600.00   | \$<br>540.00   | \$- |  |
| SS8a | Ea | USDD | - | Training - Installation Contractor - On-Site /<br>USDD G2 Certification / 8 Hours (TBD - only<br>needed if requied to use non-certified contractor)                        | TRA-IC-O  | \$<br>5,325.00 | \$<br>4,792.50 | \$- |  |
| SS8b | Ea | USDD | 0 | Training - Installation Contractor - At Arizona<br>Training Center / USDD G2 Certification / 8 Hours<br>(TBD - only needed if required to use non-certified<br>contractor) | TRA-IC-AZ | \$<br>2,725.00 | \$<br>2,452.50 | \$- |  |
| SS9  | Ea | USDD | 0 | Miscellaneous/TBD  | MISC      | \$<br>-        | \$<br>-        | \$- |  |

| STATI | TATION SYSTEM WARRANTY & OPTIONAL RECURRING ANNUAL SUPPORT |      |     |   |            |              |             |   |  |  |  |
|-------|--|------|-----|---|------------|--------------|-------------|---|--|--|--|
| Item  | Unit   | Mfr  | Qty | Description   | Part No.   | US List Unit | QUOTE UNIT  | QUOTE EXT   |  |  |  |
| SW1   | YR   | USDD | 1.5 | [STANDARD] 1st YEAR WARRANTY &<br>SUPPORT FOR THIS STATION SYSTEM (or<br>component): Telephone / Remote Access Support<br>(8:00 AM - 5:00 PM MST) PLEASE NOTE: An<br>additional 6 months (for total of 18 months/1.5<br>years) of initial warranty has been offered by USDD<br>for no additional cost so all stations can be installed<br>and enjoy same warranty/support start/stop dates) | RS-1YR-STD | \$ 3,781.35  | \$ 3,403.22 | 5104.8225 but No<br>Charge For Initial<br>Warranty Period /<br>Not Included in<br>Subtotals |  |  |  |
| SW2   | YR   | USDD | 3.5 | [STANDARD] EACH ADDITIONAL YEAR (12-<br>Months) WARRANTY & SUPPORT FOR THIS<br>STATION SYSTEM (or Component): Telephone /<br>Remote Access Support (8:00 AM - 5:00 PM MST)  | RS-AYR-STD | \$ 3,781.35  | \$ 3,403.22 | \$ 11,911.25  |  |  |  |

| STATION 12 | System:                       | \$<br>41,235.62 |
|------------|-------------------------------|-----------------|
|            | Shipping:                     | \$<br>891.00    |
|            | Warranty & Support:           | \$<br>11,911.25 |
|            | Miscellaneous (if applicable) | \$<br>-         |
|            | STATION SUBTOTAL:             | \$<br>54,037.87 |

Customer must elect to choose any coverage they require beyond initial warranty period, or USDD will not be authorized to provide any service or support. Mobile Smart Phone Alerting App and Mapping Services only available to customer while under warranty or elected recurring annual support. Support Agreements subject to change if system design is modified. For additional details, please review current USDD Warranty Statement and Service Agreement. USDD cannot warrant nor support any system configuration that deviates from this specific proposal's documented station system design file number. USDD cannot warrant nor support any system not using USDD-approved UPS Battery Backup. USDD cannot warrant nor support any system not installed by G2 Trained & Certified Installation technician (installer). If customer intends to tie this system into any 3rd-party system or devices, USDD will be unable to warrant or support the sytem until we've had a chance to review documented engineering assumptions and approve system integrity, performance and reliability expectations.

For FSAaaS Program: The cost of service and support beyond initial warranty period is included in the FSASaaS Program for a total of 5 years. The service and support includes Mobile Smart Phone Alerting App and Mapping Services. Please see the FSASaaS Subscription Agreement for more information concerning the service and support provided by USDD. USDD cannot warrant nor support any system not using USDD-approved UPS Battery Backup. USDD cannot warrant nor support any system not installed by G2 Trained & Certified Installation technician (installer). If customer intends to tie this system into any 3rd-party system or devices, USDD will be unable to warrant or support the sytem until we've had a chance to review documented engineering assumptions and approve system integrity, performance and reliability expectations.

#### Station System Installation Notes:

01 - Unless specifically detailed in this proposal, no installation by USDD or it's subcontractors is assumed or provided.

02 - Because these are mission-critical systems, USDD can only warrant and support systems installed by G2 Trained and Certified Contractors.

03 - USDD can source, qualify, train and certify Local Licensed Regional Subcontrators where needed.

04 - Installation warranted by installation contractor - G2 FSAS warranted, serviced and supported by USDD.

05 - Unless specifically detailed in this proposal, installation to be performed during normal working hours.

06 - Unless specifically detailed in this proposal, no permit fees or material charges have been included.

07 - Unless specifically detailed in this proposal, no removal or remediation has been assumed or included.

08 - Unless specifically detailed in this proposal, no bonds of any type (performance, bid) have been assumed included or budgeted for in this proposal.

09 - USDD FSAS Equipment to be made available by owner to Installation Contractor prior to on-site arrival.

10 - Structural backing for system devices and other millwork (not specifically detailed) by others.

11 - If applicable. Gas Control Shutoff Valve Addendum (to USDD and installation contractor) must be signed prior to installation.

12 - All electrical power, including (but not limited to) raceway,conduit, backboxes, service panels, high-voltage wiring and fixtures by others.

13 - All communications pathway infrastructure (network, radio, etc.) by others unless specifically detailed in this proposal.

14 - USDD cannot warrant nor support any owner-furbished (3rd-Party) system or component we are required to integrate with. USDD cannot warrant nor support any system or component it has not proofed engineering for and has not specifically authorized for use within public safety environments.

Expires:

# US DIGITAL DESIGNS

**STATION-LEVEL** 



1/7/2021

4/7/2021

 1835 E. Sixth St. Suite #27

 Tempe, Arizona 85281

 877-551-8733 tel
 480-290-7892 fax

### <u>Quote SUBMITTED TO:</u> The City of Reno, Nevada Public Safety Dispatch

## 

### NV\_RENO007 v1

# **STATION 19**

| STATI | STATION SYSTEM LICENSES |      |     |   |            |    |              |     |          |                |  |
|-------|-------------------------|------|-----|---|------------|----|--------------|-----|----------|----------------|--|
| Item  | Unit                    | Mfr  | Qty | Description   | Part No.   | ι  | JS List Unit | QUO | DTE UNIT | QUOTE EXT      |  |
| SL1   | Ea                      | USDD | 1   | G2 VOICEALERT - Single Station License.   | VA         | \$ | 1,030.00     | \$  | 927.00   | \$ 927.00      |  |
| SL2   | Ea/Yr                   | USDD | 24  | G2 MOBILE FSAS APP - Single Device License. Up<br>to 24 Licenses-Per-ATX are offered at \$0.00 cost each<br>as long as system is currently under warranty or elected<br>recurring annual support coverage. See 'Mobile' Section<br>for more detail. | G2-APP-DLI | \$ | 108.00       | \$  | 97.20    | N/A - Included |  |

| STATI | ON SY | STEM | CON | ITROLLER  |          |                 |    |           |              |  |
|-------|-------|------|-----|---|----------|-----------------|----|-----------|--------------|--|
| Item  | Unit  | Mfr  | Qty | Description   | Part No. | US List Unit    | 0  | UOTE UNIT | QUOTE EXT    |  |
| SC1   | Kit   | USDD |     | <b>G2 ATX STATION CONTROLLER -</b><br>Power/Signal/Control up to 8 peripheral Remote<br>Options. 4 Unique Amps/Zones available. | ΑΤΧ      | \$<br>21,750.00 | \$ | 19,575.00 | \$ 19,575.00 |  |
| SC2   | Kit   | USDD | 0   | <b>G2 EXPANSION KIT</b> - Allows ability to<br>Power/Signal/Control up to 12 more peripheral<br>Remote options per EXP.         | EXP      | \$<br>7,325.00  | \$ | 6,592.50  | \$-          |  |
| SC3   | Kit   | USDD | 0   | Rack Mount Ears for ATX or EXP  | ATX-E    | \$<br>54.00     | \$ | 48.60     | \$-          |  |
| SC4   | Kit   | USDD | 0   | Base Plate for ATX or EXP   | ATX-P    | \$<br>54.00     | \$ | 48.60     | \$-          |  |
| SC5   | Ea    | TBD  | 1   | ATX UPS, Standard   | UPS-STD  | \$<br>923.00    | \$ | 830.70    | \$ 830.70    |  |
| SC6   | Ea    | TBD  | 1   | Shelf/Bracket, Wall-Mount for UPS   | UPS-WMB  | \$<br>57.00     | \$ | 51.30     | \$ 51.30     |  |

| STATI | TATION SYSTEM PERIPHERAL COMPONENTS |      |     |  |          |    |              |    |           |    |           |  |  |
|-------|-------------------------------------|------|-----|--|----------|----|--------------|----|-----------|----|-----------|--|--|
| Item  | Unit                                | Mfr  | Qty | Description  | Part No. |    | US List Unit | Q  | UOTE UNIT |    | QUOTE EXT |  |  |
| SP1a  | Ea                                  | TBD  | 0   | Audio Amplifier, External, Standard  | AMP      | \$ | 987.00       | \$ | 888.30    | \$ | -         |  |  |
| SP1b  | Ea                                  | TBD  | 0   | Shelf, Under Table or Wall Mount, for 1U 1/2 Rack  | AMP-S    | \$ | 66.00        | \$ | 59.40     | \$ | -         |  |  |
| SP2   | Ea                                  | USDD | 0   | G2 COLOR INDICATOR REMOTE Module - Up to 8 unique colors   | CIR      | \$ | 725.00       | \$ | 652.50    | \$ | -         |  |  |
| SP3a  | Ea                                  | USDD | 0   | <b>G2 HDTV REMOTE</b> Module (TV & Electrical Outlet<br>by Others; C.E.C. control subject to TV ability)                   | TVR      | \$ | 975.00       | \$ | 877.50    | \$ | -         |  |  |
| SP3b  | Ea                                  | TBD  | 0   | Flat Panel Monitor / Smart HDTV 40-43" (Electrical<br>Outlet/Provision By Others; C.E.C. control subject<br>to TV ability) | FP-43    | \$ | 1,377.57     | \$ | 1,239.81  | \$ | -         |  |  |
| SP3c  | Ea                                  | TBD  | 0   | Flat Panel / TV Mount- Universal 23"-46" Tilt  | FPM-U    | \$ | 107.86       | \$ | 97.07     | \$ | -         |  |  |
| SP4   | Ea                                  | USDD | 0   | G2 I/O REMOTE Module w/ 8 In & 8 Out   | IOR      | \$ | 1,275.00     | \$ | 1,147.50  | \$ | -         |  |  |
| SP5   | Ea                                  | USDD | 1   | Push Button, Standard (Black)  | PB-B     | \$ | 110.00       | \$ | 99.00     | \$ | 99.00     |  |  |
| SP6   | Ea                                  | USDD | 1   | Push Button, Emergency (Red)   | PB-R     | \$ | 110.00       | \$ | 99.00     | \$ | 99.00     |  |  |
| SP7   | Ea                                  | USDD | 2   | G2 MESSAGE REMOTE 2 Module (2017 Version 2)  | MR2      | \$ | 1,275.00     | \$ | 1,147.50  | \$ | 2,295.00  |  |  |
| SP9a  | Ea                                  | USDD | 0   | G2 MESSAGE SIGN (Digital LED) MINI<br>GammaSign / 12 <u>"</u> Active Screen Width / Turn Out<br>Timing ONLY                | MS-G-M   | \$ | 915.00       | \$ | 823.50    | \$ | -         |  |  |
| SP9b  | Ea                                  | USDD | 1   | G2 MESSAGE SIGN (Digital LED) STANDARD<br>GammaSign / 24" Active Screen Width  | MS-G-S   | \$ | 1,050.00     | \$ | 945.00    | \$ | 945.00    |  |  |

| SP9c  | Ea | USDD | 0  | G2 MESSAGE SIGN (Digital LED) EXTENDED<br>GammaSign / <u>36"</u> Active Screen Width   | MS-G-E       | \$<br>1,575.00 | \$<br>1,417.50 | \$-         |  |
|-------|----|------|----|--|--------------|----------------|----------------|-------------|--|
| SP9d  | Ea | USDD | 1  | MS-G Adapter Plate, SINGLE. VESA 100, joins (1) MS-<br>G-S (or-E) to any standard mount with VESA 100 hole patterns<br>(mount not included)  | MS-AP-S      | \$<br>38.00    | \$<br>34.20    | \$ 34.20    |  |
| SP9e  | Ea | USDD | 0  | MS-G Adapter Plate, DOUBLE, VESA 100, joins (2) MS-<br><u>G-S(or-E)</u> to any standard mount with VESA 100 hole patterns<br>(mount not included)  | MS-AP-D      | \$<br>49.00    | \$<br>44.10    | \$-         |  |
| SP9f  | Ea | USDD | 0  | MS-G Hanger Kit. Hangs single or double (back-to-back)<br>Message Signs (Gamma Version) from Ceiling. Includes both<br>suspended ceiling T-Bar Scissor Clips and Hard-Pan Flange<br>Mounts.  | MS-HK        | \$<br>73.00    | \$<br>65.70    | \$-         |  |
| SP11  | Ea | TBD  | 1  | MS Mount - Articulating, Long reach  | MS-MNT-ART-L | \$<br>287.00   | \$<br>258.30   | \$ 258.30   |  |
| SP12a | Ea | USDD | 4  | G2 ROOM REMOTE 2 Module / 2017 version 2   | RR2          | \$<br>2,025.00 | \$<br>1,822.50 | \$ 7,290.00 |  |
| SP12c | Ea | USDD | 0  | RR2 Adpater Plate, for Retrofit in RR1 Wall Cavity   | RR2-AP       | \$<br>46.00    | \$<br>41.40    | \$-         |  |
| SP12d | Ea | USDD | 0  | RR2 Surface Mount Box, for SURFACE MOUNT (hard wall) installation. Three (3) 3/4" conduit knock-outs.  | RR2-SMB      | \$<br>175.00   | \$<br>157.50   | \$-         |  |
| SP15  | Ea | USDD | 11 | G2 SPEAKER - LED Illuminated - FLUSH Mount,<br>70v   | SPK-LED-FM   | \$<br>325.00   | \$<br>292.50   | \$ 3,217.50 |  |
| SP16  | Ea | USDD | 0  | G2 SPEAKER - LED Illuminated - SURFACE<br>Mount (Metal Box), 70v   | SPK-LED-SM   | \$<br>325.00   | \$<br>292.50   | \$-         |  |
| SP17a | Ea | USDD | 2  | G2 SPEAKER - OmniAlertStrobe -<br>Omnidirectional Alerting Speaker, optimized for<br>high Vocal Intelligibility in large open indoor areas<br>and with High-Intensity LED Strobe Light Arrays<br>includes Cable Hanging Kit (typically requires MR2<br>for power/signal/control) | SPK-OAS      | \$<br>815.00   | \$<br>733.50   | \$ 1,467.00 |  |
| SP17b | Ea | USDD | 0  | SPK-OAS/OmniStrobe Mounting Bracket / BEAM<br>FLANGE CLIP- for mounting directly onto an<br>exposed (1/8-14") I-Beam   | SPK-OAS-BFC  | \$<br>13.00    | \$<br>11.70    | \$-         |  |
| SP17c | Ea | USDD | 0  | SPK-OAS/OmniStrobe Mounting Bracket /DROP<br>CEILING BRACKET- for mounting directly to T-Bar<br>in Suspended Ceiling   | SPK-OAS-DCB  | \$<br>48.00    | \$<br>43.20    | \$ -        |  |
| SP17d | Ea | USDD | 0  | SPK-OAS/OmniStrobe Mounting Bracket /<br>SURFACE MOUNT - for mounting directly to hard<br>ceiling  | SPK-OAS-SMB  | \$<br>42.00    | \$<br>37.80    | \$ -        |  |
| SP18a | Ea | USDD | 8  | SPEAKER - STANDARD, FLUSH Mount, 70v   | SPK-STD-FM   | \$<br>85.00    | \$<br>76.50    | \$ 612.00   |  |
| SP18b | Ea | USDD | 0  | SPEAKER - STANDARD, SURFACE Mount (Metal<br>Box), 70v  | SPK-STD-SM   | \$<br>85.00    | \$<br>76.50    | \$-         |  |
| SP19  | Ea | USDD | 1  | SPEAKER - APP BAY/OUTDOOR - Weatherized,<br>Surface Mount, 70v   | SPK-W-SM     | \$<br>310.00   | \$<br>279.00   | \$ 279.00   |  |
| SP21  | Ea | USDD | 1  | G2 Strobe Light / Red LED  | STR          | \$<br>550.00   | \$<br>495.00   | \$ 495.00   |  |
| SP20  | Ea | USDD | 0  | Transformer, 8ohm to 70V, External   | XFMR         | \$<br>53.00    | \$<br>47.70    | \$-         |  |
| SP22  | Ea | USDD | 0  | VIDEO DOOR STATION - Doorbell & Camera that<br>ties into G2 FSAS (HDTV Remote) - Includes<br>Power Injector  | VDS          | \$<br>1,700.00 | \$<br>1,530.00 | \$-         |  |

| STATI | ON SY | STEM | SER | VICES   |          |                       |          |    |          |    |          |  |
|-------|-------|------|-----|---|----------|-----------------------|----------|----|----------|----|----------|--|
| Item  | Unit  | Mfr  | Qty | Description   | Part No. | US List Unit QUOTE UI |          |    |          | Q  |          |  |
| SS1   | Ea    | USDD | 0   | Station Installation (N/A - Installation is Not<br>Assumed or Included by USDD. Customer to<br>contract directly with a Certified G2 Installer.)                  | ST-INST  | \$                    | -        | \$ | -        | \$ | -        |  |
| SS2   | Ea    | USDD | 0   | Station Remediation (Removal and Disposal of<br>Legacy Equipment Not currently Assumed or<br>Included, nor is any related Remediation to Paint,<br>Drywall, etc.) | ST-INST  | \$                    | -        | \$ | -        | \$ | -        |  |
| SS3   | Ea    | USDD | 1   | Station Configuration & Start-Up  | ST-SU    | \$                    | 2,230.70 | \$ | 2,007.63 | \$ | 2,007.63 |  |
| SS4   | Ea    | USDD | 1   | Station Project Management  | ST-PM    | \$                    | 1,115.78 | \$ | 1,004.20 | \$ | 1,004.20 |  |
| SS5   | Ea    | USDD | 1   | Station Engineering / Design Services   | ST-ES    | \$                    | 393.30   | \$ | 353.97   | \$ | 353.97   |  |
| SS6   | Ea    | USDD | 1   | Station Documentation   | ST-DM    | \$                    | 56.86    | \$ | 51.17    | \$ | 51.17    |  |

| SS7a | Ea | USDD | 0 | Station Training - Configuration and Equipment.<br>On-Site @ Station. 4 Hours, 1 Visit. (for Technical<br>Services Staff)  | TRA-UT-O  | \$<br>4,025.00 | \$<br>3,622.50 | \$- |  |
|------|----|------|---|--|-----------|----------------|----------------|-----|--|
| SS7b | Ea | USDD |   | Station Training - User/Technician / Remote<br>Refresh (2 Hours)   | TRA-UT-R  | \$<br>600.00   | \$<br>540.00   | \$- |  |
| SS8a | Ea | USDD |   | Training - Installation Contractor - On-Site /<br>USDD G2 Certification / 8 Hours (TBD - only<br>needed if requied to use non-certified contractor)                        | TRA-IC-O  | \$<br>5,325.00 | \$<br>4,792.50 | \$- |  |
| SS8b | Ea | USDD |   | Training - Installation Contractor - At Arizona<br>Training Center / USDD G2 Certification / 8 Hours<br>(TBD - only needed if required to use non-certified<br>contractor) | TRA-IC-AZ | \$<br>2,725.00 | \$<br>2,452.50 | \$- |  |
| SS9  | Ea | USDD | 0 | Miscellaneous/TBD  | MISC      | \$<br>-        | \$<br>-        | \$- |  |

| STATI | TATION SYSTEM WARRANTY & OPTIONAL RECURRING ANNUAL SUPPORT |      |     |   |            |              |             |  |  |  |  |
|-------|--|------|-----|---|------------|--------------|-------------|--|--|--|--|
| Item  | Unit   | Mfr  | Qty | Description   | Part No.   | US List Unit | QUOTE UNIT  | QUOTE EXT  |  |  |  |
| SW1   | YR   | USDD | 1.5 | [STANDARD] 1st YEAR WARRANTY &<br>SUPPORT FOR THIS STATION SYSTEM (or<br>component): Telephone / Remote Access Support<br>(8:00 AM - 5:00 PM MST) PLEASE NOTE: An<br>additional 6 months (for total of 18 months/1.5<br>years) of initial warranty has been offered by USDD<br>for no additional cost so all stations can be installed<br>and enjoy same warranty/support start/stop dates) | RS-1YR-STD | \$ 3,847.50  | \$ 3,462.75 | 5194.125 but No<br>Charge For Initial<br>Warranty Period /<br>Not Included in<br>Subtotals |  |  |  |
| SW2   | YR   | USDD | •.• | [STANDARD] EACH ADDITIONAL YEAR (12-<br>Months) WARRANTY & SUPPORT FOR THIS<br>STATION SYSTEM (or Component): Telephone /<br>Remote Access Support (8:00 AM - 5:00 PM MST)  | RS-AYR-STD | \$ 3,847.50  | \$ 3,462.75 | \$ 12,119.63   |  |  |  |

| STATION 19 | System:                       | \$<br>41,891.96 |
|------------|-------------------------------|-----------------|
|            | Shipping:                     | \$<br>936.00    |
|            | Warranty & Support:           | \$<br>12,119.63 |
|            | Miscellaneous (if applicable) | \$<br>-         |
|            | STATION SUBTOTAL:             | \$<br>54,947.59 |

Customer must elect to choose any coverage they require beyond initial warranty period, or USDD will not be authorized to provide any service or support. Mobile Smart Phone Alerting App and Mapping Services only available to customer while under warranty or elected recurring annual support. Support Agreements subject to change if system design is modified. For additional details, please review current USDD Warranty Statement and Service Agreement. USDD cannot warrant nor support any system configuration that deviates from this specific proposal's documented station system design file number. USDD cannot warrant nor support any system not using USDD-approved UPS Battery Backup. USDD cannot warrant nor support any system not installed by G2 Trained & Certified Installation technician (installer). If customer intends to tie this system into any 3rd-party system or devices, USDD will be unable to warrant or support the sytem until we've had a chance to review documented engineering assumptions and approve system integrity, performance and reliability expectations.

For FSAaaS Program: The cost of service and support beyond initial warranty period is included in the FSASaaS Program for a total of 5 years. The service and support includes Mobile Smart Phone Alerting App and Mapping Services. Please see the FSASaaS Subscription Agreement for more information concerning the service and support provided by USDD. USDD cannot warrant nor support any system not using USDD-approved UPS Battery Backup. USDD cannot warrant nor support any system not installed by G2 Trained & Certified Installation technician (installer). If customer intends to tie this system into any 3rd-party system or devices, USDD will be unable to warrant or support the sytem until we've had a chance to review documented engineering assumptions and approve system integrity, performance and reliability expectations.

#### Station System Installation Notes:

01 - Unless specifically detailed in this proposal, no installation by USDD or it's subcontractors is assumed or provided.

02 - Because these are mission-critical systems, USDD can only warrant and support systems installed by G2 Trained and Certified Contractors.

03 - USDD can source, qualify, train and certify Local Licensed Regional Subcontrators where needed.

04 - Installation warranted by installation contractor - G2 FSAS warranted, serviced and supported by USDD.

05 - Unless specifically detailed in this proposal, installation to be performed during normal working hours.

06 - Unless specifically detailed in this proposal, no permit fees or material charges have been included.

07 - Unless specifically detailed in this proposal, no removal or remediation has been assumed or included.

08 - Unless specifically detailed in this proposal, no bonds of any type (performance, bid) have been assumed included or budgeted for in this proposal.

09 - USDD FSAS Equipment to be made available by owner to Installation Contractor prior to on-site arrival.

10 - Structural backing for system devices and other millwork (not specifically detailed) by others.

11 - If applicable, Gas Control Shutoff Valve Addendum (to USDD and installation contractor) must be signed prior to installation.

12 - All electrical power, including (but not limited to) raceway, conduit, backboxes, service panels, high-voltage wiring and fixtures by others.

13 - All communications pathway infrastructure (network, radio, etc.) by others unless specifically detailed in this proposal.

14 - USDD cannot warrant nor support any owner-furbished (3rd-Party) system or component we are required to integrate with. USDD cannot warrant nor support any system or component it has not proofed engineering for and has not specifically authorized for use within public safety environments.

Expires:

# US DIGITAL DESIGNS



1/7/2021 4/7/2021

 1835 E. Sixth St. Suite #27

 Tempe, Arizona 85281

 877-551-8733 tel
 480-290-7892 fax

### Quote SUBMITTED TO: The City of Reno, Nevada Public Safety Dispatch

### REF PROPOSAL NV\_RENO007 v1 STATION-LEVEL

# **STATION 21**

| STATI | STATION SYSTEM LICENSES |      |     |   |            |              |          |            |        |                |  |
|-------|-------------------------|------|-----|---|------------|--------------|----------|------------|--------|----------------|--|
| Item  | Unit                    | Mfr  | Qty | Description   | Part No.   | US List Unit |          | QUOTE UNIT |        | QUOTE EXT      |  |
| SL1   | Ea                      | USDD | 1   | G2 VOICEALERT - Single Station License.   | VA         | \$           | 1,030.00 | \$         | 927.00 | \$ 927.00      |  |
| SL2   | Ea/Yr                   | USDD | 24  | G2 MOBILE FSAS APP - Single Device License. Up<br>to 24 Licenses-Per-ATX are offered at \$0.00 cost each<br>as long as system is currently under warranty or elected<br>recurring annual support coverage. See 'Mobile' Section<br>for more detail. | G2-APP-DLI | \$           | 108.00   | \$         | 97.20  | N/A - Included |  |

| STATI | ON SY | STEM | CON | ITROLLER  |          |              |           |            |           |              |  |
|-------|-------|------|-----|---|----------|--------------|-----------|------------|-----------|--------------|--|
| Item  | Unit  | Mfr  | Qty | Description   | Part No. | US List Unit |           | QUOTE UNIT |           | QUOTE EXT    |  |
| SC1   | Kit   | USDD | 1   | <b>G2 ATX STATION CONTROLLER -</b><br>Power/Signal/Control up to 8 peripheral Remote<br>Options. 4 Unique Amps/Zones available. | ΑΤΧ      | \$           | 21,750.00 | \$         | 19,575.00 | \$ 19,575.00 |  |
| SC2   | Kit   | USDD | 0   | <b>G2 EXPANSION KIT</b> - Allows ability to<br>Power/Signal/Control up to 12 more peripheral<br>Remote options per EXP.         | EXP      | \$           | 7,325.00  | \$         | 6,592.50  | \$-          |  |
| SC3   | Kit   | USDD | 0   | Rack Mount Ears for ATX or EXP  | ATX-E    | \$           | 54.00     | \$         | 48.60     | \$-          |  |
| SC4   | Kit   | USDD | 0   | Base Plate for ATX or EXP   | ATX-P    | \$           | 54.00     | \$         | 48.60     | \$-          |  |
| SC5   | Ea    | TBD  | 1   | ATX UPS, Standard   | UPS-STD  | \$           | 923.00    | \$         | 830.70    | \$ 830.70    |  |
| SC6   | Ea    | TBD  | 1   | Shelf/Bracket, Wall-Mount for UPS   | UPS-WMB  | \$           | 57.00     | \$         | 51.30     | \$ 51.30     |  |

| STATI | TATION SYSTEM PERIPHERAL COMPONENTS |      |     |  |          |    |              |    |           |                |  |
|-------|-------------------------------------|------|-----|--|----------|----|--------------|----|-----------|----------------|--|
| Item  | Unit                                | Mfr  | Qty | Description  | Part No. | l  | JS List Unit | Q  | UOTE UNIT | QUOTE EXT      |  |
| SP1a  | Ea                                  | TBD  | 0   | Audio Amplifier, External, Standard  | AMP      | \$ | 987.00       | \$ | 888.30    | \$<br>-        |  |
| SP1b  | Ea                                  | TBD  | 0   | Shelf, Under Table or Wall Mount, for 1U 1/2 Rack  | AMP-S    | \$ | 66.00        | \$ | 59.40     | \$<br>-        |  |
| SP2   | Ea                                  | USDD | 0   | G2 COLOR INDICATOR REMOTE Module - Up to 8 unique colors   | CIR      | \$ | 725.00       | \$ | 652.50    | \$<br>-        |  |
| SP3a  | Ea                                  | USDD | 0   | <b>G2 HDTV REMOTE</b> Module (TV & Electrical Outlet<br>by Others; C.E.C. control subject to TV ability)                   | TVR      | \$ | 975.00       | \$ | 877.50    | \$<br>-        |  |
| SP3b  | Ea                                  | TBD  | 0   | Flat Panel Monitor / Smart HDTV 40-43" (Electrical<br>Outlet/Provision By Others; C.E.C. control subject<br>to TV ability) | FP-43    | \$ | 1,377.57     | \$ | 1,239.81  | \$<br>-        |  |
| SP3c  | Ea                                  | TBD  | 0   | Flat Panel / TV Mount- Universal 23"-46" Tilt  | FPM-U    | \$ | 107.86       | \$ | 97.07     | \$<br>-        |  |
| SP4   | Ea                                  | USDD | 0   | G2 I/O REMOTE Module w/ 8 In & 8 Out   | IOR      | \$ | 1,275.00     | \$ | 1,147.50  | \$<br>-        |  |
| SP5   | Ea                                  | USDD | 1   | Push Button, Standard (Black)  | PB-B     | \$ | 110.00       | \$ | 99.00     | \$<br>99.00    |  |
| SP6   | Ea                                  | USDD | 1   | Push Button, Emergency (Red)   | PB-R     | \$ | 110.00       | \$ | 99.00     | \$<br>99.00    |  |
| SP7   | Ea                                  | USDD | 2   | G2 MESSAGE REMOTE 2 Module (2017 Version 2)  | MR2      | \$ | 1,275.00     | \$ | 1,147.50  | \$<br>2,295.00 |  |
| SP9a  | Ea                                  | USDD | 0   | G2 MESSAGE SIGN (Digital LED) MINI<br>GammaSign / 12" Active Screen Width / Turn Out<br>Timing ONLY                        | MS-G-M   | \$ | 915.00       | \$ | 823.50    | \$<br>-        |  |
| SP9b  | Ea                                  | USDD | 2   | G2 MESSAGE SIGN (Digital LED) STANDARD<br>GammaSign / 24" Active Screen Width  | MS-G-S   | \$ | 1,050.00     | \$ | 945.00    | \$<br>1,890.00 |  |

| SP9c  | Ea | USDD | 0  | G2 MESSAGE SIGN (Digital LED) EXTENDED<br>GammaSign / <u>36"</u> Active Screen Width   | MS-G-E       | \$<br>1,575.00 | \$<br>1,417.50 | \$-          |  |
|-------|----|------|----|--|--------------|----------------|----------------|--------------|--|
| SP9d  | Ea | USDD | 2  | MS-G Adapter Plate, SINGLE. VESA 100, joins (1) MS-<br>G-S (or-E) to any standard mount with VESA 100 hole patterns<br>(mount not included)  | MS-AP-S      | \$<br>38.00    | \$<br>34.20    | \$ 68.40     |  |
| SP9e  | Ea | USDD | 0  | MS-G Adapter Plate, DOUBLE, VESA 100, joins (2) MS-<br>G-S(or-E) to any standard mount with VESA 100 hole patterns<br>(mount not included)   | MS-AP-D      | \$<br>49.00    | \$<br>44.10    | \$-          |  |
| SP9f  | Ea | USDD | 0  | MS-G Hanger Kit. Hangs single or double (back-to-back)<br>Message Signs (Gamma Version) from Ceiling. Includes both<br>suspended ceiling T-Bar Scissor Clips and Hard-Pan Flange<br>Mounts.  | MS-HK        | \$<br>73.00    | \$<br>65.70    | \$-          |  |
| SP11  | Ea | TBD  | 2  | MS Mount - Articulating, Long reach  | MS-MNT-ART-L | \$<br>287.00   | \$<br>258.30   | \$ 516.60    |  |
| SP12a | Ea | USDD | 6  | G2 ROOM REMOTE 2 Module / 2017 version 2   | RR2          | \$<br>2,025.00 | \$<br>1,822.50 | \$ 10,935.00 |  |
| SP12c | Ea | USDD | 0  | RR2 Adpater Plate, for Retrofit in RR1 Wall Cavity   | RR2-AP       | \$<br>46.00    | \$<br>41.40    | \$-          |  |
| SP12d | Ea | USDD | 0  | RR2 Surface Mount Box, for SURFACE MOUNT (hard wall) installation. Three (3) 3/4" conduit knock-outs.  | RR2-SMB      | \$<br>175.00   | \$<br>157.50   | \$-          |  |
| SP15  | Ea | USDD | 13 | G2 SPEAKER - LED Illuminated - FLUSH Mount,<br>70v   | SPK-LED-FM   | \$<br>325.00   | \$<br>292.50   | \$ 3,802.50  |  |
| SP16  | Ea | USDD | 0  | G2 SPEAKER - LED Illuminated - SURFACE<br>Mount (Metal Box), 70v   | SPK-LED-SM   | \$<br>325.00   | \$<br>292.50   | \$-          |  |
| SP17a | Ea | USDD | 2  | G2 SPEAKER - OmniAlertStrobe -<br>Omnidirectional Alerting Speaker, optimized for<br>high Vocal Intelligibility in large open indoor areas<br>and with High-Intensity LED Strobe Light Arrays<br>includes Cable Hanging Kit (typically requires MR2<br>for power/signal/control) | SPK-OAS      | \$<br>815.00   | \$<br>733.50   | \$ 1,467.00  |  |
| SP17b | Ea | USDD | 0  | SPK-OAS/OmniStrobe Mounting Bracket / BEAM<br>FLANGE CLIP- for mounting directly onto an<br>exposed (1/8-14") I-Beam   | SPK-OAS-BFC  | \$<br>13.00    | \$<br>11.70    | \$-          |  |
| SP17c | Ea | USDD | 0  | SPK-OAS/OmniStrobe Mounting Bracket /DROP<br>CEILING BRACKET- for mounting directly to T-Bar<br>in Suspended Ceiling   | SPK-OAS-DCB  | \$<br>48.00    | \$<br>43.20    | \$-          |  |
| SP17d | Ea | USDD | 0  | SPK-OAS/OmniStrobe Mounting Bracket /<br>SURFACE MOUNT - for mounting directly to hard<br>ceiling  | SPK-OAS-SMB  | \$<br>42.00    | \$<br>37.80    | \$-          |  |
| SP18a | Ea | USDD | 5  | SPEAKER - STANDARD, FLUSH Mount, 70v   | SPK-STD-FM   | \$<br>85.00    | \$<br>76.50    | \$ 382.50    |  |
| SP18b | Ea | USDD | 0  | SPEAKER - STANDARD, SURFACE Mount (Metal Box), 70v   | SPK-STD-SM   | \$<br>85.00    | \$<br>76.50    | \$-          |  |
| SP19  | Ea | USDD | 2  | SPEAKER - APP BAY/OUTDOOR - Weatherized,<br>Surface Mount, 70v   | SPK-W-SM     | \$<br>310.00   | \$<br>279.00   | \$ 558.00    |  |
| SP21  | Ea | USDD | 1  | G2 Strobe Light / Red LED  | STR          | \$<br>550.00   | \$<br>495.00   | \$ 495.00    |  |
| SP20  | Ea | USDD | 0  | Transformer, 8ohm to 70V, External   | XFMR         | \$<br>53.00    | \$<br>47.70    | \$-          |  |
| SP22  | Ea | USDD | 0  | VIDEO DOOR STATION - Doorbell & Camera that<br>ties into G2 FSAS (HDTV Remote) - Includes<br>Power Injector  | VDS          | \$<br>1,700.00 | \$<br>1,530.00 | \$-          |  |

| STATI | ON SY | STEM | SER | VICES   |          |             |      |    |           |             |  |
|-------|-------|------|-----|---|----------|-------------|------|----|-----------|-------------|--|
| Item  | Unit  | Mfr  | Qty | Description   | Part No. | US List Uni | it   | QL | JOTE UNIT | QUOTE EXT   |  |
| SS1   | Ea    | USDD | 0   | Station Installation (N/A - Installation is Not<br>Assumed or Included by USDD. Customer to<br>contract directly with a Certified G2 Installer.)                  | ST-INST  | \$          | -    | \$ | -         | \$-         |  |
| SS2   | Ea    | USDD | 0   | Station Remediation (Removal and Disposal of<br>Legacy Equipment Not currently Assumed or<br>Included, nor is any related Remediation to Paint,<br>Drywall, etc.) | ST-INST  | \$          | -    | \$ | -         | \$-         |  |
| SS3   | Ea    | USDD | 1   | Station Configuration & Start-Up  | ST-SU    | \$ 2,23     | 3.82 | \$ | 2,010.43  | \$ 2,010.43 |  |
| SS4   | Ea    | USDD | 1   | Station Project Management  | ST-PM    | \$ 1,11     | 4.46 | \$ | 1,003.02  | \$ 1,003.02 |  |
| SS5   | Ea    | USDD | 1   | Station Engineering / Design Services   | ST-ES    | \$ 39       | 1.04 | \$ | 351.94    | \$ 351.94   |  |
| SS6   | Ea    | USDD | 1   | Station Documentation   | ST-DM    | \$5         | 6.21 | \$ | 50.59     | \$ 50.59    |  |

| SS7a | Ea | USDD |   | Station Training - Configuration and Equipment.<br>On-Site @ Station. 4 Hours, 1 Visit. (for Technical<br>Services Staff)  | TRA-UT-O  | \$<br>4,025.00 | \$<br>3,622.50 | \$- |  |
|------|----|------|---|--|-----------|----------------|----------------|-----|--|
| SS7b | Ea | USDD |   | Station Training - User/Technician / Remote<br>Refresh (2 Hours)   | TRA-UT-R  | \$<br>600.00   | \$<br>540.00   | \$- |  |
| SS8a | Ea | USDD | - | Training - Installation Contractor - On-Site /<br>USDD G2 Certification / 8 Hours (TBD - only<br>needed if requied to use non-certified contractor)                        | TRA-IC-O  | \$<br>5,325.00 | \$<br>4,792.50 | \$- |  |
| SS8b | Ea | USDD | 0 | Training - Installation Contractor - At Arizona<br>Training Center / USDD G2 Certification / 8 Hours<br>(TBD - only needed if required to use non-certified<br>contractor) | TRA-IC-AZ | \$<br>2,725.00 | \$<br>2,452.50 | \$- |  |
| SS9  | Ea | USDD | 0 | Miscellaneous/TBD  | MISC      | \$<br>-        | \$<br>-        | \$- |  |

| STATION SYSTEM WARRANTY & OPTIONAL RECURRING ANNUAL SUPPORT |      |      |     |   |            |              |             |   |  |
|---|------|------|-----|---|------------|--------------|-------------|---|--|
| Item  | Unit | Mfr  | Qty | Description   | Part No.   | US List Unit | QUOTE UNIT  | QUOTE EXT   |  |
| SW1   | YR   | USDD | 1.5 | [STANDARD] 1st YEAR WARRANTY &<br>SUPPORT FOR THIS STATION SYSTEM (or<br>component): Telephone / Remote Access Support<br>(8:00 AM - 5:00 PM MST) PLEASE NOTE: An<br>additional 6 months (for total of 18 months/1.5<br>years) of initial warranty has been offered by USDD<br>for no additional cost so all stations can be installed<br>and enjoy same warranty/support start/stop dates) | RS-1YR-STD | \$ 4,399.20  | \$ 3,959.28 | 5938.92 but No<br>Charge For Initial<br>Warranty Period /<br>Not Included in<br>Subtotals |  |
| SW2   | YR   | USDD | •.• | [STANDARD] EACH ADDITIONAL YEAR (12-<br>Months) WARRANTY & SUPPORT FOR THIS<br>STATION SYSTEM (or Component): Telephone /<br>Remote Access Support (8:00 AM - 5:00 PM MST)  | RS-AYR-STD | \$ 4,399.20  | \$ 3,959.28 | \$ 13,857.48  |  |

| STATION 21 | System:                       | \$<br>47,407.98 |
|------------|-------------------------------|-----------------|
|            | Shipping:                     | \$<br>1,036.00  |
|            | Warranty & Support:           | \$<br>13,857.48 |
|            | Miscellaneous (if applicable) | \$<br>-         |
|            | STATION SUBTOTAL:             | \$<br>62,301.46 |

Customer must elect to choose any coverage they require beyond initial warranty period, or USDD will not be authorized to provide any service or support. Mobile Smart Phone Alerting App and Mapping Services only available to customer while under warranty or elected recurring annual support. Support Agreements subject to change if system design is modified. For additional details, please review current USDD Warranty Statement and Service Agreement. USDD cannot warrant nor support any system configuration that deviates from this specific proposal's documented station system design file number. USDD cannot warrant nor support any system not using USDD-approved UPS Battery Backup. USDD cannot warrant nor support any system not installed by G2 Trained & Certified Installation technician (installer). If customer intends to tie this system into any 3rd-party system or devices, USDD will be unable to warrant or support the sytem until we've had a chance to review documented engineering assumptions and approve system integrity, performance and reliability expectations.

For FSAaaS Program: The cost of service and support beyond initial warranty period is included in the FSASaaS Program for a total of 5 years. The service and support includes Mobile Smart Phone Alerting App and Mapping Services. Please see the FSASaaS Subscription Agreement for more information concerning the service and support provided by USDD. USDD cannot warrant nor support any system not using USDD-approved UPS Battery Backup. USDD cannot warrant nor support any system not installed by G2 Trained & Certified Installation technician (installer). If customer intends to tie this system into any 3rd-party system or devices, USDD will be unable to warrant or support the sytem until we've had a chance to review documented engineering assumptions and approve system integrity, performance and reliability expectations.

#### Station System Installation Notes:

01 - Unless specifically detailed in this proposal, no installation by USDD or it's subcontractors is assumed or provided.

02 - Because these are mission-critical systems, USDD can only warrant and support systems installed by G2 Trained and Certified Contractors.

03 - USDD can source, qualify, train and certify Local Licensed Regional Subcontrators where needed.

04 - Installation warranted by installation contractor - G2 FSAS warranted, serviced and supported by USDD.

05 - Unless specifically detailed in this proposal, installation to be performed during normal working hours.

06 - Unless specifically detailed in this proposal, no permit fees or material charges have been included.

07 - Unless specifically detailed in this proposal, no removal or remediation has been assumed or included.

08 - Unless specifically detailed in this proposal, no bonds of any type (performance, bid) have been assumed included or budgeted for in this proposal.

09 - USDD FSAS Equipment to be made available by owner to Installation Contractor prior to on-site arrival.

10 - Structural backing for system devices and other millwork (not specifically detailed) by others.

11 - If applicable. Gas Control Shutoff Valve Addendum (to USDD and installation contractor) must be signed prior to installation.

12 - All electrical power, including (but not limited to) raceway,conduit, backboxes, service panels, high-voltage wiring and fixtures by others.

13 - All communications pathway infrastructure (network, radio, etc.) by others unless specifically detailed in this proposal.

14 - USDD cannot warrant nor support any owner-furbished (3rd-Party) system or component we are required to integrate with. USDD cannot warrant nor support any system or component it has not proofed engineering for and has not specifically authorized for use within public safety environments.

Expires:

# US DIGITAL DESIGNS

# <u>QUOTE</u>

1/7/2021 4/7/2021

 1835 E. Sixth St. Suite #27

 Tempe, Arizona 85281

 877-551-8733 tel
 480-290-7892 fax

Quote SUBMITTED TO: The City of Reno, Nevada Public Safety Dispatch

**REF PROPOSAL** 

NV\_RENO007 v1

**Section Totals** 

|           | SECTION TOT<br>[UNLESS OTHERWISE NOTED, ALL PF   |          | \$US]      |
|-----------|--|----------|------------|
| DISPATCH  | I-LEVEL SUBTOTAL   | \$       | 57,229.31  |
| Includes: | PRIMARY DISPATCH G2 FSA SYSTEM :   | \$       | 50,176.68  |
|           | PRIMARY DISPATCH WARRANTY & SUPPORT  | : \$     | 7,052.63   |
|           | PRIMARY DISPATCH G2 FSA SYSTEM MISC  | : \$     | -          |
| reco      | e (1) Dispatch Center System currently propo<br>overy dispatch systems have been requested<br>posal. |          |            |
| STATION-  | LEVEL SUBTOTAL   | \$       | 908,795.75 |
| Includes: | STATION 01 SYSTEM:   | \$       | 56,656.06  |
|           | STATION 01 WARRANTY & SUPPORT:   | \$       | 16,406.15  |
|           | STATION 01 MISC.:  | \$       | -          |
| Includes: | STATION 02 SYSTEM:   | \$       | 56,543.41  |
|           | STATION 02 WARRANTY & SUPPORT:   | \$<br>\$ | 16,349.45  |
|           | STATION 02 MISC .:   |          | -          |
| Includes: | STATION 03 SYSTEM:   | \$       | 75,465.25  |
|           | STATION 03 WARRANTY & SUPPORT:   | \$<br>\$ | 22,120.94  |
|           | STATION 03 MISC.:  |          | -          |
| Includes: | STATION 04 SYSTEM:   | \$       | 49,001.36  |
|           | STATION 04 WARRANTY & SUPPORT:   | \$       | 14,046.01  |
|           | STATION 04 MISC.:  | \$       | -          |
| Includes: | STATION 05 SYSTEM:   | \$       | 39,398.18  |
|           | STATION 05 WARRANTY & SUPPORT:   | \$<br>\$ | 11,090.52  |
|           | STATION 05 MISC.:  |          | -          |
| Includes: | STATION 06 SYSTEM:   | \$       | 51,054.24  |
|           | STATION 06 WARRANTY & SUPPORT:   | \$<br>\$ | 14,688.14  |
|           | STATION 06 MISC.:  |          | -          |
| Includes: | STATION 07 SYSTEM:   | \$       | 42,147.75  |
|           | STATION 07 WARRANTY & SUPPORT:   | \$<br>\$ | 11,931.10  |
|           | STATION 07 MISC.:  |          | -          |
| Includes: | STATION 08 SYSTEM:   | \$       | 41,702.94  |
|           | STATION 08 WARRANTY & SUPPORT:   | \$<br>\$ | 11,790.77  |
|           | STATION 08 MISC.:  |          | -          |
| Includes: | STATION 09 SYSTEM:   | \$       | 44,083.59  |

|            | STATION 09 WARRANTY & SUPPORT:  | \$   | 12,529.28  |
|------------|---|------|------------|
|            | STATION 09 MISC.:   | \$   | -          |
| Includes:  | STATION 10 SYSTEM:  | \$   | 50,345.70  |
|            | STATION 10 WARRANTY & SUPPORT:  | \$   | 14,464.17  |
|            | STATION 10 MISC.:   | \$   | -          |
| Includes:  | STATION 11 SYSTEM:  | \$   | 66,367.66  |
|            | STATION 11 WARRANTY & SUPPORT:  | \$   | 19,326.20  |
|            | STATION 11 MISC.:   | \$   | -          |
| Includes:  | STATION 12 SYSTEM:  | \$   | 42,126.62  |
|            | STATION 12 WARRANTY & SUPPORT:  | \$   | 11,911.25  |
|            | STATION 12 MISC.:   | \$   | -          |
| Includes:  | STATION 19 SYSTEM:  | \$   | 42,827.96  |
|            | STATION 19 WARRANTY & SUPPORT:  | \$   | 12,119.63  |
|            | STATION 19 MISC.:   | \$   | -          |
| Includes:  | STATION 21 SYSTEM:  | \$   | 48,443.98  |
|            | STATION 21 WARRANTY & SUPPORT:  | \$   | 13,857.48  |
|            | STATION 21 MISC.:   | \$   | -          |
| Not        | Irteen (14) Station Systems currently includ<br>Assumed or Included by USDD. Customer 1<br>tified G2 Installer. |      |            |
|            |   |      |            |
| US Digital | Designs Additional Warranty   | \$   | 209,683.69 |
| US Dig     | ital Designs System Tota  | I \$ | 966,025.06 |

(TBD By Customer) Customer must elect to choose any coverage they require beyond initial warranty period, or USDD will not be authorized to provide any service or support. Mobile Smart Phone Alerting App and Mapping Services only available to customer while under warranty or elected recurring annual support. Support Agreements subject to change if system design is modified. For additional details, please review current USDD Warranty Statement and Service Agreement

### STANDARD TERMS AND CONDITIONS OF SALE

### (Contract Sales)

- 1. REMITTANCES All invoices shall be due and payable upon receipt in United States currency, free of exchange, or any other charges, or as otherwise agreed in writing by US Digital Designs, Inc. (hereinafter called "USDD").
- 2. PROPOSALS This proposal expires 30 days after its date. Prices are subject to correction for error.
- 3. PROGRESS PAYMENTS USDD reserves the right to invoice Customer monthly for all materials delivered. Invoices are due NET 30 upon receipt by Customer. If the Customer becomes overdue in any progress payment, USDD shall be entitled to suspend further shipments, shall be entitled to interest at the annual rate of 18%, and also to avail itself of any other legal remedies. Customer agrees that it will pay and/or reimburse USDD for any and all reasonable attorneys' fees and costs which are incurred by USDD in the collection of amounts due and payable hereunder.
- 4. CANCELLATION AND SUSPENSION Any order resulting from this proposal is subject to cancellation or instructions to suspend work by the Customer only upon agreement to pay USDD for all work in progress and all inventoried or ordered project parts and materials, and all other costs incurred by USDD related to the contract.
- 5. TAXES All taxes of any kind levied by any federal, state, municipal or other governmental authority, which tax USDD is required to collect or pay with respect to the production, sale, or delivery of products sold to Customer shall be the responsibility of Customer. Customer agrees to pay all such taxes and further agrees to reimburse USDD for any such payments made by USDD.
- 6. LOSS, DAMAGE OR DELAY USDD shall not be liable for any loss, damage, or delay occasioned by any causes beyond USDD's control, including, but not limited to, governmental actions or orders, embargoes, strikes, differences with workmen, fires, floods, accidents, or transportation delays. IN NO EVENT SHALL USDD BE LIABLE FOR ANY CONSEQUENTIAL OR SPECIAL DAMAGES.
- 7. WARRANTY: USDD warrants and guarantees its products for 12 months from the day of shipment to Customer (the "Warranty Period"), subject to the terms and limitations set forth herein. The Customer's rights and remedies with respect to a product found to be defective in material or workmanship shall be limited exclusively to the rights and remedies set forth herein. Any misuse, unauthorized modification, improper installation, excessive shock, attempted repair, accident, or improper or negligent use, storage, transportation, or handling by any party other than USDD shall render this warranty null, void and of no further effect. USDD cannot warrant nor support any system or component it has not proofed engineering for and has not specifically authorized for use within public safety environments.

7.1 PRODUCT DEFECTS. If a product is defective and a valid claim is made within the Warranty Period, at its option, USDD will either (1) repair the defective product at no charge, using new parts or parts equivalent to new in performance and reliability or (2) exchange the product with a product that is new or equivalent to new in performance and reliability and is at least functionally equivalent to the original product. Any replacement product or part, including a user-installable part that has been installed in accordance with instructions provided by USDD, shall remain under warranty during the Warranty Period or for 90 days from the date of repair, whichever is later. When a product or part is exchanged, any replacement item becomes the Customer's property and the replaced item becomes the property of USDD. Customer shall be responsible for and bear all risks and costs of shipping any products to USDD for repair. USDD shall be responsible for and bear all risks and costs of returning any products will be returned to Customer configured as it was when the product was originally purchased, subject to applicable updates.

7.2 CLAIMS. Prior to making a Warranty claim, Customer is encouraged to review USDD's online help resources. Thereafter, to make a valid claim hereunder, Customer must contact USDD technical support and describe the problem or defect with specificity. The first such contact must occur during the Warranty Period. USDD's technical support contact information can be found on USDD's web site at http://stationalerting.com/home/about-usdd/contact-usdd/. Customer must use its best efforts to assist in diagnosing defects, follow USDD's technical instructions, and fully cooperate in the diagnostic process. Failure to do so shall relieve USDD of any further obligation hereunder.

7.3 EXCLUSIONS AND LIMITATIONS. USDD does not warrant that the operation of its product or any related peripherals will be uninterrupted or error-free. USDD is not responsible for damage arising from Customer's failure to follow instructions relating to the product's use. This Warranty does not apply to any Hardware or Software (as defined below) not used for its intended purpose. This Warranty does not apply to monitors or televisions manufactured by third parties. Repair or replacement of such components shall be subject exclusively to the manufacturer's warranty, if any. Recovery and reinstallation of Hardware and user data (including passwords) are not covered under this Warranty. This Warranty does not apply (a) to consumable parts, such as batteries, unless damage has occurred due to a defect in materials or workmanship; (b) to cosmetic damage, including but not limited to scratches, dents and broken plastic on ports; (c) to damage caused by use with non-USDD products; (d) to damage caused by accident, abuse, misuse, flood, lightning, fire, earthquake or other external causes; (e) to damage caused by operating the product outside the permitted or intended uses described by USDD; (f) to damage or failure caused by installation or service (including upgrades and expansions) performed by anyone who is not a representative of USDD or a USDD authorized installer or service provider; (g) to a product or part that has been modified to alter functionality or capability without the written permission of USDD; or (h) if any serial number has been removed or defaced.

TO THE EXTENT PERMITTED BY LAW, THIS WARRANTY AND REMEDIES SET FORTH ABOVE ARE EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, REMEDIES AND CONDITIONS, WHETHER ORAL OR WRITTEN, STATUTORY, EXPRESS OR IMPLIED. AS PERMITTED BY APPLICABLE LAW, USDD SPECIFICALLY DISCLAIMS ANY AND ALL STATUTORY OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND WARRANTIES AGAINST HIDDEN OR LATENT DEFECTS. If USDD cannot lawfully disclaim statutory or implied warranties then to the extent permitted by law, all such warranties shall be limited in duration to the duration of this express Warranty and to repair or replacement service as determined by USDD in its sole discretion. No reseller, agent, or employee is authorized to make any modification, extension, or addition to this Warranty. If any term is held to be illegal or unenforceable, the legality or enforceability of the remaining terms shall not be affected or impaired.

EXCEPT AS PROVIDED IN THIS WARRANTY AND TO THE EXTENT PERMITTED BY LAW, USDD IS NOT RESPONSIBLE FOR DIRECT, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM ANY BREACH OF WARRANTY OR CONDITION, OR UNDER ANY OTHER LEGAL THEORY, INCLUDING BUT NOT LIMITED TO LOSS OF USE; LOSS OF REVENUE; LOSS OF THE USE OF MONEY; LOSS OF ANTICIPATED SAVINGS; LOSS OF GOODWILL; LOSS OF REPUTATION; and LOSS OF, DAMAGE TO OR CORRUPTION OF DATA. USDD IS NOT RESPONSIBLE FOR ANY INDIRECT LOSS OF REVENUE; LOSS OF TREPLACEMENT OF EQUIPMENT AND PROPERTY, ANY COSTS OF RECOVERING PROGRAMMING OR REPRODUCING ANY PROGRAM OR DATA STORED OR USED WITH USDD PRODUCTS, AND ANY FAILURE TO MAINTAIN THE CONFIDENTIALITY OF DATA STORED ON THE PRODUCT. USDD disclaims any representation that it will be able to repair any product under this Warranty or make a product exchange without risk to or loss of the programs or data stored thereon.

- 8. SERVICE AGREEMENT. The Product being purchased hereunder is not subject to any post warranty service agreement or maintanence program unless specifically contracted for between USDD and Customer. USDD offers a comprehensive post warranty Service Agreement at additional cost. Customer should contact USDD regarding its Service Agreement and costs associated therewith.
- 9. INTELLECTUAL PROPERTY: Customer hereby agrees and acknowledges that USDD owns all rights, title, and interest in and to the Intellectual Property (as defined below). Customer agrees to not remove, obscure, or alter USDD's or any third party's copyright notice, trademarks, or other proprietary rights notices affixed to or contained within or accessed in conjunction with or through USDD's Product (as defined below). Nothing herein shall be deemed to give, transfer, or convey to Customer any rights in the Intellectual Property other than the License, as set forth below.
  9.1 LICENSE: At all times that Customer is in compliance with the terms of this Agreement and all other agreements between the parties, Customer shall have a non-exclusive, non-transferable, fully paid license to use the Software, but only in conjunction with the Hardware provided by USDD and only in conjunction with Customer's fire station alerting system pursuant to the terms of this Agreement.
  9.2 DEFINITIONS: For purposes of this Section the following terms shall have the following definitions:

9.2.1 "Intellectual Property" means any and all rights of USDD related to USDD's Product existing from time to time under patent law, copyright law, trade secret law, trademark law, unfair competition law, and any and all other proprietary rights, and any and all derivative works, work product, applications, renewals, extensions and restorations thereof, now or hereafter in force and effect worldwide;

9.2.2 "USDD's Product" means any and all Hardware and Software provided to Customer by USDD under this Agreement or any other contract, purchase order, or arrangement;

9.2.3 "Hardware" means a physically tangible electro-mechanical system or sub-system and associated documentation but specifically excludes any televisions or monitors manufactured by a third party; and

9.2.4 "Software" means software programs, including embedded software, firmware, executable code, linkable object code, and source code, including any updates, modifications, revisions, copies, documentation and design data that are licensed under this Agreement.

#### 10. Remote Access to System.

a. USDD requires remote network access to the System, including access to Customer's Communications Gateways, Station Controllers, and other USDD-supplied equipment through Secure Shell (SSH) to perform implementation and support tasks under this contract. To enable this the Customer will provide USDD support personnel VPN or similar remote network access to the System for USDD support personnel ("Customer Support") to effectively troubleshoot critical or complex problems and to expedite resolution of such issues. Remote network access is also used to install core System software upgrades and customized software. USDD will only access Customer's System with the knowledge and consent of Customer.

b. <u>Alternative to Network</u> Access. If the Customer elects not to provide remote network access to the System, then USDD may not be able to perform some support functions. Customers that elect not to routinely provide network access may temporarily reinstate this access to allow USDD to perform the above services. The following services will not be performed without this access:

- System software upgrades
- System software customization
- Network troubleshooting assistance including packet capture and network monitoring on USDD devices
- Detailed log analysis
- Bulk updates to System database tables
- Troubleshooting that requires low-level system access or large file transfer

c. <u>Timely Access</u>. Customers much ensure that remote access is available prior to notifying USDD of a support request. In the event that the Customer is unable to provide remote access, USDD will not be required to provide support outside those tasks that do not require remote access, and any corresponding resolution response times will not apply.

d. <u>Physical Security Tokens</u>. USDD has multiple software engineers that provide after-hours support and these engineers do not typically take security tokens from the USDD office. If the customer requires the use of physical security tokens this may delay after hours service.

11. GOVERNING LAW Any contract resulting from this proposal shall be governed by, construed, and enforced in accordance with the laws of the State of Arizona.

- 12. ACCEPTANCE OF TERMS This proposal shall become a binding contract between the Customer and USDD when accepted in writing by the Customer. Without limiting the foregoing, issuance by Customer of a purchase order to USDD for any of the goods or services herein described shall constitute acceptance. Any such acceptance shall be with the mutual understanding that the terms and conditions of this proposal are a part thereof with the same effect as though signed by both parties named herein and shall prevail over any inconsistent provision of said order. No waiver, alteration, or modification of these terms and conditions shall be binding unless in writing and signed by an authorized representative of USDD.
- 13. SHIPPING/DELIVERY: Unless specifically detailed as otherwise in this proposal, all shipping and delivery costs (even thouse detailed per-system) relate to single combined shipment to a single point of delivery. If requested otherwise then costs and terms subject to change.
- 14. CREDIT CARDS: All USDD quotes are developed for the customer with the understanding the eventual purchase would be facilitated using standard Purchase Order and Invoice process. If customer would rather use a Credit Card for purchase then said order would be subject to a 4% credit card processing charge.
- 15. USDD cannot warrant nor support any system configuration that deviates from this specific proposal's documented station system design file number. USDD Cannot warrant nor support any system not using USDD-approved UPS Battery Backup. USDD cannot warrant nor support any system or installed by G2 Trained & Certified Installation technician (installer). If customer intends to tie this system into any 3rd-party system or devices, USDD will be unable to warrant or support the sytem until we've had a chance to review documented engineering assumptions and approve system integrity, performance and reliability expectations.
- 16. THIS QUOTE SUBJECT TO REVIEW FOR ERRORS AND OMISSIONS.

| Station # | Total Price |  |
|-----------|-------------|--|
| 1         | 18,718.82   |  |
| 2         | 24,742.91   |  |
| 3         | 28,541.25   |  |
| 4         | 21,598.75   |  |
| 5         | 16,482.55   |  |
| 6         | 18,326.77   |  |
| 7         | 14,272.75   |  |
| 8         | 13,389.97   |  |
| 9         | 19,186.35   |  |
| 10        | 17303.97    |  |
| 11        | 28984.13    |  |
| 12        | 11,824.37   |  |
| 19        | 15,346.97   |  |
| 21        | 16,175.08   |  |
|           |             |  |
| Totals    | 264,894.64  |  |
|           |             |  |

# City of Reno Fire Department - Installation Costs

January 21, 2021 E911 Committee Meeting

1