

## AIR POLLUTION STATIONARY SOURCE PLAN REVIEW FEE

The Air Pollution Stationary Source Plan review is required to demonstrate a new industrial source of air pollution will be in compliance with the health based ambient air quality standards for particulate matter, carbon monoxide, ozone, sulfur dioxide, nitrogen oxide, lead, and hydrogen sulfide.

The fee for an Air Pollution Stationary Source Plan review is based upon the time to review the plan to assess the need for an Air Quality Management Permit (dust, stationary source, asbestos, other) to evaluate available control measures and associated compliance with the Air Quality Management regulations, contact the responsible party via phone and/or on-site visit, and approve the plan with applicable conditions.

The average time spent by the Environmental Engineer II to conduct the reviews for a facility with a boiler is only one (1) hour, for a facility that emits less than 100 tons/year is eight (8) hours; for a facility which accepts synthetic operating limits to maintain emissions less than 100 tons/yr is 24 hours; for a facility that meets all the criteria to be issued a General Title V permit is 20 hours; and for a facility that emits 100 tons/year or more is 100 hours.

The average time spend by the OSS/Admin Secretary combo to conduct the reviews for a facility with a boiler is ten (10) minutes; for a facility that emits less than 100 tons/year is ten (10) minutes; for a facility which accepts synthetic operating limits to maintain emissions less than 100 tons/yr is ten (10) minutes; for a facility that meets all the criteria to be issued a General Title V permit is two (2) hours; and for a facility that emits 100 tons/year or more is eight (8) hours.

The computation of the Stationary Source Plan Review fees is as follows:

Personnel	Hourly Rate	# of Hours	Inspection	Cost	AQM Program		Total	
					Cost	Cost	Cost	Cost
Environmental Engineer II	\$120.57	1.000	Boiler Only	\$ 120.57	\$ 12.68	\$ 133.25	\$ 133.25	
Admin Sec/OSS Combo	\$91.56	0.167	Boiler Only	\$ 15.26	\$ 2.11	\$ 17.37	\$ 17.37	
						Subtotal	\$ 151.00	
						FY19 RTF at 4%, minimum \$1.00	\$ 6.00	
						Total Fee	\$ 157.00	
Environmental Engineer II	\$ 120.57	8.000	<100 tons/yr	\$ 964.54	\$ 101.45	\$ 1,065.99	\$ 1,065.99	
Admin Sec/OSS Combo	\$ 91.56	0.167	<100 tons/yr	\$ 15.26	\$ 2.11	\$ 17.37	\$ 17.37	
						Subtotal	\$ 1,083.00	
						FY19 RTF at 4%, minimum \$1.00	\$ 43.00	
						Total Fee	\$ 1,126.00	
Environmental Engineer II	\$ 120.57	24.000	Synthetic Min	\$ 2,893.62	\$ 304.35	\$ 3,197.97	\$ 3,197.97	
Admin Sec/OSS Combo	\$ 91.56	0.167	Synthetic Min	\$ 15.26	\$ 2.11	\$ 17.37	\$ 17.37	
						Subtotal	\$ 3,215.00	
						FY19 RTF at 4%, minimum \$1.00	\$ 129.00	
						Total Fee	\$ 3,344.00	
Environmental Engineer II	\$ 120.57	20.000	>100 tons/yr	\$2,411.35	\$ 253.63	\$ 2,664.98	\$ 2,664.98	
Admin Sec/OSS Combo	\$ 91.56	2.000	>100 tons/yr	\$183.13	\$ 25.36	\$ 208.49	\$ 208.49	
						Subtotal	\$ 2,873.00	
						FY19 RTF not applied on Title V	\$ -	
						Total Fee	\$ 2,873.00	
Environmental Engineer II	\$ 120.57	300.000	>100 tons/yr	\$ 36,170.24	\$ 300.00	\$ 36,170.24	\$ 36,170.24	
Admin Sec/OSS Combo	\$ 91.56	8.000	>100 tons/yr	\$ 732.51	\$ 8.00	\$ 740.51	\$ 740.51	
						Subtotal	\$ 36,911.00	
						FY19 RTF not applied on Title V	\$ -	
						Total Fee	\$ 36,911.00	

Hourly Program Expense Rate \$ 12.68

Title V Hourly Program Expense Rate \$ 1.00 Quality Management