

4/30/2019

Washoe County Water Resources/CSD  
PO Box 11130  
Reno, NV 89502  
Attn: Lydia Peri

OrderID: 19040539

Dear: Lydia Peri

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, online edition, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 4/17/2019. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,



Jennifer Delaney  
QA Specialist

**SPARKS**

475 E. Greg Street, Suite 119  
Sparks, Nevada 89431  
tel (775) 355-0202  
fax (775) 355-0817  
EPA LAB ID: NV00925 - ELAP No: 2523

**ELKO**

1084 Lamoille Hwy  
Elko, Nevada 89801  
tel (775) 777-9933  
fax (775) 777-9933  
EPA LAB ID: NV00926

**LAS VEGAS**

3230 Polaris Ave. Suite 4  
Las Vegas, Nevada 89102  
tel (702) 475-8899  
fax (702) 622-2868  
EPA LAB ID: NV00932

# Western Environmental Testing Laboratory

## Report Comments

Washoe County Water Resources/CSD - 19040539

### Specific Report Comments

None

### Report Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- D -- Due to the sample matrix dilution was required in order to properly detect and report the analyte. The reporting limit has been adjusted accordingly.
- HT -- Sample analyzed beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- The matrix spike/matrix spike duplicate (MS/MSD) values for the analysis of this parameter were outside acceptance criteria due to probable matrix interference. The reported result should be considered an estimate.
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- QD -- The sample duplicate or matrix spike duplicate analysis demonstrated sample imprecision. The reported result should be considered an estimate.
- QL -- The result for the laboratory control sample (LCS) was outside WETLAB acceptance criteria and reanalysis was not possible. The reported data should be considered an estimate.
- S -- Surrogate recovery was outside of laboratory acceptance limits due to matrix interference. The associated blank and LCS surrogate recovery was within acceptance limits
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered
- U -- The analyte was analyzed for, but was not detected above the level of the reported sample reporting/quantitation limit

### General Lab Comments

Per method recommendation (section 4.4), Samples analyzed by methods EPA 300.0 and EPA 300.1 have been filtered prior to analysis.

The following is an interpretation of the results from EPA method 9223B:

A result of zero (0) indicates absence for both coliform and Escherichia coli meaning the water meets the microbiological requirements of the U.S. EPA Safe Drinking Water Act (SDWA). A result of one (1) for either test indicates presence and the water does not meet the SDWA requirements. Waters with positive tests should be disinfected by a certified water treatment operator and retested.

Per federal regulation the holding time for the following parameters in aqueous/water samples is 15 minutes: Residual Chlorine, pH, Dissolved Oxygen, Sulfite.

#### **SPARKS**

475 E. Greg Street, Suite 119  
Sparks, Nevada 89431  
tel (775) 355-0202  
fax (775) 355-0817  
EPA LAB ID: NV00925 - ELAP No: 2523

#### **ELKO**

1084 Lamaille Hwy  
Elko, Nevada 89801  
tel (775) 777-9933  
fax (775) 777-9933  
EPA LAB ID: NV00926

#### **LAS VEGAS**

3230 Polaris Ave. Suite 4  
Las Vegas, Nevada 89102  
tel (702) 475-8899  
fax (702) 622-2868  
EPA LAB ID: NV00932

# Western Environmental Testing Laboratory

## Analytical Report

Washoe County Water Resources/CSD

Date Printed: 4/30/2019

PO Box 11130

OrderID: 19040539

Reno, NV 89502

Attn: Lydia Peri

Phone: (775) 954-4612 Fax:

PO\Project: Swan Lake / io 49300

Customer Sample ID: Compton  
WETLAB Sample ID: 19040539-001Collect Date/Time: 4/17/2019 13:30  
Receive Date: 4/17/2019 15:18

Analyte	Method	Results	Units	DF	RL	Analyzed	LabID
<b><u>General Chemistry</u></b>							
Ammonia, as Nitrogen	SM 4500 NH3 D	0.098	mg/L	1	0.050	4/18/2019	NV00925
Total Phosphorous as P	SM 4500-P E	0.69	mg/L	1	0.020	4/18/2019	NV00925
Total Suspended Solids (TSS)	SM 2540D	21	mg/L	1	10	4/18/2019	NV00925
Biochemical Oxygen Demand	SM 5210B	8.0	mg/L	1	2.0	4/18/2019	NV00925
Total Nitrogen	Calc.	1.8	mg/L	1	0.50	4/20/2019	NV00925
Total Cyanide	SM 4500CNC	ND	mg/L	1	0.015	4/26/2019	NV00925
Total Dissolved Solids (TDS)	SM 2540C	610	mg/L	1	25	4/22/2019	NV00925
<b><u>Microbiological Analyses</u></b>							
Total Coliform (MPN)	SM 9223B (Quantitray)	71.2	MPN/100ml	1	1.0	4/17/2019	NV00925
Escherichia Coli (MPN)	SM 9223B (Quantitray)	ND	MPN/100ml	1	1.0	4/17/2019	NV00925
<b><u>Anions by Ion Chromatography</u></b>							
Chloride	EPA 300.0	75	mg/L	2	2.0	4/19/2019	NV00925
Sulfate	EPA 300.0	87	mg/L	2	3.0	4/19/2019	NV00925
<b><u>Flow Injection Analyses</u></b>							
Nitrate + Nitrite Nitrogen	EPA 353.2	0.28	mg/L	5	0.10	4/20/2019	NV00925
Total Kjeldahl Nitrogen	EPA 351.2	1.5	mg/L	1	0.40	4/19/2019	NV00925
<b><u>Trace Metals by ICP-OES</u></b>							
Barium	EPA 200.7	0.050	mg/L	1	0.020	4/23/2019	NV00925
Beryllium	EPA 200.7	ND	mg/L	1	0.0010	4/23/2019	NV00925
Cadmium	EPA 200.7	ND	mg/L	1	0.0010	4/23/2019	NV00925
Chromium	EPA 200.7	ND	mg/L	1	0.0050	4/23/2019	NV00925
Copper	EPA 200.7	ND	mg/L	1	0.040	4/23/2019	NV00925
Nickel	EPA 200.7	ND	mg/L	1	0.030	4/23/2019	NV00925
<b><u>Trace Metals by ICP-MS</u></b>							
Antimony	EPA 200.8	ND	mg/L	1	0.0025	4/22/2019	NV00925
Arsenic	EPA 200.8	0.019	mg/L	1	0.0050	4/22/2019	NV00925
Lead	EPA 200.8	ND	mg/L	1	0.0025	4/22/2019	NV00925
Selenium	EPA 200.8	ND	mg/L	1	0.0050	4/22/2019	NV00925
Thallium	EPA 200.8	ND	mg/L	1	0.0010	4/22/2019	NV00925
<b><u>Mercury by CVAA</u></b>							
Mercury	EPA 245.1	ND	mg/L	1	0.00025	4/23/2019	NV00925
<b><u>Sample Preparation</u></b>							
Trace Metals Digestion	EPA 200.2	Complete		1		4/19/2019	NV00925

DF=Dilution Factor, RL=Reporting Limit, ND=Not Detected or &lt;RL

Page 3 of 7

**SPARKS**

475 E. Greg Street, Suite 119  
Sparks, Nevada 89431  
tel (775) 355-0202  
fax (775) 355-0817  
EPA LAB ID: NV00925 - ELAP No: 2523

**ELKO**

1084 Lamaille Hwy  
Elko, Nevada 89801  
tel (775) 777-9933  
fax (775) 777-9933  
EPA LAB ID: NV00926

**LAS VEGAS**

3230 Polaris Ave. Suite 4  
Las Vegas, Nevada 89102  
tel (702) 475-8899  
fax (702) 622-2868  
EPA LAB ID: NV00932

Customer Sample ID: Pompe  
 WETLAB Sample ID: 19040539-002

Collect Date/Time: 4/17/2019 12:30

Receive Date: 4/17/2019 15:18

Analyte	Method	Results	Units	DF	RL	Analyzed	LabID
<b><u>General Chemistry</u></b>							
Ammonia, as Nitrogen	SM 4500 NH3 D	0.27	mg/L	1	0.050	4/18/2019	NV00925
Total Phosphorous as P	SM 4500-P E	0.56	mg/L	1	0.020	4/18/2019	NV00925
Total Suspended Solids (TSS)	SM 2540D	17	mg/L	1	10	4/18/2019	NV00925
Biochemical Oxygen Demand	SM 5210B	2.9	mg/L	1	2.0	4/18/2019	NV00925
Total Nitrogen	Calc.	2.3	mg/L	1	0.50	4/20/2019	NV00925
Total Cyanide	SM 4500CNC	ND	mg/L	1	0.015	4/26/2019	NV00925
Total Dissolved Solids (TDS)	SM 2540C	610	mg/L	1	25	4/22/2019	NV00925
<b><u>Microbiological Analyses</u></b>							
Total Coliform (MPN)	SM 9223B (Quantitray)	8.4	MPN/100ml	1	1.0	4/17/2019	NV00925
Escherichia Coli (MPN)	SM 9223B (Quantitray)	4.0	MPN/100ml	1	1.0	4/17/2019	NV00925
<b><u>Anions by Ion Chromatography</u></b>							
Chloride	EPA 300.0	81	mg/L	2	2.0	4/18/2019	NV00925
Sulfate	EPA 300.0	89	mg/L	2	3.0	4/18/2019	NV00925
<b><u>Flow Injection Analyses</u></b>							
Nitrate + Nitrite Nitrogen	EPA 353.2	0.63	mg/L	5	0.10	4/20/2019	NV00925
Total Kjeldahl Nitrogen	EPA 351.2	1.6	mg/L	1	0.40	4/19/2019	NV00925
<b><u>Trace Metals by ICP-OES</u></b>							
Barium	EPA 200.7	0.058	mg/L	1	0.020	4/23/2019	NV00925
Beryllium	EPA 200.7	ND	mg/L	1	0.0010	4/23/2019	NV00925
Cadmium	EPA 200.7	ND	mg/L	1	0.0010	4/23/2019	NV00925
Chromium	EPA 200.7	ND	mg/L	1	0.0050	4/23/2019	NV00925
Copper	EPA 200.7	ND	mg/L	1	0.040	4/23/2019	NV00925
Nickel	EPA 200.7	ND	mg/L	1	0.030	4/23/2019	NV00925
<b><u>Trace Metals by ICP-MS</u></b>							
Antimony	EPA 200.8	ND	mg/L	1	0.0025	4/22/2019	NV00925
Arsenic	EPA 200.8	0.023	mg/L	1	0.0050	4/22/2019	NV00925
Lead	EPA 200.8	ND	mg/L	1	0.0025	4/22/2019	NV00925
Selenium	EPA 200.8	ND	mg/L	1	0.0050	4/22/2019	NV00925
Thallium	EPA 200.8	ND	mg/L	1	0.0010	4/22/2019	NV00925
<b><u>Mercury by CVAA</u></b>							
Mercury	EPA 245.1	ND	mg/L	1	0.00025	4/23/2019	NV00925
<b><u>Sample Preparation</u></b>							
Trace Metals Digestion	EPA 200.2	Complete		1		4/19/2019	NV00925

**SPARKS**

475 E. Greg Street, Suite 119  
 Sparks, Nevada 89431  
 tel (775) 355-0202  
 fax (775) 355-0817  
 EPA LAB ID: NV00925 - ELAP No: 2523

**ELKO**

1084 Lamoille Hwy  
 Elko, Nevada 89801  
 tel (775) 777-9933  
 fax (775) 777-9933  
 EPA LAB ID: NV00926

**LAS VEGAS**

3230 Polaris Ave. Suite 4  
 Las Vegas, Nevada 89102  
 tel (702) 475-8899  
 fax (702) 622-2868  
 EPA LAB ID: NV00932

Customer Sample ID: TMWA Well North

Collect Date/Time: 4/17/2019 13:00

WETLAB Sample ID: 19040539-003

Receive Date: 4/17/2019 15:18

Analyte	Method	Results	Units	DF	RL	Analyzed	LabID
<b><u>General Chemistry</u></b>							
Ammonia, as Nitrogen	SM 4500 NH3 D	0.091	mg/L	1	0.050	4/18/2019	NV00925
Total Phosphorous as P	SM 4500-P E	0.72	mg/L	1	0.020	4/18/2019	NV00925
Total Suspended Solids (TSS)	SM 2540D	25	mg/L	1	10	4/18/2019	NV00925
Biochemical Oxygen Demand	SM 5210B	6.8	mg/L	1	2.0	4/18/2019	NV00925
Total Nitrogen	Calc.	1.7	mg/L	1	0.50	4/20/2019	NV00925
Total Cyanide	SM 4500CNC	ND	mg/L	1	0.015	4/26/2019	NV00925
Total Dissolved Solids (TDS)	SM 2540C	590	mg/L	1	25	4/22/2019	NV00925
<b><u>Microbiological Analyses</u></b>							
Total Coliform (MPN)	SM 9223B (Quantitray)	15.5	MPN/100ml	1	1.0	4/17/2019	NV00925
Escherichia Coli (MPN)	SM 9223B (Quantitray)	ND	MPN/100ml	1	1.0	4/17/2019	NV00925
<b><u>Anions by Ion Chromatography</u></b>							
Chloride	EPA 300.0	78	mg/L	2	2.0	4/18/2019	NV00925
Sulfate	EPA 300.0	82	mg/L	2	3.0	4/18/2019	NV00925
<b><u>Flow Injection Analyses</u></b>							
Nitrate + Nitrite Nitrogen	EPA 353.2	0.16	mg/L	5	0.10	4/20/2019	NV00925
Total Kjeldahl Nitrogen	EPA 351.2	1.5	mg/L	1	0.40	4/19/2019	NV00925
<b><u>Trace Metals by ICP-OES</u></b>							
Barium	EPA 200.7	0.056	mg/L	1	0.020	4/23/2019	NV00925
Beryllium	EPA 200.7	ND	mg/L	1	0.0010	4/23/2019	NV00925
Cadmium	EPA 200.7	ND	mg/L	1	0.0010	4/23/2019	NV00925
Chromium	EPA 200.7	ND	mg/L	1	0.0050	4/23/2019	NV00925
Copper	EPA 200.7	ND	mg/L	1	0.040	4/23/2019	NV00925
Nickel	EPA 200.7	ND	mg/L	1	0.030	4/23/2019	NV00925
<b><u>Trace Metals by ICP-MS</u></b>							
Antimony	EPA 200.8	ND	mg/L	1	0.0025	4/22/2019	NV00925
Arsenic	EPA 200.8	0.020	mg/L	1	0.0050	4/22/2019	NV00925
Lead	EPA 200.8	ND	mg/L	1	0.0025	4/22/2019	NV00925
Selenium	EPA 200.8	ND	mg/L	1	0.0050	4/22/2019	NV00925
Thallium	EPA 200.8	ND	mg/L	1	0.0010	4/22/2019	NV00925
<b><u>Mercury by CVAA</u></b>							
Mercury	EPA 245.1	ND	mg/L	1	0.00025	4/23/2019	NV00925
<b><u>Sample Preparation</u></b>							
Trace Metals Digestion	EPA 200.2	Complete		1		4/19/2019	NV00925

**SPARKS**

475 E. Greg Street, Suite 119  
 Sparks, Nevada 89431  
 tel (775) 355-0202  
 fax (775) 355-0817  
 EPA LAB ID: NV00925 - ELAP No: 2523

**ELKO**

1084 Lamoille Hwy  
 Elko, Nevada 89801  
 tel (775) 777-9933  
 fax (775) 777-9933  
 EPA LAB ID: NV00926

**LAS VEGAS**

3230 Polaris Ave. Suite 4  
 Las Vegas, Nevada 89102  
 tel (702) 475-8899  
 fax (702) 622-2868  
 EPA LAB ID: NV00932

## Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Actual	% Rec	Units
QC19040727	Blank 1	Total Phosphorous as P	SM 4500-P E	ND			mg/L
QC19040765	Blank 1	Ammonia, as Nitrogen	SM 4500 NH3	ND			mg/L
QC19040766	Blank 1	Ammonia, as Nitrogen	SM 4500 NH3	ND			mg/L
QC19040770	Blank 1	Total Coliform (MPN)	SM 9223B (Qu	ND			MPN/100ml
		Escherichia Coli (MPN)	SM 9223B (Qu	ND			MPN/100ml
QC19040772	Blank 1	Chloride	EPA 300.0	ND			mg/L
		Sulfate	EPA 300.0	ND			mg/L
QC19040794	Blank 1	Total Kjeldahl Nitrogen	EPA 351.2	ND			mg/L
QC19040795	Blank 1	Total Suspended Solids (TSS)	SM 2540D	ND			mg/L
QC19040827	Blank 1	Antimony	EPA 200.8	ND			mg/L
		Arsenic	EPA 200.8	ND			mg/L
		Lead	EPA 200.8	ND			mg/L
		Selenium	EPA 200.8	ND			mg/L
		Thallium	EPA 200.8	ND			mg/L
QC19040831	Blank 1	Chloride	EPA 300.0	ND			mg/L
		Sulfate	EPA 300.0	ND			mg/L
QC19040874	Blank 1	Nitrate + Nitrite Nitrogen	EPA 353.2	ND			mg/L
QC19040885	Blank 1	Biochemical Oxygen Demand	SM 5210B	ND			mg/L
QC19040886	Blank 1	Mercury, Dissolved	EPA 245.1	ND			mg/L
QC19040899	Blank 1	Barium	EPA 200.7	ND			mg/L
		Beryllium	EPA 200.7	ND			mg/L
		Cadmium	EPA 200.7	ND			mg/L
		Chromium	EPA 200.7	ND			mg/L
		Copper	EPA 200.7	ND			mg/L
		Nickel	EPA 200.7	ND			mg/L
QC19040935	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	ND			mg/L
QC19041077	Blank 1	Total Cyanide	SM 4500CNC	ND			mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Rec	Units
QC19040727	LCS 1	Total Phosphorous as P	SM 4500-P E	0.275	0.250	110	mg/L
QC19040765	LCS 1	Ammonia, as Nitrogen	SM 4500 NH3 D	0.901	1.00	90	mg/L
QC19040766	LCS 1	Ammonia, as Nitrogen	SM 4500 NH3 D	0.919	1.00	92	mg/L
QC19040772	LCS 1	Chloride	EPA 300.0	10.0	10.0	100	mg/L
		Sulfate	EPA 300.0	25.9	25.0	104	mg/L
QC19040794	LCS 1	Total Kjeldahl Nitrogen	EPA 351.2	0.917	1.00	92	mg/L
QC19040795	LCS 1	Total Suspended Solids (TSS)	SM 2540D	196	200	98	mg/L
QC19040795	LCS 2	Total Suspended Solids (TSS)	SM 2540D	186	200	93	mg/L
QC19040827	LCS 1	Antimony	EPA 200.8	0.0098	0.010	98	mg/L
		Arsenic	EPA 200.8	0.0456	0.050	91	mg/L
		Lead	EPA 200.8	0.0103	0.010	103	mg/L
		Selenium	EPA 200.8	0.0466	0.050	93	mg/L
		Thallium	EPA 200.8	0.0109	0.010	109	mg/L
QC19040831	LCS 1	Chloride	EPA 300.0	9.78	10.0	98	mg/L
		Sulfate	EPA 300.0	24.0	25.0	96	mg/L
QC19040874	LCS 1	Nitrate + Nitrite Nitrogen	EPA 353.2	1.02	1.00	102	mg/L
QC19040885	LCS 1	Biochemical Oxygen Demand	SM 5210B	177	198	90	mg/L
QC19040886	LCS 1	Mercury, Dissolved	EPA 245.1	0.005270	0.005	105	mg/L
QC19040899	LCS 1	Barium	EPA 200.7	0.985	1.00	98	mg/L

DF=Dilution Factor, RL=Reporting Limit, ND=Not Detected or &lt;RL

Page 6 of 7

**SPARKS**

475 E. Greg Street, Suite 119  
Sparks, Nevada 89431  
tel (775) 355-0202  
fax (775) 355-0817  
EPA LAB ID: NV00925 - ELAP No: 2523

**ELKO**

1084 Lamoille Hwy  
Elko, Nevada 89801  
tel (775) 777-9933  
fax (775) 777-9933  
EPA LAB ID: NV00926

**LAS VEGAS**

3230 Polaris Ave. Suite 4  
Las Vegas, Nevada 89102  
tel (702) 475-8899  
fax (702) 622-2868  
EPA LAB ID: NV00932

QCBatchID	QCType	Parameter	Method	Result	Actual	% Rec	Units
		Beryllium	EPA 200.7	0.993	1.00	99	mg/L
		Cadmium	EPA 200.7	0.957	1.00	96	mg/L
		Chromium	EPA 200.7	0.969	1.00	97	mg/L
		Copper	EPA 200.7	4.87	5.00	98	mg/L
		Nickel	EPA 200.7	4.80	5.00	96	mg/L
QC19040935	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	145	150	97	mg/L
QC19040935	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	153	150	102	mg/L
QC19041077	LCS 1	Total Cyanide	SM 4500CNC	0.119	0.100	119	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC19040795	Duplicate 1	Total Suspended Solids (TSS)	SM 2540D	19040572-00	ND	ND	QD mg/L	18 %
QC19040795	Duplicate 2	Total Suspended Solids (TSS)	SM 2540D	19040573-00	ND	ND	mg/L	<1%
QC19040935	Duplicate 1	Total Dissolved Solids (TDS)	SM 2540C	19040599-00	4170	4210	mg/L	1 %
QC19040935	Duplicate 2	Total Dissolved Solids (TDS)	SM 2540C	19040575-00	1128	1146	mg/L	2 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS %Rec	MSD %Rec	RPD %
QC19040727	MS 1	Total Phosphorous as P	SM 4500-P E	19040503-001	4.94	M 5.75	5.77	0.25	mg/L	NC	NC	NC
QC19040727	MS 2	Total Phosphorous as P	SM 4500-P E	19040513-001	2.37	3.76	3.82	0.25	mg/L	111	116	2
QC19040765	MS 1	Ammonia, as Nitrogen	SM 4500 NH3	19040464-001	0.768	1.85	1.70	1	mg/L	108	93	8
QC19040766	MS 1	Ammonia, as Nitrogen	SM 4500 NH3	19040513-001	0.213	1.11	1.14	1	mg/L	90	93	3
QC19040772	MS 1	Chloride	EPA 300.0	19040555-001	231	281	298	5	mg/L	100	134	6
		Sulfate	EPA 300.0	19040555-001	250	353	375	10	mg/L	103	125	6
QC19040772	MS 2	Chloride	EPA 300.0	19040580-002	2029	SC 2039	2076	5	mg/L	NC	NC	NC
		Sulfate	EPA 300.0	19040580-002	222	417	425	10	mg/L	98	102	2
QC19040794	MS 1	Total Kjeldahl Nitrogen	EPA 351.2	19040522-001	0.410	M 1.24	1.13	1	mg/L	NC	NC	NC
QC19040794	MS 2	Total Kjeldahl Nitrogen	EPA 351.2	19040555-001	ND	1.11	1.13	1	mg/L	92	94	2
QC19040827	MS 1	Antimony	EPA 200.8	19040527-003	ND	M 0.000094	0.000111	0.01	mg/L	NC	NC	NC
		Arsenic	EPA 200.8	19040527-003	0.0388	M 0.0524	0.0512	0.05	mg/L	NC	NC	NC
		Lead	EPA 200.8	19040527-003	0.1674	0.1599	0.1731	0.01	mg/L	76	56	8
		Selenium	EPA 200.8	19040527-003	ND	M 0	0	0.05	mg/L	NC	NC	NA
		Thallium	EPA 200.8	19040527-003	0.0033	M 0.0076	0.0078	0.01	mg/L	NC	NC	NC
QC19040831	MS 1	Chloride	EPA 300.0	19040539-001	75.2	84.6	84.4	5	mg/L	94	92	<1
		Sulfate	EPA 300.0	19040539-001	87.1	106	106	10	mg/L	93	92	<1
QC19040831	MS 2	Chloride	EPA 300.0	19040578-002	150	177	177	5	mg/L	110	109	<1
		Sulfate	EPA 300.0	19040578-002	86.4	136	136	10	mg/L	100	100	<1
QC19040874	MS 1	Nitrate + Nitrite Nitrogen	EPA 353.2	19040437-001	1.51	6.66	6.60	1	mg/L	103	102	<1
QC19040874	MS 2	Nitrate + Nitrite Nitrogen	EPA 353.2	19040448-003	0.226	5.31	5.27	1	mg/L	102	101	<1
QC19040886	MS 1	Mercury, Dissolved	EPA 245.1	19040628-001	ND	0.005340	0.005330	0.005	mg/L	106	106	<1
QC19040899	MS 1	Barium	EPA 200.7	19040527-003	11.2	12.2	13.4	1	mg/L	106	223	9
		Beryllium	EPA 200.7	19040527-003	0.023	0.897	0.941	1	mg/L	87	92	5
		Cadmium	EPA 200.7	19040527-003	ND	D 0.800	0.836	1	mg/L	80	83	4
		Chromium	EPA 200.7	19040527-003	0.381	1.17	1.08	1	mg/L	79	70	8
		Copper	EPA 200.7	19040527-003	0.461	4.57	5.10	5	mg/L	82	93	11
		Nickel	EPA 200.7	19040527-003	0.382	3.99	4.31	5	mg/L	72	78	8
QC19041077	MS 1	Total Cyanide	SM 4500CNC	19040494-001	ND	0.093	0.097	0.1	mg/L	92	95	4
QC19041077	MS 2	Total Cyanide	SM 4500CNC	19040523-001	ND	0.094	0.094	0.1	mg/L	92	92	<1

DF=Dilution Factor, RL=Reporting Limit, ND=Not Detected or <RL

**SPARKS**

475 E. Greg Street, Suite 119  
 Sparks, Nevada 89431  
 tel (775) 355-0202  
 fax (775) 355-0817  
 EPA LAB ID: NV00925 - ELAP No: 2523

**ELKO**

1084 Lamoille Hwy  
 Elko, Nevada 89801  
 tel (775) 777-9933  
 fax (775) 777-9933  
 EPA LAB ID: NV00926

**LAS VEGAS**

3230 Polaris Ave. Suite 4  
 Las Vegas, Nevada 89102  
 tel (702) 475-8899  
 fax (702) 622-2868  
 EPA LAB ID: NV00932



# WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431 | www.WETLaboratory.com  
tel (775) 355-0202 | fax (775) 355-0817  
1084 Lamoille Highway | Elko, Nevada 89801  
tel (775) 777-9933 | fax (775) 777-9933  
3230 Polaris Ave., Suite 4 | Las Vegas, Nevada 89102  
tel (702) 475-8899 | fax (702) 776-6152

WETLAB Order ID. 19040539

Sparks Control # \_\_\_\_\_

Elko Control # \_\_\_\_\_

LV Control # \_\_\_\_\_

Report Due Date \_\_\_\_\_

Page \_\_\_\_\_ of \_\_\_\_\_

Client **Washoe County Community Services Department**

Address **1001 E. 9th Street**

City, State & Zip **Reno, NV 89512**

Contact **Lydia Peri**

Phone **(775) 954-4626** Collector's Name **Lydia Peri**

Fax **(775) 328-3699** PWS/Project Name **Swan Lake**

P.O. Number \_\_\_\_\_ PWS/Project Number **io 49300**

Email **LPeri@washoecounty.us**

**Turnaround Time Requirements**

Standard  5 Day\* (25%)  72 Hour\* (50%)   
48 Hour\* (100%)  24 Hour\* (200%)   
\*Surcharges Will Apply

**Samples Collected From Which State?**  
NV  CA   
Other

**Report Results Via**  
PDF  EDD   
Other \_\_\_\_\_

**Compliance Monitoring?**  
Yes  No

**Report to Regulatory Agency?**  
Yes  No

**Standard QC Required?**  
Yes  No

**Billing Address (if different than Client Address)**

Company \_\_\_\_\_

Address \_\_\_\_\_

City, State & Zip \_\_\_\_\_

Contact \_\_\_\_\_

Phone \_\_\_\_\_ Fax \_\_\_\_\_

Email **LPeri@washoecounty.us**

SAMPLE ID/LOCATION	DATE	TIME	PRES TYPE *	S	A	M	P	L	E	T	Y	P	E	R	Analyses Requested												Spl. No.
															Total Coliform	E. Coli	Total P and Total N	NH3	Chloride/Sulfate	Cyanide	TSS	TDS	BOD	Primary DW Metals			
Compton	4/17/19	1330	MISC SW	S											X	X	X	X	X	X	X	X	X	X	X		
Pompe	↓	1230	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓		
TMWA well	↓	1330	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓		
		1300	417 mu																								

Instructions/Comments/Special Requirements: \_\_\_\_\_

Sample Matrix Key\*\* DW = Drinking Water WW = Wastewater SW = Surface Water MW = Monitoring Well SD = Solid/Sludge SO = Soil HW = Hazardous Waste OTHER: \_\_\_\_\_

\*SAMPLE PRESERVATIVES: 1=Unpreserved 2=H2SO4 3=NaOH 4=HCl 5=HNO3 6=Na2S2O3 7=ZnOAc+NaOH 8=HCl/VOA Via

Temp	Custody Seal	# of Containers	DATE	TIME	Samples Relinquished By	Samples Received By
17.0°C	Y N (None)	15	04/17/19	1518	[Signature]	[Signature]
°C	Y N None					
°C	Y N None					
°C	Y N None					

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

Client/Collector attests to the validity and authenticity of this (these) sample(s) and, is (are) aware that tampering with or intentionally mislabeling the sample(s) location, date or time of collection may be considered fraud and subject to legal action (NAC445.0636). [Signature] initial

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted. [Signature] initial

WETLAB will dispose of samples 90 days from sample receipt. Client may request a longer sample storage time for an additional fee. 301.2E

Please contact your Project Manager for details. [Signature] initial