

10/15/2020

Washoe County Water ResourcesCSD
PO Box 11130
Reno, NV 89502
Attn: Dylan Menes

OrderID: 20100101

Dear: Dylan Menes

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, online edition, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 10/5/2020. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,



Cory Baker
QA Specialist



Hollie Timmons
Project Manager

HollieT@wetlaboratory.com
(775) 200-9870

SPARKS

475 E. Greg Street, Suite 119
Sparks, Nevada 89431
tel (775) 355-0202
fax (775) 355-0817
EPA LAB ID: NV00925 - ELAP No: 2523

ELKO

1084 Lamoille Hwy
Elko, Nevada 89801
tel (775) 777-9933
fax (775) 777-9933
EPA LAB ID: NV00926

LAS VEGAS

3230 Polaris Ave. Suite 4
Las Vegas, Nevada 89102
tel (702) 475-8899
fax (702) 622-2868
EPA LAB ID: NV00932

Western Environmental Testing Laboratory

Report Comments

Washoe County Water ResourcesCSD - 20100101

Specific Report Comments

Due to the sample matrix it was necessary to analyze the following at a dilution:
20100101-001, 002, 003 and 004; Fluoride, Nitrate Nitrogen, Nitrite Nitrogen
The reporting limits have been adjusted accordingly.

Report Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- D -- Due to the sample matrix dilution was required in order to properly detect and report the analyte. The reporting limit has been adjusted accordingly.
- HT -- Sample analyzed beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit. The reported result should be considered an estimate.
- K -- The TPH Diesel Concentration reported here likely includes some heavier TPH Oil hydrocarbons reported in the TPH Diesel range as per EPA 8015.
- L -- The TPH Oil Concentration reported here likely includes some lighter TPH Diesel hydrocarbons reported in the TPH Oil range as per EPA 8015.
- M -- The matrix spike/matrix spike duplicate (MS/MSD) values for the analysis of this parameter were outside acceptance criteria due to probable matrix interference. The reported result should be considered an estimate.
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- QD -- The sample duplicate or matrix spike duplicate analysis demonstrated sample imprecision. The reported result should be considered an estimate.
- QL -- The result for the laboratory control sample (LCS) was outside WETLAB acceptance criteria and reanalysis was not possible. The reported data should be considered an estimate.
- S -- Surrogate recovery was outside of laboratory acceptance limits due to matrix interference. The associated blank and LCS surrogate recovery was within acceptance limits
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered
- U -- The analyte was analyzed for, but was not detected above the level of the reported sample reporting/quantitation limit. The reported result should be considered an estimate.

General Lab Comments

Per method recommendation (section 4.4), Samples analyzed by methods EPA 300.0 and EPA 300.1 have been filtered prior to analysis.

The following is an interpretation of the results from EPA method 9223B:

A result of zero (0) indicates absence for both coliform and Escherichia coli meaning the water meets the microbiological requirements of the U.S. EPA Safe Drinking Water Act (SDWA). A result of one (1) for either test indicates presence and the water does not meet the SDWA requirements. Waters with positive tests should be disinfected by a certified water treatment operator and retested.

Per federal regulation the holding time for the following parameters in aqueous/water samples is 15 minutes: Residual Chlorine, pH, Dissolved Oxygen, Sulfite.

SPARKS

475 E. Greg Street, Suite 119
Sparks, Nevada 89431
tel (775) 355-0202
fax (775) 355-0817
EPA LAB ID: NV00925 - ELAP No: 2523

ELKO

1084 Lamoille Hwy
Elko, Nevada 89801
tel (775) 777-9933
fax (775) 777-9933
EPA LAB ID: NV00926

LAS VEGAS

3230 Polaris Ave. Suite 4
Las Vegas, Nevada 89102
tel (702) 475-8899
fax (702) 622-2868
EPA LAB ID: NV00932

Western Environmental Testing Laboratory

Analytical Report

Washoe County Water ResourcesCSD

Date Printed: 10/15/2020

PO Box 11130

OrderID: 20100101

Reno, NV 89502

Attn: Dylan Menes

Phone: (775) 954-4612 Fax: NoFax

PO\Project: Swan Lake

Customer Sample ID: Am-Flats Spigot

Collect Date/Time: 10/5/2020 09:00

WETLAB Sample ID: 20100101-001

Receive Date: 10/5/2020 12:00

Analyte	Method	Results	Units	DF	RL	Analyzed	LabID
<u>General Chemistry</u>							
Total Phosphorous as P	SM 4500-P E	0.70	mg/L	1	0.020	10/8/2020	NV00925
Total Nitrogen	Calc.	3.0	mg/L	1	1.4	10/6/2020	NV00925
Total Dissolved Solids (TDS)	SM 2540C	1300	mg/L	1	25	10/5/2020	NV00925
<u>Microbiological Analyses</u>							
Fecal Coliform (MPN)	IDEXX Quant/Colilert-18	10.9	MPN/100ml	1	1.0	10/5/2020	NV00925
Total Coliform (MPN)	SM 9223B (Quantitray)	>2419.6	MPN/100ml	1	1.0	10/5/2020	NV00925
Escherichia Coli (MPN)	SM 9223B (Quantitray)	6.3	MPN/100ml	1	1.0	10/5/2020	NV00925
<u>Anions by Ion Chromatography</u>							
Fluoride	EPA 300.0	ND	D mg/L	5	1.5	10/5/2020	NV00925
Nitrate Nitrogen	EPA 300.0	ND	D mg/L	5	0.75	10/5/2020	NV00925
Nitrite Nitrogen	EPA 300.0	ND	D mg/L	5	0.30	10/5/2020	NV00925
<u>Flow Injection Analyses</u>							
Total Kjeldahl Nitrogen	EPA 351.2	3.0	mg/L	1	0.40	10/6/2020	NV00925
<u>Trace Metals by ICP-OES</u>							
Beryllium	EPA 200.7	ND	mg/L	1	0.0010	10/7/2020	NV00925
Boron	EPA 200.7	0.71	mg/L	1	0.10	10/7/2020	NV00925
Cadmium	EPA 200.7	ND	mg/L	1	0.0010	10/7/2020	NV00925
Chromium	EPA 200.7	ND	mg/L	1	0.0050	10/7/2020	NV00925
Copper	EPA 200.7	ND	mg/L	1	0.040	10/7/2020	NV00925
Iron	EPA 200.7	6.9	SC mg/L	1	0.10	10/7/2020	NV00925
Manganese	EPA 200.7	0.23	mg/L	1	0.010	10/7/2020	NV00925
Nickel	EPA 200.7	ND	mg/L	1	0.030	10/7/2020	NV00925
Zinc	EPA 200.7	0.27	mg/L	1	0.020	10/7/2020	NV00925
<u>Trace Metals by ICP-MS</u>							
Arsenic	EPA 200.8	0.080	mg/L	1	0.0050	10/8/2020	NV00925
Lead	EPA 200.8	0.0034	mg/L	1	0.0025	10/8/2020	NV00925
Selenium	EPA 200.8	ND	mg/L	1	0.0050	10/8/2020	NV00925
<u>Sample Preparation</u>							
Trace Metals Digestion	EPA 200.2	W201007-1A		1		10/7/2020	NV00925

DF=Dilution Factor, RL = Reporting Limit (minimum 3X the MDL), ND = Not Detected <RL or <MDL (if listed)

Page 3 of 8

SPARKS

475 E. Greg Street, Suite 119
 Sparks, Nevada 89431
 tel (775) 355-0202
 fax (775) 355-0817
 EPA LAB ID: NV00925 - ELAP No: 2523

ELKO

1084 Lamoille Hwy
 Elko, Nevada 89801
 tel (775) 777-9933
 fax (775) 777-9933
 EPA LAB ID: NV00926

LAS VEGAS

3230 Polaris Ave. Suite 4
 Las Vegas, Nevada 89102
 tel (702) 475-8899
 fax (702) 622-2868
 EPA LAB ID: NV00932

Customer Sample ID: LVWRF North Pond

Collect Date/Time: 10/5/2020 10:00

WETLAB Sample ID: 20100101-002

Receive Date: 10/5/2020 12:00

Analyte	Method	Results	Units	DF	RL	Analyzed	LabID
<u>General Chemistry</u>							
Total Phosphorous as P	SM 4500-P E	0.76	mg/L	1	0.020	10/8/2020	NV00925
Total Nitrogen	Calc.	2.5	mg/L	1	1.4	10/7/2020	NV00925
Total Dissolved Solids (TDS)	SM 2540C	1600	mg/L	1	25	10/5/2020	NV00925
<u>Microbiological Analyses</u>							
Fecal Coliform (MPN)	IDEXX Quant/Colilert-18	7.4	MPN/100ml	1	1.0	10/5/2020	NV00925
Total Coliform (MPN)	SM 9223B (Quantitray)	>2419.6	MPN/100ml	1	1.0	10/5/2020	NV00925
Escherichia Coli (MPN)	SM 9223B (Quantitray)	8.5	MPN/100ml	1	1.0	10/5/2020	NV00925
<u>Anions by Ion Chromatography</u>							
Fluoride	EPA 300.0	ND	D mg/L	5	1.5	10/5/2020	NV00925
Nitrate Nitrogen	EPA 300.0	ND	D mg/L	5	0.75	10/5/2020	NV00925
Nitrite Nitrogen	EPA 300.0	ND	D mg/L	5	0.30	10/5/2020	NV00925
<u>Flow Injection Analyses</u>							
Total Kjeldahl Nitrogen	EPA 351.2	2.5	M mg/L	1	0.40	10/7/2020	NV00925
<u>Trace Metals by ICP-OES</u>							
Beryllium	EPA 200.7	ND	mg/L	1	0.0010	10/7/2020	NV00925
Boron	EPA 200.7	0.80	mg/L	1	0.10	10/7/2020	NV00925
Cadmium	EPA 200.7	ND	mg/L	1	0.0010	10/7/2020	NV00925
Chromium	EPA 200.7	ND	mg/L	1	0.0050	10/7/2020	NV00925
Copper	EPA 200.7	ND	mg/L	1	0.040	10/7/2020	NV00925
Iron	EPA 200.7	2.4	mg/L	1	0.10	10/7/2020	NV00925
Manganese	EPA 200.7	0.071	mg/L	1	0.010	10/7/2020	NV00925
Nickel	EPA 200.7	ND	mg/L	1	0.030	10/7/2020	NV00925
Zinc	EPA 200.7	ND	mg/L	1	0.020	10/7/2020	NV00925
<u>Trace Metals by ICP-MS</u>							
Arsenic	EPA 200.8	0.082	mg/L	1	0.0050	10/8/2020	NV00925
Lead	EPA 200.8	ND	mg/L	1	0.0025	10/8/2020	NV00925
Selenium	EPA 200.8	ND	mg/L	1	0.0050	10/8/2020	NV00925
<u>Sample Preparation</u>							
Trace Metals Digestion	EPA 200.2	W201007-1A		1		10/7/2020	NV00925

Customer Sample ID: Swan Lake-Jean

Collect Date/Time: 10/5/2020 10:30

WETLAB Sample ID: 20100101-003

Receive Date: 10/5/2020 12:00

Analyte	Method	Results	Units	DF	RL	Analyzed	LabID
<u>General Chemistry</u>							
Total Phosphorous as P	SM 4500-P E	0.76	mg/L	1	0.020	10/8/2020	NV00925
Total Nitrogen	Calc.	3.0	mg/L	1	1.4	10/7/2020	NV00925
Total Dissolved Solids (TDS)	SM 2540C	1500	mg/L	1	25	10/5/2020	NV00925
<u>Microbiological Analyses</u>							
Fecal Coliform (MPN)	IDEXX Quant/Colilert-18	27.2	MPN/100ml	1	1.0	10/5/2020	NV00925
Total Coliform (MPN)	SM 9223B (Quantitray)	>2419.6	MPN/100ml	1	1.0	10/5/2020	NV00925
Escherichia Coli (MPN)	SM 9223B (Quantitray)	40.4	MPN/100ml	1	1.0	10/5/2020	NV00925

DF=Dilution Factor, RL = Reporting Limit (minimum 3X the MDL), ND = Not Detected <RL or <MDL (if listed)

Page 4 of 8

SPARKS

475 E. Greg Street, Suite 119
 Sparks, Nevada 89431
 tel (775) 355-0202
 fax (775) 355-0817
 EPA LAB ID: NV00925 - ELAP No: 2523

ELKO

1084 Lamoille Hwy
 Elko, Nevada 89801
 tel (775) 777-9933
 fax (775) 777-9933
 EPA LAB ID: NV00926

LAS VEGAS

3230 Polaris Ave. Suite 4
 Las Vegas, Nevada 89102
 tel (702) 475-8899
 fax (702) 622-2868
 EPA LAB ID: NV00932

Customer Sample ID: Swan Lake-Jean

Collect Date/Time: 10/5/2020 10:30

WETLAB Sample ID: 20100101-003

Receive Date: 10/5/2020 12:00

Analyte	Method	Results	Units	DF	RL	Analyzed	LabID
<u>Anions by Ion Chromatography</u>							
Fluoride	EPA 300.0	ND	D mg/L	5	1.5	10/5/2020	NV00925
Nitrate Nitrogen	EPA 300.0	ND	D mg/L	5	0.75	10/5/2020	NV00925
Nitrite Nitrogen	EPA 300.0	ND	D mg/L	5	0.30	10/5/2020	NV00925
<u>Flow Injection Analyses</u>							
Total Kjeldahl Nitrogen	EPA 351.2	3.0	mg/L	1	0.40	10/7/2020	NV00925
<u>Trace Metals by ICP-OES</u>							
Beryllium	EPA 200.7	ND	mg/L	1	0.0010	10/7/2020	NV00925
Boron	EPA 200.7	0.73	mg/L	1	0.10	10/7/2020	NV00925
Cadmium	EPA 200.7	ND	mg/L	1	0.0010	10/7/2020	NV00925
Chromium	EPA 200.7	ND	mg/L	1	0.0050	10/7/2020	NV00925
Copper	EPA 200.7	ND	mg/L	1	0.040	10/7/2020	NV00925
Iron	EPA 200.7	4.2	mg/L	1	0.10	10/7/2020	NV00925
Manganese	EPA 200.7	0.14	mg/L	1	0.010	10/7/2020	NV00925
Nickel	EPA 200.7	ND	mg/L	1	0.030	10/7/2020	NV00925
Zinc	EPA 200.7	ND	mg/L	1	0.020	10/7/2020	NV00925
<u>Trace Metals by ICP-MS</u>							
Arsenic	EPA 200.8	0.080	mg/L	1	0.0050	10/8/2020	NV00925
Lead	EPA 200.8	ND	mg/L	1	0.0025	10/8/2020	NV00925
Selenium	EPA 200.8	ND	mg/L	1	0.0050	10/8/2020	NV00925
<u>Sample Preparation</u>							
Trace Metals Digestion	EPA 200.2	W201007-1A		1		10/7/2020	NV00925

Customer Sample ID: Silver Lake

Collect Date/Time: 10/5/2020 11:00

WETLAB Sample ID: 20100101-004

Receive Date: 10/5/2020 12:00

Analyte	Method	Results	Units	DF	RL	Analyzed	LabID
<u>General Chemistry</u>							
Total Phosphorous as P	SM 4500-P E	0.26	mg/L	1	0.020	10/8/2020	NV00925
Total Nitrogen	Calc.	2.8	mg/L	1	1.4	10/7/2020	NV00925
Total Dissolved Solids (TDS)	SM 2540C	790	mg/L	1	25	10/5/2020	NV00925
<u>Microbiological Analyses</u>							
Fecal Coliform (MPN)	IDEXX Quant/Colilert-18	49.6	MPN/100ml	1	1.0	10/5/2020	NV00925
Total Coliform (MPN)	SM 9223B (Quantitray)	>2419.6	MPN/100ml	1	1.0	10/5/2020	NV00925
Escherichia Coli (MPN)	SM 9223B (Quantitray)	47.3	MPN/100ml	1	1.0	10/5/2020	NV00925
<u>Anions by Ion Chromatography</u>							
Fluoride	EPA 300.0	ND	D mg/L	5	1.5	10/5/2020	NV00925
Nitrate Nitrogen	EPA 300.0	ND	D mg/L	5	0.75	10/5/2020	NV00925
Nitrite Nitrogen	EPA 300.0	ND	D mg/L	5	0.30	10/5/2020	NV00925
<u>Flow Injection Analyses</u>							
Total Kjeldahl Nitrogen	EPA 351.2	2.6	mg/L	1	0.40	10/7/2020	NV00925
<u>Trace Metals by ICP-OES</u>							
Beryllium	EPA 200.7	ND	mg/L	1	0.0010	10/7/2020	NV00925
Boron	EPA 200.7	0.28	mg/L	1	0.10	10/7/2020	NV00925

DF=Dilution Factor, RL = Reporting Limit (minimum 3X the MDL), ND = Not Detected <RL or <MDL (if listed)

Page 5 of 8

SPARKS

475 E. Greg Street, Suite 119
 Sparks, Nevada 89431
 tel (775) 355-0202
 fax (775) 355-0817
 EPA LAB ID: NV00925 - ELAP No: 2523

ELKO

1084 Lamoille Hwy
 Elko, Nevada 89801
 tel (775) 777-9933
 fax (775) 777-9933
 EPA LAB ID: NV00926

LAS VEGAS

3230 Polaris Ave. Suite 4
 Las Vegas, Nevada 89102
 tel (702) 475-8899
 fax (702) 622-2868
 EPA LAB ID: NV00932

Customer Sample ID: Silver Lake
 WETLAB Sample ID: 20100101-004

Collect Date/Time: 10/5/2020 11:00

Receive Date: 10/5/2020 12:00

Analyte	Method	Results	Units	DF	RL	Analyzed	LabID
Cadmium	EPA 200.7	ND	mg/L	1	0.0010	10/7/2020	NV00925
Chromium	EPA 200.7	ND	mg/L	1	0.0050	10/7/2020	NV00925
Copper	EPA 200.7	ND	mg/L	1	0.040	10/7/2020	NV00925
Iron	EPA 200.7	1.2	mg/L	1	0.10	10/7/2020	NV00925
Manganese	EPA 200.7	0.096	mg/L	1	0.010	10/7/2020	NV00925
Nickel	EPA 200.7	ND	mg/L	1	0.030	10/7/2020	NV00925
Zinc	EPA 200.7	ND	mg/L	1	0.020	10/7/2020	NV00925
<u>Trace Metals by ICP-MS</u>							
Arsenic	EPA 200.8	0.024	mg/L	1	0.0050	10/8/2020	NV00925
Lead	EPA 200.8	ND	mg/L	1	0.0025	10/8/2020	NV00925
Selenium	EPA 200.8	ND	mg/L	1	0.0050	10/8/2020	NV00925
<u>Sample Preparation</u>							
Trace Metals Digestion	EPA 200.2	W201007-1A		1		10/7/2020	NV00925

DF=Dilution Factor, RL = Reporting Limit (minimum 3X the MDL), ND = Not Detected <RL or <MDL (if listed)

SPARKS

475 E. Greg Street, Suite 119
 Sparks, Nevada 89431
 tel (775) 355-0202
 fax (775) 355-0817
 EPA LAB ID: NV00925 - ELAP No: 2523

ELKO

1084 Lamoille Hwy
 Elko, Nevada 89801
 tel (775) 777-9933
 fax (775) 777-9933
 EPA LAB ID: NV00926

LAS VEGAS

3230 Polaris Ave. Suite 4
 Las Vegas, Nevada 89102
 tel (702) 475-8899
 fax (702) 622-2868
 EPA LAB ID: NV00932

Western Environmental Testing Laboratory

QC Report

QCBatchID	QCType	Parameter	Method	Result	Actual	% Rec	Units
QC20100157	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	ND			mg/L
QC20100198	Blank 1	Fluoride	EPA 300.0	ND			mg/L
		Nitrate Nitrogen	EPA 300.0	ND			mg/L
		Nitrite Nitrogen	EPA 300.0	ND			mg/L
QC20100203	Blank 1	Total Coliform (MPN)	SM 9223B (Quant	ND			MPN/100ml
		Escherichia Coli (MPN)	SM 9223B (Quant	ND			MPN/100ml
QC20100217	Blank 1	Total Kjeldahl Nitrogen	EPA 351.2	ND			mg/L
QC20100219	Blank 1	Fecal Coliform (MPN)	IDEXX Quant/Col	ND			MPN/100ml
QC20100271	Blank 1	Total Kjeldahl Nitrogen	EPA 351.2	ND			mg/L
QC20100284	Blank 1	Beryllium	EPA 200.7	ND			mg/L
		Boron	EPA 200.7	ND			mg/L
		Cadmium	EPA 200.7	ND			mg/L
		Chromium	EPA 200.7	ND			mg/L
		Copper	EPA 200.7	ND			mg/L
		Iron	EPA 200.7	ND			mg/L
		Manganese	EPA 200.7	ND			mg/L
		Nickel	EPA 200.7	ND			mg/L
		Zinc	EPA 200.7	ND			mg/L
QC20100302	Blank 1	Total Phosphorous as P	SM 4500-P E	ND			mg/L
QC20100341	Blank 1	Arsenic	EPA 200.8	ND			mg/L
		Lead	EPA 200.8	ND			mg/L
		Selenium	EPA 200.8	ND			mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Rec	Units
QC20100157	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	150	150	100	mg/L
QC20100157	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	146	150	97	mg/L
QC20100198	LCS 1	Fluoride	EPA 300.0	2.13	2.00	106	mg/L
		Nitrate Nitrogen	EPA 300.0	2.03	2.00	101	mg/L
		Nitrite Nitrogen	EPA 300.0	0.509	0.500	102	mg/L
QC20100217	LCS 1	Total Kjeldahl Nitrogen	EPA 351.2	1.05	1.00	105	mg/L
QC20100271	LCS 1	Total Kjeldahl Nitrogen	EPA 351.2	0.961	1.00	96	mg/L
QC20100284	LCS 1	Beryllium	EPA 200.7	1.08	1.00	108	mg/L
		Boron	EPA 200.7	1.04	1.00	104	mg/L
		Cadmium	EPA 200.7	1.07	1.00	107	mg/L
		Chromium	EPA 200.7	1.07	1.00	107	mg/L
		Copper	EPA 200.7	5.27	5.00	105	mg/L
		Iron	EPA 200.7	1.06	1.00	106	mg/L
		Manganese	EPA 200.7	1.10	1.00	110	mg/L
		Nickel	EPA 200.7	5.31	5.00	106	mg/L
		Zinc	EPA 200.7	1.08	1.00	108	mg/L
QC20100302	LCS 1	Total Phosphorous as P	SM 4500-P E	0.270	0.250	108	mg/L
QC20100341	LCS 1	Arsenic	EPA 200.8	0.0502	0.050	100	mg/L
		Lead	EPA 200.8	0.0106	0.010	106	mg/L
		Selenium	EPA 200.8	0.0508	0.050	102	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC20100157	Duplicate 1	Total Dissolved Solids (TDS)	SM 2540C	20100098-001	544	530	mg/L	3 %

DF=Dilution Factor, RL = Reporting Limit (minimum 3X the MDL), ND = Not Detected <RL or <MDL (if listed)

Page 7 of 8

SPARKS

475 E. Greg Street, Suite 119
Sparks, Nevada 89431
tel (775) 355-0202
fax (775) 355-0817
EPA LAB ID: NV00925 - ELAP No: 2523

ELKO

1084 Lamaille Hwy
Elko, Nevada 89801
tel (775) 777-9933
fax (775) 777-9933
EPA LAB ID: NV00926

LAS VEGAS

3230 Polaris Ave. Suite 4
Las Vegas, Nevada 89102
tel (702) 475-8899
fax (702) 622-2868
EPA LAB ID: NV00932

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC20100157	Duplicate 2	Total Dissolved Solids (TDS)	SM 2540C	20100101-004	790	750	mg/L	5 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS %Rec	MSD %Rec	RPD %
QC20100198	MS 1	Fluoride	EPA 300.0	20100001-001	ND	D,U 8.76	10.2	2	mg/L	85	99	15
		Nitrate Nitrogen	EPA 300.0	20100001-001	ND	D 9.16	9.61	2	mg/L	92	96	5
		Nitrite Nitrogen	EPA 300.0	20100001-001	ND	D 2.32	2.43	0.5	mg/L	93	97	5
QC20100198	MS 2	Fluoride	EPA 300.0	20100110-001	ND	2.07	2.28	2	mg/L	102	112	10
		Nitrate Nitrogen	EPA 300.0	20100110-001	ND	2.14	2.16	2	mg/L	106	107	<1
		Nitrite Nitrogen	EPA 300.0	20100110-001	ND	0.534	0.537	0.5	mg/L	107	107	<1
QC20100217	MS 1	Total Kjeldahl Nitrogen	EPA 351.2	20100053-001	ND	0.924	0.964	1	mg/L	92	96	4
QC20100217	MS 2	Total Kjeldahl Nitrogen	EPA 351.2	20100119-002	2.91	3.86	3.82	1	mg/L	95	91	1
QC20100271	MS 1	Total Kjeldahl Nitrogen	EPA 351.2	20100099-001	ND	0.967	0.894	1	mg/L	97	89	8
QC20100271	MS 2	Total Kjeldahl Nitrogen	EPA 351.2	20100101-002	2.55	M 3.41	3.50	1	mg/L	NC	NC	NC
QC20100284	MS 1	Beryllium	EPA 200.7	20100101-001	ND	1.11	1.06	1	mg/L	111	106	5
		Boron	EPA 200.7	20100101-001	0.708	1.77	1.71	1	mg/L	106	100	3
		Cadmium	EPA 200.7	20100101-001	ND	1.02	0.980	1	mg/L	102	98	4
		Chromium	EPA 200.7	20100101-001	ND	1.02	0.984	1	mg/L	101	98	4
		Copper	EPA 200.7	20100101-001	ND	5.41	5.21	5	mg/L	108	104	4
		Iron	EPA 200.7	20100101-001	6.94	SC 8.29	7.51	1	mg/L	NC	NC	NC
		Manganese	EPA 200.7	20100101-001	0.230	1.30	1.25	1	mg/L	107	102	4
		Nickel	EPA 200.7	20100101-001	ND	5.10	4.91	5	mg/L	102	98	4
		Zinc	EPA 200.7	20100101-001	0.270	1.33	1.29	1	mg/L	106	102	3
QC20100302	MS 1	Total Phosphorous as P	SM 4500-P E	20100162-001	1.41	1.63	1.70	0.25	mg/L	89	114	4
QC20100302	MS 2	Total Phosphorous as P	SM 4500-P E	20100091-002	0.090	0.352	0.359	0.25	mg/L	105	108	2
QC20100341	MS 1	Arsenic	EPA 200.8	20100101-001	0.0804	0.1270	0.1203	0.05	mg/L	93	80	5
		Lead	EPA 200.8	20100101-001	0.0034	0.0124	0.0114	0.01	mg/L	90	80	8
		Selenium	EPA 200.8	20100101-001	ND	0.0428	0.0383	0.05	mg/L	85	76	11

DF=Dilution Factor, RL = Reporting Limit (minimum 3X the MDL), ND = Not Detected <RL or <MDL (if listed)

SPARKS

475 E. Greg Street, Suite 119
 Sparks, Nevada 89431
 tel (775) 355-0202
 fax (775) 355-0817
 EPA LAB ID: NV00925 - ELAP No: 2523

ELKO

1084 Lamoille Hwy
 Elko, Nevada 89801
 tel (775) 777-9933
 fax (775) 777-9933
 EPA LAB ID: NV00926

LAS VEGAS

3230 Polaris Ave. Suite 4
 Las Vegas, Nevada 89102
 tel (702) 475-8899
 fax (702) 622-2868
 EPA LAB ID: NV00932



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431 | www.WETLaboratory.com
tel (775) 355-0202 | fax (775) 355-0817
1084 Lamoille Highway | Elko, Nevada 89801
tel (775) 777-9933 | fax (775) 777-9933
3230 Polaris Ave., Suite 4 | Las Vegas, Nevada 89102
tel (702) 475-8899 | fax (702) 776-6152

WETLAB Order ID. 20100101

Sparks Control # _____

Elko Control # _____

LV Control # _____

Report Due Date _____

Page _____ of _____

Client **Washoe County Community Services Department**

Address **1001 E. 9th Street**

City, State & Zip **Reno, NV 89512**

Contact **Dylan Menes**

Phone **(775) 954-4626** Collector's Name **S. Walund**

Fax **(775) 328-3699** PWS/Project Name **Swan Lake**

P.O. Number _____ PWS/Project Number _____

Email **dmenes@washoecounty.us**

Billing Address (if different than Client Address)
Company _____
Address _____
City, State & Zip _____
Contact _____
Phone _____ Fax _____
Email **dmenes@washoecounty.us**

Turnaround Time Requirements

Standard _____
 5 Day* (25%) _____ 72 Hour* (50%) _____
 48 Hour* (100%) _____ 24 Hour* (200%) _____
 *Surcharges Will Apply

Samples Collected From Which State?
 NV CA
 Other _____

Report Results Via
 PDF EDD
 Other _____

Compliance Monitoring?
 Yes No

Report to Regulatory Agency?
 Yes No

Standard QC Required?
 Yes No

Analyses Requested

SAMPLE ID/LOCATION	DATE	TIME	PRES TYPE	NO. OF CONTAINERS	S	W	M	S	S	H	Analyses Requested										Spl. No.			
											E. Coli / Total Coliform, Fecal Coliform	TDS	Total Phosphorus	Total Nitrogen	Nitrite/ Nitrate / Total Kjeldahl Nitrogen	Arsenic / Boron	Beryllium/ Cadmium/ Chromium/ Copper	Lead/ Nickel	Iron/ Fluoride	Manganese/Selenium/ Zinc				
Am-Flats Spigot	10/5/20	0900	Misc.	SW																				
LVRWF North Pond	10/5/20	1000																						
Swan Lake Jean	10/5/20	1030																						
Silver Lake	10/5/20	1100																						

Instructions/Comments/Special Requirements:

Sample Matrix Key** DW = Drinking Water WW = Wastewater SW = Surface Water MW = Monitoring Well SD = Solid/Sludge SO = Soil HW = Hazardous Waste OTHER: _____

*SAMPLE PRESERVATIVES: 1=Unpreserved 2=H2SO4 3=NaOH 4=HCl 5=HNO3 6=Na2S2O3 7=ZnOAc+NaOH 8=HCl/VOA Vial

Temp	Custody Seal	# of Containers	DATE	TIME	Samples Relinquished By	Samples Received By
18°C	Y N None	4	10/5/20	1200	S. Walund	[Signature]
°C	Y N None					
°C	Y N None					
°C	Y N None					

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

Client/Collector attests to the validity and authenticity of this (these) sample(s) and, is (are) aware that tampering with or intentionally mislabeling the sample(s) location, date or time of collection may be considered fraud and subject to legal action (NAC445.0636). _____ initial
 To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted. _____ initial
 WETLAB will dispose of samples 90 days from sample receipt. Client may request a longer sample storage time for an additional fee. 301.2E
 Please contact your Project Manager for details. _____ initial