





- Remaining LIDS: 29
 - Ready to Issue
 - Sparks Fire (2)
 - Pyramid Lake Police (2)
 - WCSD (2)
 - Pending requests
 - WCSD (2)- Auditing existing LIDS
 - Pyramid Lake Police requesting 6 LIDS
 - REMSA requesting LIDS
 - REQUEST for ALL agencies to free up LIDS** Please contact us for a list of active LIDS for your agency to conduct your own internal Audit.
- Radio Counts: (92.2%)
 - Washoe County has purchased 4,701 Radios out of their 5,097 contractual commitment.





System Status Update

- Unplanned Outages
 - System & Site:
 - 7/21/2023- Peavine Mountain lost timing, GPS antenna replaced, and CHDS1 Card and the Control Switch Module were replaced on the 7705. This negatively affected Metro Simulcast on Friday and into the weekend.
 - 6/8/2023- While CSD repaired generator, WCRCS found 2 battery strings damaged from Monday power outage. Completed full redundant power system checks for the NOC.
 - 6/6/2023- Virginia Peak nearby lightning, took of two Power Amplifiers on the Radio equipment, and damaging the Tower Top Amplifier Control Shelf.
 - 6/5/2023- NVE Power Outage at NOC, Generator failed, back fed power into the WCRCS Battery/Rectifier plant, complete power outage to Radio System
 - Planned Outages
 - 8/1/2023- Sparks to Peavine re-testing of Microwave
 - 7/26/2023- Microwave Outage: Marble to Virginia
 - 7/12/2026- Microwave Outage: Sparks PD to Peavine
 - 7/5/2023- Microwave Outage: Virginia Peak to Peavine
 - 6/28/2023- Microwave Outage: Fox to Virginia Peak
 - 6/7/2023- Tested complete redundant power systems for the City of Sparks.













Marble Bluff Construction Status

- Communications on Wheels Installed
- Old Tower Removed
- New Tower Installed
- Building Installed
- Driveway Expanded



- DC battery banks & rectifier testing
 - Newmar Commander II battery/rectifier installed at Marble Bluff, Cold Springs
 - Battery Replacement at NOC
 - Training conducted 21 July 2023 on Alph cordex Controller
 - Training scheduled for NewMar Commander II Controller and Benning Rectifiers
- HVAC inspection & repair
 - Peavine needs HVAC damage to be repaired site now accessible.
- Generator inspections and repair
 - July 31st- Install Slide Generator
 - Generator Maintenance starts this week







- Tower inspections & Remote Alarms
 - TSM Support purchased and awaiting training for all new Nokia Microwave System to build within TSM application.
 - Secondary GPS Antenna needs to be replaced at NOC
 - GPS Timing solution put in place for Peavine Site
- Radio maintenance & alignments
 - Tahoe Simulcast alignment conducted (Biltmore, Snowflake)
 - Power Amplifiers replaced at Fox.
 - Marble Bluff Radio Alignment
 - Slide Mountain Radio Alignment
- Security cameras maintenance and installation
 - NTR- getting ready to purchase security equipment for Cold Springs





Questions?

Melissa Lawney
Mlawney@washoecounty.gov
775-771-4241
775-858-5952

